VIDEOCASSETTE RECORDER


UVW-1800

VIDEOCASSETTE PLAYER

UVW-1600

SERVICE MANUAL

Vol.2 1st Edition



BETACAM SP

For customers in the USA

WARNING

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

You are cautioned that any changes or modifications not expressly approved in this manual could void your authority to operate this equipment.

The shielded interface cable recommended in this manual must be used with this equipment in order to comply with the limits for a digital device pursuant to Subpart B of Part 15 of FCC Rules.



This symbol is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

WARNING: Using this unit at a voltage other than 120 V may require the use of a different line cord or attachment plug, or both.

To reduce the risk of fire or electric shock, refer servicing to qualified service personnel.

For customers in Canada

This apparatus complies with the Class A limits for radio noise emissions set out in Radio Interference Regulations.

Pour les utilisateurs au Canada

Cet appareil est conforme aux normes Classe A pour bruits radioélectriques, spécifiées dans le Règlement sur le brouillage radioélectrique.

このマニュアルに記載されている事柄の著作権は当社にあり、説明内容は機器購入者の使用を目的としています。 従って、当社の許可なしに無断で複写したり、説明内容(操作、保守等)と異なる目的で本マニュアルを使用することを禁止します。

The material contained in this manual consists of information that is the property of Sony Corporation and is intended solely for use by the purchasers of the equipment described in this manual.

Sony Corporation expressly prohibits the duplication of any portion of this manual or the use thereof for any purpose other than the operation or maintenance of the equipment described in this manual without the express written permission of Sony Corporation.

Le matériel contenu dans ce manuel consiste en informations qui sont la propriété de Sony Corporation et sont destinées exclusivement à l'usage des acquéreurs de l'équipement décrit dans ce manuel.

Sony Corporation interdit formellement la copie de quelque partie que ce soit de ce manuel ou son emploi pour tout autre but que des opérations ou entretiens de l'équipement à moins d'une permission écrite de Sony Corporation.

Das in dieser Anleitung enthaltene Material besteht aus Informationen, die Eigentum der Sony Corporation sind, und ausschließlich zum Gebrauch durch den Käufer der in dieser Anleitung beschriebenen Ausrüstung bestimmt sind.

Die Sony Corporation untersagt ausdrücklich die Vervielfältigung jeglicher Teile dieser Anleitung oder den Gebrauch derselben für irgendeinen anderen Zweck als die Bedienung oder Wartung der in dieser Anleitung beschriebenen Ausrüstung ohne ausdrückliche schriftliche Erlaubnis der Sony Corporation.

このマニュアルについて

本書は、カセットレコーダ UVW-1800 およびカセットプレーヤ UVW-1600 のサービスマニュアル VOL. 2 です。

本書では、ブロックダイヤグラム、マウント図、回路図、パーツリストを記載しています。

構成

本書の構成を把握していただくために、全章の概略を以下に説明します。

第14章 BLOCK DIAGRAMS

第15章 BOARD LAYOUTS

第16章 SCHEMATIC DIAGRAMS

第17章 SEMICONDUCTOR PIN ASSIGNMENTS

第18章 SPARE PARTS AND OPTIONAL FIXTURES

Introducing this manual

This manual is the Service Manual Vol. 2 of the video cassette recorder model UVW-1800 and the video cassette player model UVW-1600.

This manual contains block diagrams, board layouts, schematic diagrams, parts lists.

Contains

The sections covered in the manual are summarized below to give you a general understanding of the manual.

Section 14 BLOCK DIAGRAMS

Section 15 BOARD LAYOUTS

Section 16 SCHEMATIC DIAGRAMS

Section 17 SEMICONDUCTOR PIN ASSIGNMENTS

Section 18 SPARE PARTS AND OPTIONAL FIXTURES

関連マニュアル

本機には、この「サービスマニュアル VOL. 2」の他に、下記のマニュアルが用意されています。

オペレーションマニュアル(本機に付属しています)

本機を実際に運用および操作するのに必要な情報を記載しています。

・インストレーションマニュアル(本機に付属していません)

本機の設置時に必要なラックマウント、周辺機器との接続の際のコネクター情報等を記載しています。

・サービスマニュアル vol.1 (本機に付属していません)

本機の保守に関する情報と、部品交換および調整などのサービスに関する情報を記載しています。

Related manuals

In addition to this Service Manual Vol. 2, the following manuals are provided.

· Operation Manual (Supplied with equipment)

Explains how to operate this equipment.

• Installation Manual (Not supplied with equipment)

Contains rack mount information necessary for installation of the equipment, the connector information necessary for connecting the unit with peripherals and others.

• Service Manual Vol. 1 (Not supplied with equipment)

Contains the maintenance information and servicing information necessary for parts replacement and adjustment.

目次 TABLE OF CONTENTS

Volume 1

- 1. OPERATING INSTRUCTION
- 2. INSTALLATION
- 3. SERVICE OVERVIEW
- 4. MAINTENANCE MENU
- 5. PERIODIC MAINTENANCE AND INSPECTION
- 6. REPLACEMENT OF MECHANICAL PARTS
- 7. TAPE PATH ALIGNMENT
- 8. ELECTRICAL ALIGNMENT OVERVIEW
- 9. POWER SUPPLY AND SYSTEM CONTROL ALIGNMENT
- 10. SERVO ALIGNMENT
- 11. AUDIO/TIMECODE ALIGNMENT
- 12. VIDEO ALIGNMENT
- 13. ELECTRICAL ALIGNMENT AFTER REPLACEMENT BOARDS

14. BLOCK DIAGRAMS


Overall (1/2)14-1	SOPS-1045ACSOPS-1045M	15-50
Overall (2/2)	SOPS-1045M	
Y/C Rec Process (Decode, Mod.), CTDM14-4	MB-470	15-52
RF REC/PB Amplifier, Rotary	MB-470A	15-56
Erase Oscillator	MB-471	15-60
PB RF EQ, Demodulator14-8	MB-471A	
Encode, Output Driver14-10		
Time Base Corrector, CTDM (Expand)14-12	16. SCHEMATIC DIAGRAMS	
Time Base Corrector14-14		
Audio PB, In/Out, LTC PB14-17	AP-31 (1/3)	16-4
Audio Erase/Bias Osc. Mode Control,	AP-31 (2/3)	
LTC REC, Crosstalk Cancel14-18	AP-31 (3/3)	
System Control14-20	AP-31A (1/3)	
Servo (1)14-22	AP-31A (2/3)	
Servo (2)	AP-31A (3/3)	
. ,	AR-14 (1/4)	
15. BOARD LAYOUTS	AR-14 (2/4)	
	AR-14 (3/4)	
AP-31 15-4	AR-14 (4/4)	16-40
AP-31A15-6	CP-225/A	16-43
AR-1415-8	CP-226/A	16-45
CP-22515-10	DR-214 (1/2)	
CP-225A15-12	DR-214 (2/2)	
CP-22615-14	KY-249	
CP-226J	KY-249A	
CP-226A	MS-39/A	
CP-226AJ	RP-70/A (1/2)	
CP-237A15-16	RP-70/A (2/2)	
CP-237A	SS-53 (1/4)	
DR-21415-18	SS-53 (2/4)	
KY-24915-20	SS-53 (3/4)	16-84
KY-249A15-22	SS-53 (4/4)	16-88
MS-39 15-24	TBC-25 (1/4)	16-92
MS-39A	TBC-25 (2/4)	16-96
RP-70	TBC-25 (3/4)	
RP-70A15-28	TBC-25 (4/4)	
SS-5315-30	VP-43/A (1/7)	16-108
TBC-25	VP-43/A (2/7)	
VP-43 15-38 VP-43A	VP-43/A (3/7)	16-116
VP-43A	VP-43/A (4/7)	
VRA-5	VP-43/A (5/7)	16-124
FRAME (1)15-46	VP-43/A (6/7)	
CL-25	VP-43/A (7/7)	
HP-61	VRA-5 (1/4)	
HP-61A	VRA-5 (2/4)	
PC-62	VRA-5 (3/4)	
PD-35	VRA-5 (4/4)	10-140
FRAME (2)15-48	SOPS-1045AC	10-131
PTC-66	30F 3-1043W	
PTC-67	MB-470/A (1/4)	
PTC-68	MB-470/A (2/4) MB-470/A (3/4)	
RM-126	MB-470/A (3/4) MB-470/A (4/4)	
RM-127	MB-471/A (1/2)	
SE-207	MB-471/A (1/2) MB-471/A (2/2)	
TR-84	NID-47 I/A (2/2)	10-103
VR-155		

FRAME (1/2)	
CL-25	<u>-</u>
DUS-355	
PD-35	
PTC-66	
PTC-67	_
PTC-68	
RM-126	
RM-127	
SE-207	
TR-84	
FRAME (2/2)	16-167
CP-237	
CP-237A	
HP-61	_
HP-61A	
VR-155	

17. SEMICONDUCTOR PIN ASSIGNMENTS

18. SPARE PARTS AND OPTIONAL FIXTURES


18-1.	Notes on Spare Parts	18-1
18-2.	Exploded Views	18-2
	Reel Chassis (1)	18-4
	Loarding Ring	18-6
	Reel Chassis (2)	18-8
	Drum & Tension Regulator Assembly.	18-10
	DR-214 Board Assembly	18-12
	Press Assy, Pinch	18-14
	Cassette Compartment Assembly	
	Chassis & Ornamental Panel Block	18-18
	Card Rack Block (1)	
	Card Rack Block (2)	18-22
	Chassis Block	18-24
	Connector Panel Block	18-26
18.2	Electrical Parts Lists	18-29
10-3.	Packing Materials & Accessories	18-103
104.	Ontional Fixtures	18-103





•


SECTION 14 BLOCK DIAGRAMS


OVERALL (1/2)














① TP101 REC/EE (COMPOSITE)




1 TP101 REC/EE (COMPONENT)




② TP201 REC/EE (COMPOSITE)




② TP201 REC/EE (COMPONENT)




③ TP202 REC/EE (COMPONENT)




(4) TP305 REC/EE



⑤ TP502 REC/EE




⑥ TP602 REC/EE




TP503 REC/EE




Y/C REC PROCESS(DECODE, MOD.), CTDM





VRA-5

14-5




F RF


UVW-1800/1600

14-6


14-6




① TP201 PB



② TP401 PB






14-9

UVW-1800/1600

ENCODE, OUTPUT DRIVER



VP-43/A(2/2)

UVW-1800


ENCODE,OUTPUT

OUTPUT, ENCODE


14-10

14-10


① TP101 PB




② TP201 PB




③ TP500 PB




④ TP501 PB




⑤ TP502 PB





@ TP303 PE




⑦ TP402 PB












TIME BASE CORRECTOR







UVW-1800/1600


① TP701 PB




② TP703 PB












AUDIO ERASE/BIAS OSC, MODE CONTROL, LTC REC, CROSSTALK CANCEL




14-18







① TP219 EE/REC/PB




② TP225 PB




SYSTEM CONTROL BLOCK








SS-53/A

UVW-1800 UVW-1600












POWER SUPPLY



SOPS-1045AC SOPS-1045M

UVW-1800 UVW-1600







SECTION 15 BOARD LAYOUTS

BOARD LAYOUT INDEX


	Board	Page
A	AP-31 ·····	15-4
	AP-31A	15-6
	AR-14·····	15-8
С	CL-25 ·····	15-46
	CP-225 ·····	15-10
	CP-225A	15-12
	CP-226/226J·····	15-14
	CP-226A/226AJ	15-14
	CP-237 ·····	15-16
	CP-237A	15-16
D	DR-214 ·····	15-18
н	HP-61 ·····	15-46
	HP-61A	15-46
K.	KY-249 ·····	15-20
	KY-249A	15-22
М	MB-470 ·····	15-52
	MB-470A ·····	15-56
	MB-471 ····	15-60
	MB-471A	15-62
	MS-39/39A	15-24
P	PC-62	15-46
	PD-35·····	15-46
	PTC-66	15-48
	PTC-67	15-48
	PTC-68	15-48
R	RM-126 ·····	15-48
	RM-127 ·····	15-48
	RP-70·····	15-26
	RP-70A ·····	15-28
s	SE-207 ·····	15-48
	SOPS-1045 AC	15-50
	SOPS-1045 M ·····	15-50
	SS-53 ·····	15-30
т	TBC-25 ·····	15-34
•	TR-84 ·····	15-48
		4E 05
٧	VP-43/43A·····	
	VR-155 ···································	15-48 15-42
	VHA-5 ····································	10-42

.





CIRCUIT FUNCTION



① RP-70 BOARD(UVW-1800) RP-70A BOARD(UVW-1600) ; RF REC/PB AMP., ROTARY ERASE OSC., FULL ERASE OSC.

; RF PB AMP.

② AP-31 BOARD(UVW-1800) ; AUDIO/TC PB AMP.,METER DRIVER AP-31 A BOARD(UVW-1600)

; AUDIO/TC PB AMP., METER DRIVER

3 AR-14 BOARD(UVW-1800)

; AUDIO/TC REC AMP.,AUDIO/TC ERASE OSC.,AUDIO BIAS DRIVER

④ CP-226 BOARD(UVW-1800: FOR UC); AUDIO INPUT/OUTPUT CONNECTOR, OUTPUT TRANSFORMER

CP-226J BOARD(UVW-1800: FOR J) ; AUDIO INPUT/OUTPUT CONNECTOR, OUTPUT TRANSFORMER CP-226A BOARD(UVW-1600: FOR UC); AUDIO OUTPUT CONNECTOR, OUTPUT TRANSFORMER CP-226AJ BOARD(UVW-1600: FOR J); AUDIO OUTPUT CONNECTOR, OUTPUT TRANSFORMER

⑤ CP-237 BOARD(UVW-1800) CP-237A BOARD(UVW-1600) ; TBC/9P REMOTE CONNECTOR ; TBC/9P REMOTE CONNECTOR

6 CP-225 BOARD(UVW-1800)

; VIDEO INPUT/OUTPUT CONNECTOR


CP-225A BOARD(UVW-1600)

; VIDEO OUTPUT CONNECTOR

VRA-5 BOARD(UVW-1800)

; Y/C REC PROCESS(DECODE,MOD),CTDM(COMPAND)


15-3




8	VP-43 BOARD(UVW-1800)	; Y/C PB PROCESS(PB RF EQ,DEMOD.,Y-RF ENVELOPE DET),VIDEO OUTPUT DRIVER, ENCODE, SYNC/CHARA MIX
	VP-43A BOARD(UVW-1600)	; Y/C PB PROCESS(PB RF EQ,DEMOD., Y-RF ENVELOPE DET), VIDEO OUTPUT DRIVER, ENCODE, SYNC/CHARA MIX
9	TBC-25 BOARD	; TIME BASE CORRECTOR, CTDM(EXPAND)
00	SS-53 BOARD	; SYSTEM CONTROL, SERVO SYSTEM MAIN, TIME CODE
Ŭ		GENERATOR/READER, CHARACTER GENERATOR
1	MB-470 BOARD(UVW-1800)	; MOTHER BOARD
	MB-470A BOARD(UVW-1600)	; MOTHER BOARD
12	CL-25 BOARD (CASSETTE COMPARTMENT)	; CASSETTE LOADING BEGIN/NEAR-END SENSOR
(3)	PC-62 BOARD(UVW-1800)	; CASSETTE IN/LARGE CASSETTE SENSOR
(4)	MB-471 BOARD(UVW-1800)	; MOTHER BOARD
	MB-471 A BOARD(UVW-1600)	; MOTHER BOARD
(5)	KY-249 BOARD(UVW-1800)	; FUNCTION KEY
	KY-249A BOARD(UVW-1600)	; FUNCTION KEY
16	VR-155 BOARD (UVW-1800)	; AUDIO REC LEVEL
1	HP-61 BOARD(UVW-1800)	; HEADPHONES JACK/VOLUME CONTROL
	HP-61A BOARD(UVW-1600)	; HEADPHONES JACK/VOLUME CONTROL
	• •	

; REEL FG ® SE-207 BOARD(S SIDE) PD-35 BOARD ; PINCH SOLENOID ; S-TENSION SENSOR 20 TR-84 BOARD 2 PTC-68 BOARD ; THREAD END/UNTHREAD END SENSOR ; THREADING FG/MOTOR PTC-67 BOARD ; MOTOR DRIVER, TENSION SENS. AMP., DRUM FG/PG AMP., CAPSTAN FG AMP., C ② DR-214 BOARD REC/PB AMP. 2 MS-39 BOARD(UVW-1800) ; CASSETTE INFORMATION, SOLENOID DRIVER, MECHA. CONTROL MPU, DATA STORAGE MS-39A BOARD(UVW-1600); CASSETTE INFORMATION, SOLENOID DRIVER, MECHA. CONTROL MPU, DATA STORAGE ; T-REEL MOTOR S RM-127 BOARD SE-207 BOARD(T SIDE) ; REEL FG 2 RM-126 BOARD ; S-REEL MOTOR ; REEL POSITION SENSOR PTC-66 BOARD

AP-31; AUDIO/TC PB AMP., METER DRIVER








AP-31

AP-31 1-648-906-11 B SIDE


AP-31(1-64	18-906-11)						
CN1 CN2 CN3 CN111	H-1 A-1 G-4 E-5	FS64 FS65 FS66 FS67 FS68	B-4 D-5 D-5 D-5 E-5	FS149 FS150 FS151 FS152 FS153	J-5 H-5 H-5 H-5 G-5	RV1 RV2 RV3 RV4 RV5	J-1 J-1 J-1 H-1 H-1
*D1 *D7 *D8 *D10 *D11	J-2 J-5 H-5 G-5 E-3	FS69 FS70 FS71 FS72 FS73	C-5 C-5 E-3 E-3 F-3	FS154 FS155 FS156	G-5 H-5 H-5 J-2	RV201 RV202 RV203 RV204 RV205	B-1 B-1 C-1 C-1
*D201 *D206 *D207 *D209 *D401 *D403	A-2 A-5 B-5 C-4 F-3 F-5	FS74 FS75 FS77 FS79 FS80 FS81	E-4 F-4 F-5 F-5 H-1	IC2 IC3 IC4 IC5 IC6 IC7	J-4 J-3 H-3 G-4 G-3 G-3	\$1 \$2 \$201 \$202	J-1 G-1 A-1 C-1
E1 E2	H-4 G-1	FS82 FS83 FS84	H-1 G-1 G-1	IC8 IC9 IC10	F-2 G-2 G-2	#TH1 #TH2	J-2 B-2 J-2
E2 E201 E202 F513 F556 F5510 F5512 F5514 F5516 F5517 F5519 F5512 F5524 F5524 F5525 F5527 F	0.88E	FS84 FS85 FS86 FS87 FS88 FS90 FS91 FS92 FS93 FS94 FS96 FS97 FS98 FS99 FS100 FS101 FS102 FS103 FS108 FS107 FS108 FS107 FS110 FS111 FS115 FS115 FS116 FS117 FS118 FS117 FS118 FS123 FS123 FS123 FS124 FS125 FS127 FS128 FS127 FS128 FS127 FS128 FS127 FS128 FS138 FS	\$\frac{1}{2}\frac{1}{2	IC10 IC11 IC12 IC13 IC14 IC15 IC201 IC202 IC203 IC204 IC205 IC206 IC207 IC208 IC209 IC210 IC401 IC402 #IC405 #IC406 #IC407 #IC408 #IC407 #IC408 #IC409 IC410 PS1 PS2 #Q6 #Q7 #Q12 #Q12 #Q13 Q18 Q19 Q20 #Q205 #Q205 #Q205 #Q205 #Q207 #C209	SHEDEJAAABCCCCCCAFFCCDCCF GG JJJHCEEJJHHJHGEAABB	TP3 TP4 TP5 TP203 TP204 TP205 TP402 TP402 TP403	J-2 G-1-1 G-1-5 D-1
FS50 FS51 FS53 FS54 FS56 FS57 FS58 FS59 FS61 FS63	0.3 0.3 0.3 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4	FS139 FS140 FS141 FS142 FS143 FS144 FS145 FS146 FS146 FS148	H J J J J J J J J J J J J J J J J J J J	#Q211 Q216 Q217 Q218 Q219 #Q220 #Q221 Q223 #Q403	E A A C C B B C F		


#: E SIDE

AP-31A; AUDIO/TC PB AMP., METER DRIVER



AP-31A 1-648-906-21 A SIDE






AP-31A 1-648-906-21 B SIDE


AP-31A(1-6	548-906-21)						
CN1 CN2 CN3 CN111	H-1 A-1 G-4 E-5	FS64 FS65 FS66 FS67 FS68	B-4 D-5 D-5 D-5 E-5	FS149 FS150 FS151 FS152 FS153	J-5 H-5 H-5 H-5 G-5	RV2 RV3 RV4 RV5 RV201	J-1 J-1 H-1 H-1 B-1
*D1 *D7 *D8 *D10 *D11	J-2 J-5 H-5 G-5 E-3	FS69 FS70 FS71 FS72 FS73	C-5 C-5 E-3 E-3 F-3	FS154 FS155 FS156	G-5 H-5 H-5	RV202 RV203 RV204 RV205	B-1 B-1 C-1
*D201 *D206 *D207 *D209 *D401	A-2 A-5 B-5 C-4 F-3	FS74 FS75 FS77 FS79 FS80	E-4 E-4 F-5 F-5	IC2 IC3 IC4 IC5 IC6	J-4 J-3 H-3 G-4 G-3	\$1 \$2 \$201 \$202	J-1 G-1 A-1 C-1
*D403	F-5 H-4	FS81 FS82 FS83	H-1 H-1 G-1	IC7 IC8 IC9	G-3 F-2 G-2	*TH1 *TH2	J-2 B-2
E2 E201 E202	G-1 B-4 E-1	FS84 FS85 FS86 FS87	G-1 G-1 G-1 H-1	IC10 IC11 IC12 IC13	G-2 H-4 E-5 D-4	TP3 TP4 TP5 TP203	J-2 G-2 G-1 B-2
FS1 FS3 FS5 FS6	A-1 A-2 B-2 B-2	FS88 FS89 FS90 FS91	H-1 H-1 G-1 G-1	IC14 IC15 IC201 IC202	E-3 J-4 A-2 A-4	TP204 TP205 TP402 TP403	D-1 G-5 D-1
FS7 FS9 FS10 FS11 FS12	A-3 B-3 A-3 B-3 A-3	FS92 FS93 FS94 FS96 FS97	G-2 G-2 F-2 H-2 H-2	IC203 IC204 IC205 IC206 IC207	A-3 B-3 C-4 C-3 C-3		
FS13 FS14 FS15	A-3 B-3 B-3	FS98 FS99 FS100	F-2 F-2 G-2	IC208 IC209 IC210	C-2 C-2 C-4		
FS16 FS17 FS18 FS19 FS20	A-4 A-4 B-4	FS101 FS102 FS103 FS106	H-2 H-2 G-3 H-3	IC211 IC401 IC402 #IC405	A-4 F-4 F-4 C-5		
FS21 FS22 FS23 FS24	A-4 A-4 A-5 A-5 A-5	FS107 FS108 FS109 FS110 FS111	H-3 H-3 G-3 G-4	#1C406 #1C407 #1C408 #1C409 1C410	D-5 D-5 C-5 D-5 F-5		
FS25 FS26 FS27 FS28	B-5 A-5 B-5 B-5	FS112 FS114 FS115 FS116	G4 H4 H4 G4	PS1 PS2	G-5 G-5		
FS29 FS30 FS31 FS32	B-5 C-1 C-1	FS117 FS118 FS119 FS121	H-4 H-4 H-5 G-5	#Q5 #Q6 #Q7 #Q9	J-2 J-2 J-2 H-4		
FS33 FS34 FS35 FS36	C-1 C-1 C-1 D-1	FS122 FS123 FS124 FS125	G-5 H-5 H-5 H-1	#Q11 #Q12 #Q13 Q18	C-2 E-2 E-1 J-5		
FS38 FS39 FS40 FS41	C-2 C-2 C-2 D-2	FS126 FS127 FS128 FS129	J-1 J-1 J-1 H-2	Q19 Q20 Q21 #Q22	J-5 H-5 H-5 J-4		
FS43 FS44 FS45 FS46	C-2 D-2 D-2 D-2	FS131 FS132 FS133 FS135	J-2 J-2 J-3 J-3	#Q23 Q25 Q30 #Q205	H-4 G-4 E-3 A-2		
FS47 FS48 FS49 FS50	C-3 C-3 C-3 C-3	FS136 FS137 FS138 FS139	H-3 J-3 J-3 H-3	*Q206 *Q207 *Q209	A-2 B-2 B-4		
FS51 FS53 FS54	C-3 C-3 C-4	FS140 FS141 FS142	J-3 J-3 J-4	#Q211 Q216 Q217 Q218	E-1 A-5 A-5 C-5		
FS56 FS57 FS58 FS59	D-4 D-4 C-4 C-4	FS144 FS145 FS146	J-4 J-4 J-4	Q219 *Q220 *Q221 Q223	C-5 B-4 B-4 C-4		
FS61 FS63	D-4 D-4	FS147 FS148	J-5 J-5	#Q403 RV1	F-3 J-1		


#: B SIDE

AR-14; AUDIO/TC REC AMP., AUDIO/TC ERASE OSC., AUDIO BIAS DRIVER



AR-14 1-648-907-11 A SIDE







AR-14 1-648-907-11 B SIDE

AR-14(1-64	18-907-11)								
CN1 CN112	J-5 E-5	FS44 FS45	C-3 C-3	FS123 FS124	H-1 J-1	#Q1 #Q2	E-5 E-5	TP301 TP311	J-1 J-1
#D1 #D102 #D103 #D201 #D202 #D203 #D303 #D304 #D305 #D306 #D311 #D312 #D322 #D322 #D323 #D324 #D331 #D332 #D334	5-2-1-3-2-1-3-5-4-4-3-3-3-2-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-4-5-5-5-5-4-5-5-5-4-5	F\$46 F\$47 F\$48 F\$50 F\$51 F\$52 F\$54 F\$55 F\$56 F\$57 F\$58 F\$59 F\$60 F\$61 F\$62 F\$65 F\$66 F\$66 F\$66 F\$68 F\$69 F\$70 F\$72 F\$74	\$	F5125 F5126 F5127 F5128 F5129 F5130 F5131 F5132 F5133 F5136 F5137 F5138 F5139 F5140 F5141 F5144 F5144 F5144 F5144 F5144 F5144 F5148	HHHHJJJJ222223355777222334	#Q3 #Q4 #Q5 #Q101 #Q102 #Q103 Q104 Q105 #Q201 #Q202 #Q203 Q204 Q205 #Q303 Q304 Q305 Q306 #Q311 Q312 #Q313 #Q314 #Q315 Q316 Q317	555514244141435555553424434 66666666666666666666666666666666	TP321 X301	J-1 D-3
E106 E206 E301 E311	H-1 A-1 J-1 J-1	FS75 FS76 FS77 FS78 FS79	F-3 E-3 F-3 E-4 E-4	FS152 FS153 FS154 FS155 FS156	H-2 E-1 F-1 J-5 J-4	#Q318 Q319 #Q321 Q322 #Q323	J-3 G-4 G-3 G-2 E-3		
F51 F52 F54 F55 F56 F57 F58 F510 F511 F513 F514 F515 F517 F518 F517 F518 F517 F518 F517 F512 F512 F512 F512 F512 F512 F512 F512	A-1-1-2-2-5-2-2-2-5-5-5-5-5-5-1-2-2-3-3-4-5-1-2-2-5-5-5-5-5-5-5-1-2-2-3-3-4-5-1-2-2-3-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2	FS80 FS81 FS82 FS83 FS84 FS85 FS86 FS87 FS90 FS91 FS91 FS92 FS93 FS94 FS95 FS96 FS97 FS98 FS99 FS100 FS101 FS103 FS104 FS103 FS104 FS105 FS104 FS105 FS104 FS105 FS105 FS106 FS107 F	\#\#\#\#\#\#\#\#\#\#\#\#\#\#\#\#\#\#\#	IC1 IC2 IC3 IC3 IC5 IC6 IC7 IC101 IC102 IC103 IC104 IC105 IC201 IC202 IC203 IC204 IC305 IC301 IC302 IC303 IC304 IC305 IC306 IC307 IC308 IC309 IC310	# 44555550222222222223443335453	#Q324 #Q325 Q325 Q327 #Q328 Q329 #Q331 Q332 #Q333 #Q334 #Q335 Q336 Q337 Q339 RV106 RV107 RV108 RV109 RV111 RV112 RV206 RV207 RV208 RV208 RV209 RV209 RV208	1H H H J G F G F G F H H H H G J H H G F C C A B B B D		
FS28 FS29 FS30 FS31 FS32	B-2 C-2 B-5 B-5 B-5	FS107 FS108 FS109 FS110 FS111	G-1 G-2 G-2 G-2 G-2	IC311 IC312 IC313 IC314 IC315	E-3 E-4 G-5 E-3 J-3	RV211 RV212 RV301 RV302	G-1 F-1 B-4 B-4		
FS33 FS34 FS35	B-5 C-1 C-2	FS112 FS113 FS114	G-2 G-3 G-3	IC316 LV101	J-5 C-2	RY301 RY311	J-3 J-2		
FS36 FS37 FS38	C-2 C-5 C-5	FS115 FS116 FS117	G-3 G-4 G-4	LV201 LV301 LV311	A-2 J-4 J-3	S103 S203	J-1 A-1		
FS39 FS40 FS41	C-5 C-1 C-1	FS118 FS119 FS120	G-4 G-5 G-5	LV321 PS1	J-5 H-5	*TH1 *TH2	G-2 C-2		
F\$42 F\$43	C-2 C-2	FS121 FS122	G-5 H-1	PS2	H-5	TP106 TP206	H-1 A-1		

*: B SIDE

CP-225; VIDEO INPUT/OUTPUT CONNECTOR







15-10

UVW-1800

CP-225A; VIDEO OUTPUT CONNECTOR








CP-225A 1-648-910-21 B SIDE

UVW-1600


CP-226 ; AUDIO INPUT/OUTPUT CONNECTOR, OUTPUT TRANSFORMER(FOR UC) CP-226J ; AUDIO INPUT/OUTPUT CONNECTOR, OUTPUT TRANSFORMER(FOR J) CP-226AJ ; AUDIO OUTPUT CONNECTOR, OUTPUT TRANSFORMER(FOR J)








CP-226/226J 1-648-911-11 B SIDE




CP-226A/226AJ 1-648-911-21 A SIDE




CP-226A/226AJ 1-648-911-21 B SIDE


CP-237 ; TBC/9P REMOTE CONNECTOR CP-237A ; TBC/9P REMOTE CONNECTOR




CP-237 1-648-912-11 A SIDE



CP-237 1-648-912-11 B SIDE




CP-237A 1-648-912-21 A SIDE




CP-237A 1-648-912-21 B SIDE

DR-214 DR-214

DR-214; MOTOR DRIVER, TENSION SENS. AMP., DRUM FG/PG AMP., CAPSTAN FG AMP., CTL REC/PB AMP.



DR-214 1-648-908-11 A SIDE



DR-214 1-648-908-11 B SIDE


CN300 CN301 CN302 CN303	H-1 C-5 H-5 L-5
D1 D151 D152 D153 D154 D155 D156 D301 D302 D303 D304 D306	G-2 L-3 K-3 L-2 M-3 K-3 L-2 G-4 H-4 H-2 H-3
E1 E2	K-1 K-5
IC1 IC51 IC52 IC151 IC152 IC153 IC201 IC201 IC301 IC302 IC303 IC304 IC305 IC306 IC307 IC308 IC308 IC308 IC310 IC311 IC313	GC234421134245425312
Q1 Q51 Q52 Q53 Q101 Q102 Q103 Q151 Q152 Q153 Q154 Q155 Q201 Q202 Q203 Q204 Q205 Q206 Q207 Q208 Q206 Q207 Q208 Q251 Q251 Q252 Q253 Q254 Q255 Q256 Q257 Q256 Q257 Q258 Q258 Q258 Q258 Q258 Q258 Q258 Q258	95554449959119299994172299994212 6BBBBBBKKKKKBBBBBBBKKKKKKKKKKKKKKKKKKK


DR-214(1-648-908-11)

#: B SIDE

15-18

KY-249; FUNCTION KEY





.

15-20


KY-249(1-648-914-11)

		,	
CN590 CN591 CN592 CN593	M-3 D-1 N-3 B-1	S8 S9 S10 S11	H-2 H-3 H-3 G-3
#D1 #D2 #D3 #D4 #D5 #D5 #D7 #D8 #D9 #D10 #D11	N-2 K-1 K-1 J-2 J-2 H-2 H-3 J-3 J-3	\$12 \$13 \$14 \$15 \$16 \$17 \$18 \$19 \$20 \$21	J-3 G-3 G-2 F-3 F-3 F-3 N-2
IC1 IC2 IC3 IC6	L-3 E-2 M-2 M-3		
ND1.	E-2		
#Q1 #Q2 #Q3 #Q3 #Q4 #Q5 #Q6 #Q6 #Q6 #Q10 #Q11 #Q11 #Q11 #Q11 #Q11 #Q11 #Q11	D-3 D-2 D-2 D-2 D-1		
RV1 RV2	E-3 D-3		
\$1 \$2 \$3 \$4 \$5 \$7	K-1 P-1 N-1 L-1 M-1 P-1		
0 0100			


#: B SIDE

UVW-1800

KY-249A; FUNCTION KEY



KY-249A 1-648-914-21 A SIDE




KY-249A(1-648-914-21) CN590 M-3


M-3 S10 H-1 S11 G-1 S12 J-2 S16 E-1 S20 F-1 S21 J-2 X1 N-1 S2 J-3 J-3 J-3 J-3 L-3 E-2 M-2	M-2 M-3	E-2	D-3 D-2 D-2 D-2 D-2 D-1 D-1 D-1 D-1 B-1 B-1 B-1 B-1 B-1 B-1 B-1 B-1 B-1 B	E-3 D-3	K-1 P-1 N-1 L-1 M-1
D-1 N-3 B-1 N-2 K-1 K-1 J-2 H-2 J-3 J-3 L-2	M-3		D-3 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1		P-1 N-1
CN590 CN591 CN592 CN593 #D1 #D2 #D3 #D4 #D5 #D6 #D7 #D8 #D9 #D10 #D11 IC1 IC2 IC3	IC6	ND1 #Q1	# Q2 # Q3 # Q5 # Q5 # Q6 # Q7 # Q1 # Q10 # Q11 # Q12 # Q21 # Q22 # Q23 # Q25 # Q35 #	RV1 RV2	S1 S2 S3 S4

#: B SIDE

UVW-1800

MS-39/39A; CASSETTE INFORMATION, SOLENOID DRIVER, MECHA. CONTROL MPU, DATA STORAGE






MS-39/39A(1-648-909-11)


CN350 CN351 CN352 CN353 CN354 CN355 CN356 CN357 CN358 CN359 CN360 CN361 CN362 CN363 CN364	L-5 F-1 J-5 B-3 B-1 J-1 C-3 F-5 G-2 K-2
D1 D2 D3 D4 D7 D8 D9 D10	F-2 F-2 B-2 M-2 K-1 K-1 K-1
IC1 IC2 IC3 IC7 IC8	H-4 E-3 D-3 G-4 G-3
Q1 Q2 Q3 Q4	F-1 F-1 B-1 M-1
X1	J-4


#: B SIDE _: UVW-1800 ONLY

UVW-1800/1600



RP-70 1-648-904-11 A SIDE







RP-70 1-648-904-11 B SIDE


8-904-11)				
J-4 H-4 E-5 F-4	FS708 FS709 FS710 FS711	C-5 C-5 C-5	RV202 RV301 RV302	G-3 E-2 F-3
D-2 D-5 D-3	FS713 FS714 FS715 FS716	E-5 F-5 G-5 J-5	\$101 \$201 \$301	J-3 H-3 F-3 E-3
J-1 J-4 F-1 F-4	FS718 FS719 FS720 FS721 FS722	D-1 D-1 H-5 G-5 G-5	TP2 TP3 TP4 TP103 TP104	J-1 J-3 J-4 H-3 H-4 G-1
J-1 J-2	FS724 FS725 FS726	E-1 H-5 H-5	TP202 TP203 TP204	F-1 F-3 F-4
\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	IC1 IC2 IC101 IC102 IC201 IC201 IC301 IC302 IC501 IC502 IC503 IC601 IC702 IC703 IC704 IC705 IC706 IC706 IC707	J-2 4 2 4 2 4 1 1 1 1 3 3 2 1 5 4 3 3 4 3 D D D D D D D D D D D D D D D	TP303 TP304 TP601 TP602	E-3 E-4 B-1 C-1
G-1-1-1-1-1-1-1-1-2-2-2-2-2-3-3-4-4-2-2-3-3-4-4-1-5-5-5-5-5-2-3-4-4-2-3-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-5-2-3-4-4-1-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5	*Q1 *Q2 *Q3 *Q102 *Q103 *Q201 *Q202 *Q203 *Q302 *Q302 *Q301 Q601 Q602 Q603 Q604 Q605 Q606 Q607 Q608 *Q610 Q611 *Q612 *Q614 *Q615 *Q614 *Q615 *Q614 *Q615 *Q614 *Q615 *Q616 *Q617 RV1	J-12222122221223232323222211222 2:122222212222222222		
D-4 C-4 D-4 D-5	RV2 RV101 RV102 RV201	J-3 H-2 H-3 F-2		
		H-4 FS709 E-5 FS710 F-4 FS711 E-4 FS712 FS713 D-2 FS714 D-5 FS715 D-3 FS716 D-4 FS717 FS718 J-1 FS719 J-4 FS720 F-1 FS724 F-721 F-4 FS722 B-1 FS723 FS726 J-2 J-2 J-2 J-3 IC1 J-4 IC101 H-2 IC202 H-3 IC202 H-4 IC301 H-2 IC201 H-3 IC202 H-4 IC301 H-2 IC702 E-2 IC703 F-1 #IC501 F-1 #IC502 G-4 #IC701 F-1 #IC502 G-2 #IC601 F-1 #IC702 E-2 IC703 E-2 IC704 E-3 #IC602 G-4 #IC701 F-1 F-1 #IC502 G-4 FC701 F-1 F-1 FC702 E-2 IC703 E-2 IC704 E-3 #IC602 G-4 FC701 F-1 FC708 F-1 F-1 FC706 E-4 IC707 E-1 IC708 F-1 F-1 FC706 E-4 IC707 E-1 FC708 F-1 F-1 FC706 E-4 IC707 E-1 FC708 F-1 F-1 FC706 E-4 IC707 E-1 FC708 F-1 FC709 F-1 FC70	J-4 FS708 C-5 H-4 FS709 C-5 F-5 FS710 C-5 F-4 FS711 C-5 F-4 FS711 C-5 F-5 FS712 D-5 FS713 E-5 D-2 FS714 F-5 D-5 FS715 E-5 D-1 FS715 D-1 FS718 D-1 J-1 FS718 D-1 J-1 FS719 D-1 J-1 FS720 H-5 F-1 FS721 G-5 B-1 FS722 D-1 FS724 E-1 J-1 FS724 E-1 J-2 J-2 J-2 J-3 IC1 J-2 J-4 IC2 J-4 J-2 IC101 H-2 H-2 IC102 H-4 H-2 IC101 H-2 H-2 IC102 H-4 H-2 IC201 F-2 H-4 IC301 E-2 H-4 IC301 E-2 H-4 IC302 E-4 H-1 #IC502 G-1 G-2 #IC503 F-1 F-1 #IC502 G-1 G-2 #IC601 A-3 F-3 #IC601 A-3 F-3 #IC601 A-3 F-3 #IC602 B-3 IC703 D-5 E-2 IC703 D-5 E-2 IC704 D-4 E-3 #IC705 D-3 F-1 F-1 #Q1 J-1 G-1 #Q2 H-1 #Q3 H-1 #Q3 H-1 #Q102 H-2 H-1 #Q103 H-2 H-1 #Q104 H-2 H-1 #Q201 F-1 IC708 D-3 F-1 F-1 #Q1 J-1 E-1 #Q201 F-1 IC708 D-3 F-1 #Q1 J-1 B-3 Q601 A-2 B-3 Q602 A-3 B-4 Q603 B-3 B-4 Q603 B-3 B-4 Q603 B-3 B-4 Q604 A-3 A-2 Q605 B-2 A-3 Q606 B-3 B-4 Q609 B-2 B-1 #Q610 B-2 A-3 Q606 B-3 B-4 Q609 B-2 B-1 #Q610 B-2 A-3 Q606 B-3 B-4 Q609 B-2 B-1 #Q610 B-2 A-3 Q606 B-3 B-4 Q609 B-2 B-5 #Q614 B-1 B-5 #Q615 B-2 C-5 #Q613 B-1 C-5 #Q614 B-1 B-5 #Q615 B-2 C-5 #Q614 B-1 B-5 #Q615 B-2 C-5 #Q614 B-1 B-5 #Q615 B-2 C-5 #Q615 B-2 C-5 #Q614 B-1 B-5 #Q615 B-2 C-5 #Q615 B-2 C-5 #Q615 B-2 C-5 #Q617 B-2 D-4 RV101 H-2 D-4 RV101 H-2 D-4 RV102 D-4 RV1	J-4 FS708 C-5 RV202 H-4 FS709 C-5 RV301 E-5 FS710 C-5 RV302 F-4 FS711 C-5 E-4 FS712 D-5 S1 FS713 E-5 S201 D-2 FS714 F-5 S201 D-3 FS716 J-5 S301 D-3 FS716 J-5 S301 D-4 FS717 D-1 TP1 FS718 D-1 TP2 J-1 FS720 H-5 TP4 FS720 H-5 TP4 FS721 G-5 TP103 F-4 FS722 G-5 TP103 F-4 FS722 G-5 TP103 F-5 FS724 E-1 TP201 FS724 E-1 TP202 J-1 FS725 H-5 TP204 J-2 J-1 FS726 H-5 TP204 J-2 J-2 J-2 J-2 J-2 J-2 J-2 J-3 IC1 J-2 TP801 J-4 IC2 J-4 TP801 J-4 IC301 H-2 TP802 H-2 IC202 G-4 H-4 IC302 E-2 H-4 IC302 E-4 H-1 FC502 G-1 G-2 FC503 F-1 FC704 D-1 F-1 FC702 D-1 F-1 FC702 D-1 F-2 IC703 D-5 E-2 IC703 D-5 E-2 IC704 D-4 E-3 FC706 D-3 F-1 FC706 D-3 F-1 FC706 D-3 F-1 FC706 D-3 F-1 FC707 D-4 E-1 IC708 D-3 F-1 FC708 D-3 F-1 FC709 D-3 FC709 D-3 FC709 D-3 F

#: B SIDE



RP-70A 1-648-904-21 A SIDE






RP-70A 1-648-904-21 B SIDE

P-70A(1-6	548-904-21)
CN1	J-4
CN101	H-4
CN110	E-5
CN201	F-4
CN301	E-4
₽D702	D-5
E2	J-4
E202	F-4
FS2 FS3 FS6 FS7 FS101 FS105 FS106 FS201 FS202 FS206 FS301 FS305 FS301 FS304 FS305 FS301 FS506 FS301 FS506 FS301 FS508 FS501 FS509 FS614 FS615 FS616 FS617 FS616 FS617 FS618 FS617 FS618 FS617 FS618 FS619 FS701 FS702 FS703 FS704 FS705 FS705 FS706 FS707 FS709 FS710 FS709 FS710 FS721 FS722 FS723 FS725 FS726 FS723 FS725 FS725 FS726 FS726 FS726 FS727 FS726 FS727 FS727 FS727 FS727 FS727 FS727 FS727 FS727 FS727 FS728 FS	Ĵ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
IC2	J-4
IC102	H-4
IC202	G-4
IC302	E-4
IC703	D-5
IC704	D-4
T2	J-4
T102	H-4
T202	G-4
T302	F-4

#: B SIDE


SS-53; SYSTEM CONTROL, SERVO SYSTEM MAIN, TIME CODE GENERATOR/READER, CHARACTER GENERATOR



SS-53 1-648-903-11 A SIDE

15-30

ACTER GENERATOR




SS-53 1-648-903-11 A SIDE

SS-53(1 <i>-</i> 64	8-903-11)	
CNI4 CNI212	K-3 C-2	IC223 IC224	J-4
CN1 CN2 CN3 CN107 CN108 CN109	E-1 F-1 P-1 N-6 K-6 C-6	IC225 IC226 IC227 IC228 IC229 IC230 IC231 IC232 IC233	J.C. A.F. L.K. H. L.K. L.M.
# D100 # D101	A-5 A-5	PS1 PS2	L-4 M-
#D102 #D103 #D104 #D105 #D200 #D200 #D202 #D203 #D203 #D205 #D205 #D206 #D207 #D207 #D208 #D208	A 5 5 5 4 3 3 3 3 3 3 3 3 3 3 4 4 5 5 5 4 5 5 5 6 6 6 6 6 6 6 6 6 6 6	#Q105 #Q106 #Q107 #Q108 #Q204 #Q205 #Q206 #Q207 #Q208 #Q209 #Q210 #Q211	B B B D D D D D D D D J J J
#D211 #D213 #D214 #D215	E-2 E-3 J-6 J-5	#RB1 #RB2 #RB201 #RB202 #RB203	P.R.E.B.K.
E1 E200 E201 E202	N-1 E-4 D-1 J-1	S1 S201	B-
IC1 IC2 IC3 IC4 IC5 IC6 IC7 IC8 IC9 IC10 IC11 IC12 IC15 IC100 IC101 IC102 IC103 IC200 IC201 IC203 IC204 IC203 IC204 IC205 IC207 IC208 IC206 IC207 IC208 IC209 IC211 IC212 IC212 IC213 IC214 IC215 IC216 IC217 IC219 IC217 IC219 IC217 IC219 IC220 IC221 IC221 IC222 IC221 IC222 IC222 IC222 IC222 IC221 IC222 IC223 IC222 IC223 IC223 IC224 IC213 IC213 IC214 IC215 IC216 IC217 IC2217 IC2217 IC2217 IC2217 IC2217 IC2217 IC2217 IC2217 IC2217 IC222 IC2217 IC222 IC2211 IC222 IC2211 IC222 IC2211 IC222 IC2	- 93331215592223555534234333322333331343	TP1 TP100 TP103 TP201 TP202 TP203 TP205 TP206 TP207 TP211 TP216 TP217 TP219 TP223 TP224 TP225 X1 X101 X200	RABAADHG FGHGDHJO RAG


₩: B SIDE

SS-53; SYSTEM CONTROL, SERVO SYSTEM MAIN, TIME CODE GENERATOR/READER, CHARACTER GENERATOR



SS-53 1-648-903-11 B SIDE

ACTER GENERATOR




SS-53 1-648-903-11 B SIDE

SS-53(1-64	8-903-11)	
CNI4 CNI212	K-3 C-2	IC223 IC224	J-4 J-3
CN1 CN2 CN3 CN107 CN108 CN109	E-1 F-1 P-1 N-6 K-6 C-6	IC225 IC226 IC227 IC228 IC229 IC230 IC231 IC232 IC233	J-3 C-4 F-2 L-3 H-3 L-4 M-3
₩ D100 ₩ D101	A-5 A-5	PS1 PS2	L-5 M-5
#D102 #D103 #D103 #D104 #D105 #D200 #D201 #D202 #D203 #D204 #D205 #D206 #D206 #D207 #D208 #D208 #D208	AAABEEEEEEFFEG	#Q105 #Q106 #Q107 #Q108 #Q204 #Q205 #Q205 #Q207 #Q208 #Q209 #Q210 #Q211	B-5 B-4 B-5 D-5 D-5 D-5 D-5 D-3 J-3
*D211 *D213 *D214 *D215	E-2 E-3 J-6 J-5	*RB1 *RB2 *RB201 *RB202 *RB203	P-3 R-2 E-1 B-1 K-4
E1 E200 E201 E202	N-1 E-4 D-1 J-1	S1 S201	R-4 B-1
IC1 IC2 IC3 IC4 IC5 IC6 IC7 IC8 IC9 IC10 IC11 IC12 IC15 IC15 IC100 IC101	P-3 N-3 N-3 L-1 M-2 R-5 R-5 R-2 N-2 N-3 A-5	TP1 TP100 TP103 TP201 TP202 TP203 TP205 TP206 TP207 TP211 TP216 TP217 TP219 TP223 TP223 TP224 TP225	R-2 A-4 B-4 A-2 A-1 H-3 G-3 F-4 G-3 D-1 H-2 J-2 C-1
IC102 IC103 IC200 IC201 IC202 IC203 IC204 IC206 IC207 IC208 IC209 IC210 IC211 IC212 IC213 IC214 IC215 IC216 IC217 IC216 IC217 IC219 IC220 IC221 IC221	4559429499999922999999943	X1 X101 X200	R-2 A-3 G-1

UVW-1800/1600


#: B SIDE

TBC-25; TIME BASE CORRECTOR, CTDM(EXPAND)



TBC-25 1-648-901-11 A SIDE

15-34




TBC-25 1-648-901-11 A SIDE

TBC-25(1-648-901-11)						
CN1 CN2 CN105 CN106	E-1 C-6 N-6 C-6	IC503 IC504 IC505 IC506	J-2 J-4 H-2 H-3	#Q303 #Q304 #Q305 #Q306	P-1 N-2 N-2 R-2	
CV700 CV701	C-2 C-2	IC507 IC508 IC509 IC510	G-6 H-4 G-3	#Q400 #Q401 #Q402 #Q403	P-5 P-5 R-5 P-5	
等D1 等D2 等D100 等D100 等D100 等D301 等D301 等D302 等D303 等D304 等D401 卷D401 卷D402 等D403 等D502 等D502 等D503 等D504 等D505 等D506 等D701 等D702	MM33332222444422115225MA22	IC511 IC512 IC513 IC514 IC515 IC516 IC517 IC518 IC519 IC520 IC521 IC522 IC524 IC525 IC526 IC526 IC526 IC526 IC526 IC527 IC528 IC529 IC528 IC529 IC526 IC526 IC526 IC527 IC526 IC527 IC527 IC528 IC529 IC529 IC529 IC529 IC521	61347277322724333333222 6134727322724333333222	#Q404 #Q405 #Q407 #Q500 #Q501 #Q502 #Q503 #Q700 #Q702 #Q703 #Q704 #Q705 #Q705 #Q707 #Q708 #Q709 #Q709 #Q710 #Q711	M4454211100042122225555555555555555555555	
#D703 E200 E300 E400 E500 E501 E700 E701	C-2 N-3 M-1 R-5 D-1 J-3 E-4 B-2	IC532 IC533 IC534 IC700 IC701 IC702 IC703 IC704 IC705 IC706	G-2 G-1 G-1 A-2 A-1 A-2 C-4 A-3 D-4	RV100 RV200 RV300 RV301 RV400 RV401 RV500 RV501 RV502 RV700	R-3 M-1 N-1 P-5 F-1 D-1 A-1	
FL500 FL501 FL502	F-2 E-1 D-1	IC707 IC708 IC709	E-5 F-5 A-3	RV701 RV702 RV703	8-1 8-1 8-1	
IC1 IC2	M-2 M-3	IC710 IC711 IC712	E-5 D-3 C-3	S500	J-1	
IC3	L-1 L-4	IC713 IC714	C-3 A-4	TH400	R-5	
IC5 IC6 IC7 IC100 IC101 IC102 IC103 IC200 IC203 IC300 IC301 IC302 IC303 IC304	E-6 L-1-5-3 P-3-3 M-2-3 M-1-2-1-1-2 M-1-2-1-1-2	IC715 IC716 IC716 IC717 IC718 IC719 IC720 IC721 IC722 IC723 IC724 IC725 IC726 IC725	2-3-5-2-2-3-2-4-5-5-5-4-4 BBBBBCBDFE	TP100 TP101 TP200 TP201 TP300 TP301 TP303 TP400 TP401 TP402 TP500 TP501 TP501	R3333122554411111	
1C304 1C305 1C306 1C307	N-2 M-2 R-2	LV300 LV400	R-2 M-4	TP700 TP701 TP702 TP703	C-5 C-4 C-1 C-3	
IC308 IC400 IC401 IC402 IC403 IC404 IC405 IC406 IC407 IC408 IC501 IC501	R-5 R-5 R-5 R-5 R-4 R-5 R-4 M-4 L-2 L-4	#Q100 #Q101 #Q102 #Q103 #Q104 #Q200 #Q201 #Q202 #Q203 #Q300 #Q300 #Q302	33333333335 P. R. R. S.	TP704 X700 X701	C-1 C-2 C-2	


#: B SIDE

TBC-25; TIME BASE CORRECTOR, CTDM(EXPAND)



TBC-25 1-648-901-11 B SIDE

TBC-25




TBC-25 1-648-901-11 B SIDE

```
TBC-25(1-648-901-11)
                                                          CN1
CN2
CN105
CN106
                                                                                                                                                                                                                                                                                                                                                                                  E-1
C-6
N-6
C-6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       IC503 IC504 IC505 IC506 IC507 IC508 IC501 IC511 IC512 IC513 IC514 IC515 IC516 IC517 IC518 IC519 IC520 IC521 IC522 IC523 IC524 IC525 IC526 IC526 IC520 IC521 IC520 IC521 IC521 IC522 IC523 IC524 IC525 IC526 IC526 IC526 IC526 IC526 IC527 IC528 IC526 IC521 IC522 IC523 IC524 IC525 IC526 IC526 IC526 IC527 IC522 IC523 IC524 IC525 IC526 IC527 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       #Q303
#Q304
#Q305
#Q400
#Q401
#Q402
#Q403
#Q404
#Q405
#Q500
#Q500
#Q701
#Q702
#Q704
#Q705
#Q706
#Q706
#Q706
#Q708
#Q708
#Q708
#Q709
#Q708
#Q709
#Q711
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           P.N.R.P.P.R.P.M.R.R.N.P.F.E.D.C.C.A.C.C.C.C.B.D.D.D.
                                           CV700
CV701
                                                                                                                                                                                                                                                                                                                                                                          C-2
C-2
       $D1
$D2
$D100
$D101
$D102
$D300
$D301
$D302
$D303
$D304
$D401
$D402
$D502
$D503
$D505
$D50
                                                                                                                                                                                                                                                                                                                                                                                  M-23
M-33
N-33
N-22
22
44
M-42
C-11
52
C-22
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          RV100
RV200
RV300
RV301
RV400
RV401
RV500
RV501
RV502
RV700
RV701
RV702
RV703
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        R-3
M-1
N-1
P-5
F-1
D-1
B-1
B-1
                                                          E200
E300
E400
E500
E501
E700
E701
                                                                                                                                                                                                                                                                                                                                                                                  N-3
M-1
R-5
D-1
J-3
E-4
B-2
                                                          FL500
FL501
FL502
                                                                                                                                                                                                                                                                                                                                                                                  F-2
E-1
D-1
                                                          IC1
IC2
IC3
IC4
IC5
IC6
IC7
IC100
IC101
IC102
IC103
IC200
IC203
IC300
IC301
IC302
IC303
IC300
IC305
IC306
IC306
IC306
IC306
IC307
IC308
IC306
IC306
IC306
IC306
IC306
IC306
IC307
IC306
IC307
IC306
IC307
IC308
IC300
IC308
IC300
IC400
IC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                $500
                                                                                                                                                                                                                                                                                                                                                                                  MM1.461.533.221.11.22.22.555544.544.24
MNMRRRRRRRMNMLL
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                TH400
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        R-5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         TP100
TP101
TP200
TP201
TP300
TP301
TP303
TP400
TP401
TP402
TP500
TP501
TP502
TP700
TP701
TP702
TP702
TP703
TP703
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        LV300
LV400
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           R-2
M-4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           #Q100
#Q101
#Q102
#Q103
#Q104
#Q200
#Q201
#Q202
#Q203
#Q300
#Q301
#Q301
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            X700
X701
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        C-2
C-2
```


#: B SIDE

VP-43/43A; Y/C PB PROCESS(PB RF EQ, DEMOD., Y-RF ENVELOPE DET), VIDEO OUTPUT DRIVER, ENCODE, SYNC/CHARA MIX



VP-43/43A 1-648-899-11 A SIDE

VER, ENCODE, SYNC/CHARA MIX




VP-43/43A 1-648-899-11 A SIDE

CN103 CN104	N-6 C-6	IC705	. R-4	Q514 #Q515	B-3 B-2	TP102 TP103	P-1 L-1
CN105	R-5	#Q101 #Q102	N-5 N-4	#Q516 Q517	B-2 B-3	TP104 TP201	P-3 P-1
DL101 DL301	N-4 J-4	#Q103 #Q104	N-5 N-4	#Q601 #Q602	F-5 F-5	TP301 TP302	H-1 J-3
€D201	N-2	#Q105 #Q106	N-4 N-3	Q603 Q604	E-5	TP401	L-1
D401	J-2	#Q107	N-3	Q605	F-5 F-5		
D501 D502	A-2 B-2	#Q108 #Q109	N-4 N-4	Q606 Q607	F-5 E-5		
D503 D504	B-3	#Q110	P-4	Q608	F-5		
D601	B-4 D-2	#Q111 #Q112	P-5 P-5	Q609 Q610	E-4 F-4		
0602 0701	E-2 R-4	#Q201 #Q202	M-2 N-1	Q611 Q612	F-5 F-5		
101	P-6	#Q203 #Q204	P-2 N-2	#Q613 #Q614	D-4 D-3		
102	N-1	#Q205	P-2	#Q615	D-3		
201 301	R-1 K-5	#Q206 #Q207	P-2 N-2	#Q616 #Q617	C-3	d;	***
E401 E501	G-2 B-2	#Q208 #Q209	N-1 N-1	#Q618 #Q619	F-2 F-2		
E502	B-6	#Q210	N-1	# Q620	F-3		
E601 E602	E-4 D-1	# Q211 # Q212	P-2 P-1	★ Q621 ★ Q622	F-3 E-3		
E701	F-2	#Q213 #Q214	R-2 R-2	#Q623 #Q624	D-3 D-1		
FL201 FL401	M-1 H-1	#Q215 #Q216	P-1 N-2	#Q625 #Q626	E-4 D-4		
L601	E-2	#Q217 #Q218	M-2	#Q627	D-1		
C101	P-4	#Q219	M-2 M-2	#Q628 #Q701	D-1 E-2		
102 103	M-5 N-5	* Q220 * Q301	M-2 J-4	#Q702 #Q703	F-2 E-2		
104 201	L-5 L-3	* Q302 * Q303	J-4 H-4	#Q704 #Q705	F-2 E-2		
202	M-2	₩Q3 04	H-5	#Q706	F-2		
203 204	M-1 P-1	# Q305 # Q306	H-4 H-3	★ Q707 ★ Q708	E-1 F-1		
205 301	L-2 K-4	#Q307 #Q308	J-3 J-4	#Q709 #Q710	F-2 F-1		
302 303	G-5 H-5	₩Q309	J-4	#Q711	F-2		
401	H-2	#Q310 #Q311	K-3 K-5	#Q712 #Q713	F-2 F-1		
C402 C403	H-1 K-1	* Q401 * Q402	H-2 J-1	₩ Q714	E-1		
C404 C501	G-2 A-5	#Q403 #Q404	J-1 J-2	RV101 RV102	L-1 K-1		
502	A-2	#Q405	J-1	RV103	P-4		
0503 0504	A-2 B-2	#Q406 #Q407	J-1 J-1	RV201 RV301	M-3 J-1		
C505 C506	B-2 A-3	#Q408 #Q409	J-1 J-2	RV302 RV303	H-1 K-4		
C507	B-5 C-4	#Q410	J-1	RV401	H-3		
2508 2509	B-5	#Q411 #Q412	J-2 J-2	RV501 RV502	A-4 A-4		
0510 0511	B-4 J-6	* Q413 * Q414	K-2 K-2	RV503 RV504	B-4 B-4		
512	G-6	★ Q415	K-2	RV505	B-4		
601 602	D-4 D-4	#Q416 #Q417	J-2 H-2	RV506 RV601	B-4 D-1		
C603 C604	F-4 F-3	#Q418 #Q501	H-2 A-1	RV602 RV603	F-1 D-1		
C605 C606	F-3 E-3	Q502	A-1	RV604	D-1		
C607	F-3	Q503 Q504	A-1 A-1	RV605 RV606	F-1 C-1		
0608 0609	D-2 E-2	# Q505 # Q506	A-5 A-4	RV701 RV702	E-1 E-1		
2610 2611	D-2 D-2	Q507 Q508	B-1 B-1	RV703	E-1		
612	C-2	₩ Q509	A-4	RV704	G-1		
0701 0702 0703	F-1 F-1	#Q510 #Q511	A-4 A-4	TH201 TH401	P-2 J-2		
	R-4	#Q512	A-4				

^{*:} B SIDE _: UVW-1800 ONLY


VP-43/43A

VP-43/43A; Y/C PB PROCESS(PB RF EQ, DEMOD., Y-RF ENVELOPE DET), VIDEO OUTPUT DRIVER, ENCODE, SYNC/CHARA MIX



VP-43/43A 1-648-899-11 B SIDE

ER, ENCODE, SYNC/CHARA MIX




VP-43/43A 1-648-899-11 B SIDE


	VP-43/43A		•	_				
	CN103 CN104	N-6 C-6	IC705	R-4	Q514 #Q515	B-3 B-2	TP102 TP103	P-1 L-1
	CN105	R-5	#Q101	N-5	#Q516	B-2	TP104	P.3
	DL101	N-4	#Q102	N-4	Q517	B-3	TP201	P-1
	DL301	J-4	#Q103 #Q104	N-5 N-4	#Q601 #Q602	F-5	TP301 TP302	H-1 J-3
			#Q105	N-4	Q603	E-5	TP401	L-1
	* D201 * D401	N-2 J-2	#Q106 #Q107	N-3 N-3	Q604	F-5		
	#D501	A-2	#Q108	N-4	Q605 Q606	F-5 F-5		
	*D502	B-2	#Q109	N-4	Q607	E-5		
	#D503 #D504	B-3 B-4	#Q110 #Q111	P-4 P-5	Q608 Q609	F-5 E-4		
	₩ D601	D-2	#Q112	P-5	Q610	F-4		
	₩ D602	E-2	# Q201	M-2	Q611	F-5		
	*D701	R-4	#Q202 #Q203	N-1 P-2	Q612 #Q613	F-5 D-4		
	E101	P-6	#Q204	N-2	#Q614	D-3		
	E102 E201	N-1 R-1	#Q205 #Q206	P-2 P-2	#Q615 #Q616	D-3 C-3		
ē.	E301	K-5	#Q207	N-2	#Q617	C-3		
	E401	G-2	* Q208	N-1	#Q618	F-2		
	E501 E502	B-2 B-6	#Q209 #Q210	N-1 N-1	#Q619 #Q620	F-2 F-3		
	E601	E-4	* Q211	P-2	#Q621	F-3		
	E602 E701	D-1 F-2	#Q212	P-1 R-2	#Q622	E-3		
	E/01	F-2	#Q213 #Q214	R-2	#Q623 #Q624	D-3 D-1		
	FL201	M-1	#Q215	P-1	#Q625	E-4		
	FL401 FL601	H-1 E-2	*Q216 *Q217	N-2 M-2	#Q626 #Q627	D-4 D-1		
	1 LOO1	L-2	#Q218	M-2	#Q628	D-1		
	IC101	P-4	#Q219	M-2	#Q701	E-2		
	IC102 IC103	M-5 N-5	#Q220 #Q301	M-2 J-4	#Q702 #Q703	F-2 E-2		
	IC104	L-5	#Q302	J-4	± Q704	F-2		
	IC201 IC202	L-3 M-2	# Q303	H-4	#Q705	E-2		
	IC202	M-1	* Q304 * Q305	H-5 H-4	#Q706 #Q707	F-2 E-1		
	IC204	P-1	#Q306	H-3	#Q708	F-1		
	IC205 IC301	L-2 K-4	#Q307 #Q308	J-3 J-4	#Q709 #Q710	F-2 F-1		
	IC302	G-5	*Q309	J-4	#Q711	F-2		
	IC303	H-5	#Q310	K-3	#Q712	F-2		
	IC401 IC402	H-2 H-1	#Q311 #Q401	K-5 H-2	#Q713 #Q714	F-1 E-1		
	IC403	K-1	* Q402	J-1				
	IC404 IC501	G-2 A-5	#Q403 #Q404	J-1 J-2	RV101 RV102	L-1 K-1		
	1C502	A-2	* Q405	J-1	RV103	P-4		
	IC503	A-2	*Q406	J-1	RV201	M-3		
	IC504 IC505	B-2 B-2	#Q407 #Q408	J-1 J-1	RV301 RV302	J-1 H-1		
	IC506	A-3	#Q409	J-2	RV303	K-4		
	IC507 IC508	B-5 C-4	#Q410 #Q411	J-1 J-2	RV401 RV501	H-3		
	1C509	B-5	#Q412	J-2	RV502	A-4 A-4		
	IC510	B-4	#Q413	K-2	RV503	B-4		
	IC511 IC512	J-6 G-6	#Q414 #Q415	K-2 K-2	RV504 RV505	B-4 B-4		
	IC601	D-4	 ₩ Q416	J-2	RV506	B-4		
	IC602	D-4	* Q417	H-2	RV601	D-1		
	IC603 IC604	F-4 F-3	#Q418 #Q501	H-2 A-1	RV602 RV603	F-1 D-1		
	IC605	F-3	Q502	A-1	RV604	D-1		
	1C606	E-3	Q503	A-1	RV605	;F-1		
	IC607 IC608	F-3 D-2	Q504 #Q505	A-1 A-5	RV606 RV701	°C-1 E-1		
	IC609	E-2	#Q506	A-4	RV702	E-1		
	IC610 IC611	D-2 D-2	Q507 Q508	B-1 B-1	RV703 RV704	E-1		
	IC612	C-2	#Q509	A-4	nv/04	G-1		
	IC701	F-1	#Q510	A-4	TH201	P-2		
	IC702 IC703	F-1 R-4	#Q511 #Q512	A-4 A-4	TH401	J-2		
	IC704	R-4	#Q513	B-2	TP101	L-2		
	#: B SIDE		ILY					

^{#:} B SIDE _: UVW-1800 ONLY

VRA-5; Y/C REC PROCESS(DECODE, MOD), CTDM(COMPAND)



VRA-5 1-648-898-11 A SIDE




VRA-5 1-648-898-11 A SIDE

VRA-5(1-6	48-898-11	!)			
CN101 CN102	N-6 C-6	IC901 IC902	K-6 G-6	#Q511 #Q512	N-3 P-4
CV301	F-5	1C903 1C904	J-6 E-6	#Q513 #Q514	P-4 P-4
*D101 *D102 *D109 *D202 *D301 *D303 D305	B-3 C-3 D-4 H-4 E-3 F-4	#Q101 #Q102 #Q103 Q104 #Q105	E-4 A-3 A-5 A-3 A-4 A-4	#Q515 #Q516 #Q517 #Q518 #Q519 #Q520 #Q601 #Q602	P-4 N-4 P-5 P-5 L-2 M-2
D801 E101 E201 E301 E302 E303 E501 E502 E601	A-2 B-4 E-2 K-3 D-3 H-1 R-5 N-1 M-1	等Q106 等Q107 等Q108 等Q109 等Q110 等Q111 等Q112 等Q113 等Q114 等Q115 等Q116 等Q117	A-3 A-1 B-2 B-1 C-1 B-3 B-1 C-2 B-3 B-3 B-3 B-3 B-3 B-3 B-3 B-3 B-3 B-3	#Q603 #Q604 #Q605 #Q606 #Q607 #Q608 #Q609 #Q610 Q801 Q802 Q803 Q804	N-4 M-4 L-4 M-5 M-5 A-2 A-2 D-3
FL101 FL102 FL103 FL201 FL202	A-2 B-3 C-3 R-2 N-2	#Q118 #Q119 #Q120 #Q121 #Q122 #Q123 #Q124	B-3 B-3 B-4 C-4 C-4 C-3	RV101 RV102 RV103 RV104 RV105	B-2 B-3 C-4 C-3 A-2
IC101 IC102 IC103 IC104 IC201 IC202 IC205 IC206 IC206 IC207 IC208 IC209 IC210	A-3 C-2 D-5 A-1 D-1 H-2 D-1 H-2 G-2 H-1	#Q125 #Q126 #Q127 #Q128 #Q130 #Q131 #Q131 #Q133 #Q201 #Q202 #Q202 #Q203 #Q204	0-3 0-3 0-3 0-2 0-5 0-5 0-4 0-1 1-1 1-4 1-2	RV201 RV202 RV203 RV301 RV302 RV303 RV304 RV305 RV306 RV501 RV502 RV503 RV602 RV603	P-1 N-1 E-3 K-1 L-1 L-1 K-5 R-4 R-4 M-4
IC212 IC213 IC214	J-2 P-1 N-1	#Q207 #Q209 #Q210	R-2 N-2 R-2	S201	H-4
IC215 IC216	P-2 K-2	#Q211 #Q212	K-2 R-1	TH201	M-1
IC217 IC218 IC219 IC220 IC301 IC302 IC303 IC304 IC305 IC306 IC307 IC308 IC310 IC311 IC312 IC313 IC314 IC315 IC314 IC315 IC316 IC301 IC301 IC301 IC301 IC301 IC301 IC302 IC303 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC300 IC310 IC301	X K K J MEHEEFK F J J G J L G L K H F P R L M D D	#Q212 #Q213 #Q301 #Q303 #Q305 #Q306 #Q307 #Q308 #Q310 #Q311 #Q313 #Q314 #Q315 #Q315 #Q316 #Q317 #Q318 #Q316 #Q317 #Q320	KMD⊞BBJJFFKXBJFFBKJJJJFFRZPR	TP101 TP201 TP202 TP301 TP302 TP303 TP304 TP305 TP306 TP307 TP308 TP309 TP310 TP501 TP502 TP503 TP503 TP503 TP503 TP503 TP503 TP503 TP503 TP503 TP503	A-3-2-1-3-4-1-5-4-4-5-5-5-5-5-5-4-1-5-4-4-1-5-5-4-4-1-5-4-4-1-5-5-4-4-1-5-5-4-4-1-5-5-4-4-1-5-5-4-4-1-5-5-4-4-1-5-5-4-4-1-5-5-4-4-1-5-5-4-4-1-5-5-4-4-1-5-4-4-5-5-5-5


#: B SIDE

VRA-5; Y/C REC PROCESS(DECODE, MOD), CTDM(COMPAND)



VRA-5 1-648-898-11 B SIDE

15-44




VRA-5 1-648-898-11 B SIDE

VRA-5(1-6	48-898-1	1)				
CN101 CN102	N-6 C-6	IC901 IC902 IC903	K-6 G-6 J-6	#Q511 #Q512 #Q513	N-3 P-4 P-4	
CV301	F-5	IC904	E-6	#Q514 #Q515	P-4	
#D101 #D102 #D109 #D202	B-3 C-3 D-4 H-4	£V301 #Q101 #Q102	E-4 A-3 A-5	#Q515 #Q516 #Q517 #Q518 #Q519	N-4 N-4 P-4 P-5	
* D301	E-3	#Q103	A-3	#Q520	P-5	
₩D303 D305	F-4 F-5	Q104 #Q105	A-4 A-4	#Q601 #Q602	L-2 M-2	
D801	A-2	#Q106 #Q107	A-3	#Q603	N-4	
E101	B-4	#Q108	A-3 A-1	#Q604 #Q605	M-4 M-4	
E201 E301	E-2 K-3	#Q109 #Q110	B-2 B-2	#Q606 #Q607	L-4 M-4	
E302	D-3	#Q111	B-1	#Q608	L-4	
E303 E501	H-1 R-5	#Q112 #Q113	C-1 C-2	#Q609 #Q610	M-5 M-5	
E502	N-1	#Q114	B-4	Q801	A-2	
E601	M-1	#Q115 #Q116	B-4 B-3	Q802 Q803	A-2 A-2	
FB201	K-2	*Q117 *Q118	B-3	Q804	D-3	
FL101	A-2	#Q119	8-3 8-3	RV101	B-2	
FL102 FL103	B-3 C-3	#Q120 #Q121	B-2 C-4	RV102 RV103	B-3 C-4	
FL201	R-2	#Q122	C-4	RV104	C-3	
FL202	N-2	#Q123 #Q124	C-4 C-3	RV105 RV201	A-2 P-1	
IC101 IC102	A-3 C-2	#Q125 #Q126	C-3 C-3	RV202 RV203	N-1 M-1	
IC103	D-4	#Q127	C-3	RV301	E-3	
IC104 IC201	G-5 A-1	#Q128 #Q129	C-3 C-2	RV302 RV303	K-1 L-1	
IC202	B-1	#Q130	C-2	RV304	L-1	
IC205 IC206	D-2 D-1	#Q131 #Q132	B-5 C-5	RV305 RV306	L-1 K-5	
IC207 IC208	H-1 E-2	#Q133 #Q201	A-2 C-1	RV501 RV502	R-1	
IC209	E-2	#Q202	H-1	RV503	R-4 R-4	
IC210 IC211	G-2 H-1	#Q203 #Q204	H-4 P-2	RV602 RV603	M-4 M-4	
IC212	J-2	#Q207	R-2			
IC213 IC214	P-1 N-1	#Q209 #Q210	N-2 R-2	S201	H-4	
IC215 IC216	P-2 K-2	#Q211 #Q212	K-2 R-1	TH201	M-1	
IC217 IC218	K-2 K-2	#Q213 #Q301	M-3 D-3	TP101 TP201	A-3 C-2	
10219	J-1	#Q303	E-3	TP202	C-1	
IC220 IC301	M-1 E-4	*Q305 *Q306	E-3 E-3	TP301 TP302	E-3 E-4	
IC302 IC303	H-3 E-4	#Q307 #Q308	E-3 J-4	TP303	H-1	
1C304	E-5	#Q309	J-4	TP304 TP305	L-5 K-4	
1C305 1C306	F-4 K-4	#Q310 #Q311	F-3 F-3	TP306	J-4 J-5	
IC307	F-3	#Q312	K-3	TP307	N-5	
IC308 IC309	J-3 J-3	# Q313 # Q314	E-4 E-4	TP309 TP310	N-5 F-5	
IC310	G-3	#Q315	J-3	TP501	R-4	
IC311 IC312	ا-4 L-2	#Q316 #Q317	F-5 F-5	TP502 TP503	P-1 P-5	
IC313 IC314	G-5 L-1	# Q318 # Q319	E-5 K-3	TP504	N-4	
IC315	K-5	#Q319 #Q320	J-3	TP601 TP602	N-4 M-1	
IC316 IC317	H-4 F-4	#Q321 #Q322	J-4 J-4	TP603	P-5	
IC501	P-4	#Q323	J-4	X301	:F-4	
IC502 IC601	R-5 L-4	#Q324 #Q325	F-4 F-4	X302	H-4	
IC602 IC801	M-4 D-3	#Q508	N-2			
IC801	D-3	# Q509 # Q510	P-2 B-4			


#: B SID

CL-25 ; CASSETTE LOADING BEGIN/NEAR-END SENSOR


HP-61 ; HEADPHONES JACK/VOLUME CONTROL HP-61A; HEADPHONES JACK/VOLUME CONTROL PC-62 ; CASSETTE IN/LARGE CASSETTE SENSOR PD-35 ; PINCH SOLENOID




HP-61 1-648-917-11 A SIDE




HP-61 1-648-917-11 B SIDE




HP-61A 1-648-917-21 A SIDE



HP-61A 1-648-917-21 B SIDE



PD-35 1-622-596-11 A SIDE



PC-62 1-640-171-11,12 A SIDE

PTC-66; REEL POSITION


PTC-67; THREADING FG/MOTOR

PTC-68; THREAD END/UNTHREAD END SENSOR


RM-126 ; S-REEL MOTOR RM-127 ; T-REEL MOTOR

SE-207 ; REEL FG


TR-84 ; S-TENSION SENSOR VR-155 ; AUDIO REC LEVEL




PTC-66 1-648-926-11 A SIDE




PTC-66 1-648-926-11 B SIDE




PTC-67 1-648-922-11 A SIDE




PTC-67 1-648-922-11 B SIDE




PTC-68 1-648-927-11 A SIDE




PTC-68 1-648-927-11 B SIDE




RM-126 1-648-924-11 A SIDE




RM-126 1-648-924-11 B SIDE




RM-127 1-648-925-11 A SIDE




RM-127 1-648-925-11 B SIDE




SE-207 1-648-923-11 A SIDE



SE-207 1-648-923-11 B SIDE



TR-84 1-648-921-11 A SIDE



TR-84 1-648-921-11 B SIDE




VR-155 1-648-916-11 A SIDE




VR-155 1-648-916-11 B SIDE


SOPS-1045AC; POWER SUPPLY(SWITCHING REGULATOR) SOPS-1045M; POWER SUPPLY(SWITCHING REGULATOR)



SOPS-1045 AC 1-649-934-11 A SIDE




SOPS-1045 AC 1-649-934-11 B SIDE



SOPS-1045 M 1-649-935-11 A SIDE

MB-470; MOTHER BOARD




MB-470 1-648-918-11 A SIDE

MB-470(1-648-918-11)

CN101 M-2
CN102 B-2
CN103 M-3
CN104 B-3
CN105 M-4
CN106 B-4
CN107 M-5
CN109 B-5
CN109 B-5
CN200 F-1
CN201 D-6
CN211 J-6
CN211 J-6
CN214 J-6
CN231 B-6
CN232 A-1
CN262 E-3
CN266 D-1
CN267 CN268 C-1
CN269 D-1
CN271 E-1
IC1 C-1
IC2 C-1

15-52

MB-470; MOTHER BOARD




MB-470 1-648-918-11 B SIDE

MB-470(1-648-918-11)

CN101 M-2
CN102 B-2
CN103 M-3
CN104 B-3
CN105 M-4
CN106 B-4
CN107 M-5
CN109 B-5
CN200 F-1
CN201 D-6
CN211 J-2
CN214 J-6
CN231 B-6
CN231 B-6
CN231 B-6
CN232 A-1
CN235 A-3
CN262 E-3
CN266 D-1
CN267 E-1
CN269 D-1
CN271 E-1
IC1 C-1
IC2 C-1

MB-470A; MOTHER BOARD




MB-470A 1-648-918-21 A SIDE

MB-470A(1-648-918-21)

CN103 M-3
CN104 B-3
CN105 M-4
CN106 B-4
CN107 M-5
CN108 J-5
CN108 J-5
CN200 F-1
CN201 J-6
CN211 J-6
CN211 J-6
CN231 B-6
CN231 B-6
CN232 A-1
CN232 A-3
CN262 E-3
CN266 D-1
CN262 C-1
CN268 C-1
CN269 D-1
IC1 C-1
IC2 C-1

UVW-1600

MB-470A; MOTHER BOARD





MB-470A 1-648-918-21 B SIDE

MB-470A(1-648-918-21)

CN103 M-3
CN104 B-3
CN105 M-4
CN106 B-4
CN107 M-5
CN108 B-5
CN109 B-5
CN200 F-1
CN201 D-6
CN211 J-6
CN211 J-6
CN211 J-6
CN231 B-6
CN231 B-6
CN232 A-3
CN262 E-3
CN266 D-1
CN266 C-1
CN269 D-1
IC1 C-1
IC2 C-1

MB-471; MOTHER BOARD






MB-471 1-648-919-11 B SIDE


MB-471(1-648-919-11)

011440	•
CN110	C-4
CN111	C-3
CN112	C-1
CN251	E-4
CN261	F-4
CN263	A-3
CN264	A-3
CN265	B-4
CN274	F-1
CN275	F-1
CN276	A-1
CN277	A-2
CN278	A-2
CN281	F-3
CITECI	. ~

UVW-1800

MB-471A; MOTHER BOARD





MB-471A 1-648-919-21 B SIDE

MB-471A(1-648-919-21)

CN110	Ç-4
CN111	C-3
CN251	E-4
CN261	F-4
CN263	A-3
CN274	F-1
CN277	A-2
CN278	A-2
CN281	F-3

UVW-1600


SECTION 16 SCHEMATIC DIAGRAMS

SCHEMATIC DIAGRAM INDEX

	Board	Page
A	AP-31 (UVW-1800)	16-4
	AP-31A (UVW-1600)	16-16
	AR-14 (UVW-1800)	16-28
С	CP-225/A	
	CP-228/A	16-45
D	DR-214	16-48
K	KY-249 (UVW-1800)	
	KY-249A (UVW-1600) ·····	16-60
M	MS-39/A	
	M B-470/A	
	MB-471/A	16-161
R	RP-70/A	16-68
Ś	88-53	16-76
	SOPS-1045AC/1045M	
T	TBC-25	16-92
٧	VP-43/A ·····	16-108
	VRA-5 (UVW-1800)	16-136
FRAME	WIRING	16-165

NOTE; The Δ -marked components are critical to sefety. Replace only with same components as specified.

CIRCUIT FUNCTION




① RP-70 BOARD(UVW-1800) ; RF REC/PB AMP.,ROTARY ERASE OSC.,FULL ERASE OSC. RP-70A BOARD(UVW-1600) ; RF PB AMP.

② AP-31 BOARD(UVW-1800) ; AUDIO/TC PB AMP.,METER DRIVER
AP-31A BOARD(UVW-1600) ; AUDIO/TC PB AMP.,METER DRIVER

AR-14 BOARD(UVW-1800) ; AUDIO/TC REC AMP.,AUDIO/TC ERASE OSC.,AUDIO BIAS DRIVER
 CP-226 BOARD(UVW-1800: FOR UC) ; AUDIO INPUT/OUTPUT CONNECTOR, OUTPUT TRANSFORMER
 CP-226J BOARD(UVW-1800: FOR J) ; AUDIO OUTPUT CONNECTOR, OUTPUT TRANSFORMER
 CP-226AJ BOARD(UVW-1600: FOR UC); AUDIO OUTPUT CONNECTOR, OUTPUT TRANSFORMER
 CP-226AJ BOARD(UVW-1600: FOR J) ; AUDIO OUTPUT CONNECTOR, OUTPUT TRANSFORMER

© CP-237 BOARD(UVW-1800)
 © CP-237A BOARD(UVW-1600)
 © CP-225 BOARD(UVW-1800)
 © CP-225A BOARD(UVW-1600)
 © CP-225A BOARD(UVW-1600)
 © CP-225A BOARD(UVW-1600)

VRA-5 BOARD(UVW-1800)
; Y/C REC PROCESS(DECODE,MOD),CTDM(COMPAND)



; Y/C PB PROCESS(PB RF EQ,DEMOD., Y-RF ENVELOPE DET), VIDEO OUTPUT DRIVER, ENCODE, SYNC/CHARA MIX VP-43A BOARD(UVW-1600) ; Y/C PB PROCESS(PB RF EQ,DEMOD., Y-RF ENVELOPE DET), VIDEO OUTPUT DRIVER, ENCODE, SYNC/CHARA MIX TBC-25 BOARD ; TIME BASE CORRECTOR, CTDM(EXPAND) M SS-53 BOARD ; SYSTEM CONTROL, SERVO SYSTEM MAIN, TIME CODE GENERATOR/READER, CHARACTER GENERATOR ① MB-470 BOARD(UVW-1800) ; MOTHER BOARD MB-470A BOARD(UVW-1600) ; MOTHER BOARD CL-25 BOARD (CASSETTE COMPARTMENT); CASSETTE LOADING BEGIN/NEAR-END SENSOR (3) PC-62 BOARD(UVW-1800) ; CASSETTE IN/LARGE CASSETTE SENSOR MB-471 BOARD(UVW-1800) ; MOTHER BOARD MB-471 A BOARD (UVW-1600) ; MOTHER BOARD (b) KY-249 BOARD(UVW-1800) ; FUNCTION KEY KY-249A BOARD(UVW-1600) ; FUNCTION KEY (I) VR-155 BOARD (UVW-1800) ; AUDIO REC LEVEL (f) HP-61 BOARD(UVW-1800) ; HEADPHONES JACK/VOLUME CONTROL HP-61A BOARD(UVW-1600) ; HEADPHONES JACK/VOLUME CONTROL

PD-35 BOARD ; PINCH SOLENOID 29 TR-84 BOARD ; S-TENSION SENSOR PTC-68 BOARD ; THREAD END/UNTHREAD END SENSOR PTC-67 BOARD ; THREADING FG/MOTOR DR-214 BOARD ; MOTOR DRIVER, TENSION SENS. AMP., DRUM FG/PG AMP., CAPSTAN FG AMP., CTL REC/PB AMP. MS-39 BOARD(UVW-1800) ; CASSETTE INFORMATION, SOLENOID DRIVER, MECHA. CONTROL MPU, DATA STORAGE MS-39A BOARD(UVW-1600); CASSETTE INFORMATION, SOLENOID DRIVER, MECHA. CONTROL MPU, DATA STORAGE. **AM-127 BOARD** ; T-REEL MOTOR

RM-127 BOARD ; T-REEL MOTOR
 SE-207 BOARD(T SIDE) ; REEL FG
 RM-126 BOARD ; S-REEL MOTOR
 PTC-66 BOARD ; REEL POSITION SENSOR


; REEL FG

16-1

SE-207 BOARD(S SIDE)

AP-31(1-64	8-906-11)						
CN1 CN2 CN3 CN111	H-1 A-1 G-4 E-5	FS64 FS65 FS66 FS67 FS68	B-4 D-5 D-5 D-5 E-5	FS149 FS150 FS151 FS152 FS153	J-5 H-5 H-5 H-5 G-5	RV1 RV2 RV3 RV4 RV5	J-1 J-1 J-1 H-1 H-1
#D1 #D7 #D8 #D10 #D11 #D201 #D206 #D207 #D209 #D401 #D403	J-5 J-5 J-5 J-5 J-5 J-5 J-5 A-5 A-5 B-4 B-5 F-5	FS69 FS70 FS71 FS72 FS73 FS74 FS75 FS77 FS77 FS80 FS81	C-5 C-5 E-3 E-4 E-4 F-5 F-5 H-1	FS154 FS155 FS156 IC1 IC2 IC3 IC4 IC5 IC6 IC7	G-5 H-5 J-2 J-3 H-3 G-3 G-2	RV201 RV202 RV203 RV204 RV205 S1 S2 S201 S202	B-1 B-1 C-1 C-1 J-1 G-1 A-1 C-1
E1 E2 E201 E202	H-4 G-1 B-4 E-1	FS82 FS83 FS84 FS85 FS86 FS87	H-1 G-1 G-1 G-1 H-1	IC8 IC9 IC10 IC11 IC12 IC13	G-2 G-2 H-4 E-5 D-4	#TH2 TP3 TP4 TP5	J-2 G-2 G-1
53356679011123145667831990111233445667833334556878333455687835583358335588333345567855585583583585858585858585858585858585	122233333334444444444444444444444444444	F\$87 F\$88 F\$89 F\$991 F\$993 F\$990 F\$990 F\$1010 F\$100 F\$100 F\$1011 F\$1114 F\$114 F\$11	<u></u>	IC13 IC14 IC15 IC201 IC202 IC203 IC204 IC205 IC206 IC207 IC208 IC209 IC210 IC211 IC401 IC402 #IC405 #IC408 #IC408 #IC408 #IC408 #IC409 IC410 PS1 PS2 #Q6 #Q7 #Q9 #Q11 #Q12 #Q13 Q18 Q19 Q20 Q21 #Q223 #Q206 #Q207 #Q209 #Q211 Q216 Q217 Q218 Q220 #Q221 RQ220 RQ221 RQ220	TEJAAABCCCCCCAFFCDDCCF GG JJJHCEEJJHHJHGEAABBEAACCBBCF	TP203 TP204 TP205 TP402 TP403	8-2-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-

AP-31(1/3); CH-1 PB EQ/NR, LINE/METER/HP DRIVE





UVW-1800

16-5


16-5

16-5






AP-31(1-64	18-906-1 1)						
CN1 CN2 CN3 CN111	H-1 A-1 G-4 E-5	FS64 FS65 FS66 FS67 FS68	8-4 D-5 D-5 D-5 E-5	FS149 FS150 FS151 FS152 FS153	J-5 H-5 H-5 H-5 G-5	RV1 RV2 RV3 RV4 RV5	J-1 J-1 J-1 H-1 H-1
#D1 #D7 #D8 #D10 #D11 #D201	J-2 J-5 H-5 G-5 E-3 A-2	FS69 FS70 FS71 FS72 FS73 FS74	C-5 C-5 E-3 F-3 E-4	FS154 FS155 FS156 IC1 IC2	G-5 H-5 H-5 J-2 J-4	RV201 RV202 RV203 RV204 RV205	B-1 B-1 B-1 C-1 C-1
#D206 #D207 #D209 #D401 #D403	A-5 B-5 C-4 F-3 F-5	FS75 FS77 FS79 FS80 FS81	E-4 F-4 F-5 F-5	IC3 IC4 IC5 IC6 IC7	J-3 H-3 G-4 G-3 G-3	\$1 \$2 \$201 \$202	J-1 G-1 A-1 C-1
E1 E2	H-4 G-1	FS82 FS83 FS84	H-1 G-1 G-1	IC8 IC9 IC10	F-2 G-2 G-2	#TH1 #TH2	J-2 B-2
E201 E202	B-4 E-1	FS85 FS86 FS87	G-1 G-1 H-1	IC11 IC12 IC13	H-4 E-5 D-4	TP3 TP4 TP5	J-2 G-2 G-1
F53556799 0 1 2 2 3 4 5 6 7 8 9 9 0 1 2 3 4 5 6 7 8 9 0 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	12223333334444445555555-1-1-1-1-2222222222333334444444 AABBABABAAABAAAAABABBBCCCCCCCCCC	F58889901923456F5991929346F59996F59996F59996F5999F5999F5999F5999	±±±66666+±±466±±±4161695±±41666±±±555±5555599999999999995555555	IC13 IC14 IC15 IC201 IC202 IC203 IC204 IC205 IC206 IC207 IC208 IC209 IC210 IC410 IC401 IC402 #IC405 #IC406 #IC407 #IC408 #IC408 #IC407 #IC408 #IC408 #IC409 #IC408	PEJAAABCCCCCAFFCDDCDF GG JJJHCEEJJHHJHGEAABBEAACCBBCF	TP203 TP204 TP205 TP402 TP403	G-2 C-2 D-1 G-5 D-1



4

16-9




AP-31 BOARD (2/3)

BOARD NO.1-648-906-11 UVW-1800(J) ;#10001-UVW-1800(UC);#10001-


16-9

16-9 E | F | G | H | I | J

16



AP-31 (1-64	8-906-11)						
CN1 CN2 CN3 CN111	H-1 A-1 G-4 E-5	FS64 FS65 FS66 FS67 FS68	B-4 D-5 D-5 D-5 E-5	FS149 FS150 FS151 FS152 FS153	J-5 H-5 H-5 H-5 G-5	RV1 RV2 RV3 RV4 RV5	J-1 J-1 J-1 H-1 H-1
#D1 #D7 #D8 #D10 #D11	J-2 J-5 H-5 G-5 E-3	FS69 FS70 FS71 FS72 FS73 FS74	C-5 C-5 E-3 E-3 F-3 E-4	FS154 FS155 FS156 IC1 IC2	G-5 H-5 H-5 J-2 J-4	RV201 RV202 RV203 RV204 RV205	B-1 B-1 B-1 C-1 C-1
#D201 #D206 #D207 #D209 #D401 #D403	A-2 A-5 B-5 C-4 F-3 F-5	FS75 FS77 FS79 FS80 FS81	E4 F4 F-5 F-5	IC3 1C4 IC5 IC6 IC7	J-3 H-3 G-4 G-3 G-3	S1 S2 S201 S202	J-1 G-1 A-1 C-1
E1 E2 E201	H-4 G-1 B-4	FS82 FS83 FS84 FS85	H-1 G-1 G-1 G-1	IC8 IC9 IC10 IC11	F-2 G-2 G-2 H-4 E-5	#TH1 #TH2 TP3 TP4	J-2 B-2 J-2
2020 1335 67 9 0 1 1 2 3 4 5 6 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 4 5 6 7 8 8 9 2 2 2 4 5 6 7 8 8 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	BE AABBABABAAABAAAAAABABBBCCCCCCCCCCCCCC	F586 F587 F588 F588 F589 F599 F599 F599 F5100 F5100 F5100 F5101 F5111 F5111 F5111 F5112 F5122 F5133 F5133 F5133 F5133 F5133 F5133 F5133 F5133 F5133 F5134 F5144 F5	\$	C11 C12 C13 C14 C15 C201 C202 C203 C204 C205 C206 C207 C208 C209 C211 C401 C402 C405 C406 C406 C406 C406 C406 C407 C408 C409 C410 C410	FEDEJAAABCCCCCCAFFCDDCDF GG JJJHCEEJJHHJHGEAABBEAACCBBCF	TP4 TP5 TP203 TP204 TP205 TP402 TP403	G-2 G-1 B-2 C-1 G-5 D-1




AP-31 BOARD (3/3)

BOARD NO.1-648-906-11 UVW-1800(J); #10001-UVW-1800(UC); #10001-

UVW-1800 A | B | C | D | E | F | G |


1

•



AP-31 A(1-	648-906-2	1)					
CN1 CN2 CN3 CN111	H-1 A-1 G-4 E-5	FS64 FS65 FS66 FS67 FS68	B-4 D-5 D-5 D-5 E-5	FS149 FS150 FS151 FS152 FS153	J-5 H-5 H-5 H-5 G-5	RV2 RV3 RV4 RV5 RV201	J-1 J-1 H-1 H-1 B-1
#D1 #D7 #D8 #D10 #D11	J-2 J-5 H-5 G-5	FS69 FS70 FS71 FS72 FS73	C-5 C-5 E-3 E-3 F-3	FS154 FS155 FS156	G-5 H-5 H-5	RV202 RV203 RV204 RV205	B-1 B-1 C-1 C-1
#D201 #D206 #D207 #D209	E-3 A-2 A-5 B-5 C-4 F-3	FS74 FS75 FS77 FS79 FS80	E4 E4 F4 F-5	IC2 IC3 IC4 IC5 IC6	J-4 J-3 H-3 G-4 G-3	\$1 \$2 \$201 \$202	J-1 G-1 A-1 C-1
#D401 #D403	F-5	FS81 FS82	H-1 H-1	IC7 IC8	G-3 F-2	#TH1 #TH2	J-2 B-2
E1 E2 E201 E202	H-4 G-1 B-4 E-1	FS83 FS84 FS85 FS86	G-1 G-1 G-1 G-1	IC9 IC10 IC11 IC12	G-2 G-2 H-4 E-5	TP3 TP4 TP5	J-2 G-4 G-1
F335 F557 F5513 F5515 F5	- 12223333333444444444 - AABBABABABBAAAAABABBBCCCCCCCCCCCCCCCCC	FS87 FS88 FS89 FS91 FS91 FS92 FS93 FS90 FS91 FS93 FS90 FS91 FS91 FS91 FS91 FS91 FS91 FS91 FS91	\$	IC13 IC14 IC15 IC201 IC202 IC203 IC204 IC205 IC206 IC207 IC208 IC209 IC210 IC401 IC401 IC401 IC402 IC405 IC406 IC407 IC408 IC407 IC408 IC409 IC410 PS1 PS2 GS GG	04342433433224444555555 55 2224221555544432222415555444331 DEJAAAABCCCCCAFFCDDCDF GG JJJHCEEJJHHJHGEAABBEAACCBBCFJ	TP203 TP204 TP205 TP402 TP403	B-2 C-4 D-1

AP-31A(1/3); CH-1 PB EQ/NR, LINE/METER/HP DRIVE



UVW-1600

16-17


16-17


ı

G

1


H






AP-31A(1-	648-906	-21)					
CN1 CN2 CN3 CN111	H-1 A-1 G-4 E-5	FS64 FS65 FS66 FS67 FS68	B-4 D-5 D-5 D-5 E-5	FS149 FS150 FS151 FS152 FS153	J-5 H-5 H-5 H-5 G-5	RV2 RV3 RV4 RV5 RV201	J-1 J-1 H-1 H-1 B-1
#D1 #D7 #D8 #D10 #D11	J-2 J-5 H-5 G-5 E-3	FS69 FS70 FS71 FS72 FS73	C-5 C-5 E-3 E-3 F-3	FS154 FS155 FS156	G-5 H-5 H-5	RV202 RV203 RV204 RV205	B-1 B-1 C-1 C-1
#D201 #D206 #D207 #D209 #D401	A-5 B-5 C-4 F-3	FS74 FS75 FS77 FS79 FS80	7444 E44 F5	IC2 IC3 IC4 IC5 IC6	J-4 J-3 H-3 G-4 G-3	S1 S2 S201 S202	J-1 G-1 A-1 C-1
#D403	F-5	FS81 FS82	H-1 H-1	IC7 IC8	G-3 F-2	#TH1 #TH2	J-2 B-2
E1 E2 E201 E202	H-4 G-1 B-4 E-1	FS83 FS84 FS85 FS86 FS87	G-1 G-1 G-1 H-1	IC9 IC10 IC11 IC12 IC13	G-2 G-2 H-4 E-5 D-4	TP3 TP4 TP5 TP203	J-2 G-2 G-1 B-2
FS33 FS56 FS513 4 FS513	12223333333444444555555555111117222333333393444445555555555111117222333333334444445555555555	F\$87 F\$89 F\$90 F\$91 F\$99 F\$99 F\$99 F\$99 F\$100 F\$100 F\$100 F\$100 F\$110 F\$111 F\$111 F\$111 F\$111 F\$112 F\$112 F\$122 F\$133 F\$	ŢŦŦĠĠĠĸĦĦĸĸĠĦĦĠĦĦŦŦĦĠĠĠĦĦĦĠĠĦĦĦĠĠĠĸĸĸĸĸĸĸĸ	IC13 IC14 IC15 IC201 IC202 IC203 IC204 IC205 IC206 IC207 IC208 IC209 IC210 IC211 IC401 IC402 #IC408 #IC409 IC410 P\$1 P\$2 #C408 #IC409 IC410 P\$1 #C410 #C410 P\$1 #C410	\$	TP203 TP204 TP205 TP402 TP403	B-2 C-2 D-1 G-5 D-1

AP-31A(2/3);CH-2 PB EQ/NR,LINE/METER/HP DRIVE



A | B | C | D | E | G | H

1




16-21

16-21


16-21

F




,	AP-31 A(1-6	348-906-21)					
	CN1 CN2 CN3 CN111	H-1 A-1 G-4 E-5	FS64 FS65 FS66 FS67 FS68	B-4 D-5 D-5 D-5 E-5	FS149 FS150 FS151 FS152 FS153	J-5 H-5 H-5 H-5 G-5	RV2 RV3 RV4 RV5 RV201	J-1 J-1 H-1 H-1 B-1
	#D1 #D7 #D8 #D10	J-2 J-5 H-5 G-5	FS69 FS70 FS71 FS72 FS73	C-5 C-5 E-3 E-3 F-3	FS154 FS155 FS156	G-5 H-5 H-5	RV202 RV203 RV204 RV205	B-1 B-1 C-1 C-1
	#D11 #D201 #D206 #D207 #D209	E-3 A-2 A-5 B-5 C-4	FS74 FS75 FS77 FS79	E-4 E-4 F-5	IC2 IC3 IC4 IC5	J-4 J-3 H-3 G-4	\$1 \$2 \$201 \$202	J-1 G-1 A-1 C-1
	#D401 #D403	F-3 F-5	FS80 FS81 FS82	F-5 H-1 H-1	IC6 IC7 IC8	G-3 G-3 F-2	#TH1 #TH2	J-2 B-2
	E1 E2 E201 E202	H-4 G-1 B-4 E-1	FS83 FS84 FS85 FS86	G-1 G-1 G-1	IC9 IC10 IC11 IC12	G-2 G-2 H-4 E-5	TP3 TP4 TP5	J-2 G-2 G-1
	FS35 FS6 FS7 FS112 FS15 FS15 FS15 FS15 FS15 FS15 FS15 FS15	-1 1222333333344444455555555-1-1-1-1-1-2-2-2-2-2-2-2-3-3-3-3-4-4-4-4-4-4-4-4-4	F\$887 F\$889 F\$890 F\$999	\$	C12 C13 C14 C15 C16 C17 C17 C18 C19 C202 C203 C204 C205 C206 C207 C208 C209 C210 C211 C216 C217 C218 C219 C220 C221 C221 C220 C221 C220 C221 C220 C221 C220 C2	PARAMECCCCCCAFFCDDCDF GG JJJHCEEJJHHJHGEAABBEAACCBBCFJ	TP203 TP204 TP205 TP402 TP403	G-2 C-2 D-1 G-1 D-1

UVW-1600




16-25 16-25

н



AR-14(1-64	8-907-11)								
CN1	J-5	FS44	C-3	FS123	H-1	#Q1	E-5	TP301	J-1
CN112	E-5	FS45	C-3	FS124	J-1	#Q2	E-5	TP311	J-1
#D1	D-5	FS46 FS47	C-3 C-3	FS125 FS126	H-2 H-2	#Q3 #Q4	E-5 E-5	TP321	J-1
#D1 01	J-2	FS48	C-3	FS127	H-2	#Q5	F-5	X301	D-3
#D102	J-1	FS49	C-4	FS128	H-4	#Q101	G-1		
#D103	C-3	FS50	C-4	FS129	J-1	#Q102	E-4		
#D201	A-2	FS51	C-5	FS130	J-1	#Q103	G-2		
*D202 *D203	A-1 A-3	FS52 FS54	D-1 D-3	FS131 FS132	J-1 J-2	Q104 Q105	C-4 B-4		
#D301	C-5	FS55	D-3	FS133	J-2	#Q201	C-1		
#D302	D-4	FS56	D-3	FS134	J-2	#Q202	E-4		
#D303	B-3	FS57	D-4	FS135	H-2	#Q203	C-1		
#D304 #D305	B-5 B-3	FS58 FS59	D-4 D-4	FS136 FS137	J-2 J-2	Q204 Q205	A-4 A-4		
#D306	A-5	FS60	D-5	FS138	J-3	#Q301	B-3		
#D311	G-4	FS61	D-1	FS139	J-3	Q302	C-5		
#D312	G-4	FS62	E-1	FS140	J-5	# Q303	B-3		
#D313 #D314	J-3 F-3	FS63 FS64	D-3 E-3	FS141 FS142	J-5 J-1	Q304 Q305	A-5 C-5		
#D321	G-3	FS65	E-3	FS143	J-1	Q306	A-5		
#D322	G-3	FS66	D-4	FS144	J-1	#Q311	F-3		
#D323	J-2	FS68	E-4	FS145	J-2	Q312	G-4		
#D324 #D331	E-4 G-5	FS69 FS70	D-4 D-4	FS146 FS147	J-2	#Q313 #Q314	F-2 H-4		
#D332	G-5	FS72	E-1	FS147	J-3	#Q315	H-4		
#D334	E-4	FS73	E-2	FS149	J-3	Q316	H-3		
		FS74	E-3	FS150	J-4	Q317	H-4		
E106	H-1	FS75	F-3	FS152	H-2	#Q318	J-3		
E206 E301	A-1 J-1	FS76 FS77	E-3 F-3	FS153 FS154	E-1 F-1	Q319 #Q321	G-4 G-3		
E311	J-1	FS78	E-4	FS155	J-5	Q322	G-2		
		FS79	E-4	FS156	J-4	#Q323	E-3		
FS1	A-1	FS80	F-4	100.4		#Q324	H-2		
FS2 FS3	A-1 A-1	FS81 FS82	E-5 E-5	IC1 IC2	E-4 E-2	#Q325 Q326	H-3 H-2		
FS4	A-2	FS83	F-1	IC3	D-5	Q327	H-3		
FS5	A-2	FS84	F-1	IC5	B-5	#Q328	J-2		
FS6	A-5	FS85	, F-1	IC6	B-5	Q329	G-2		
FS7 FS8	A-2	FS86	F-1	IC7	C-5	#Q331	F-5		
FS9	A-2 A-2	FS87 FS88	F-1 F-2	IC101 IC102	J-2 J-2	Q332 #Q333	G-5 F-3		
FS10	A-5		F-2	IC103	H-2	#Q334	H-4		
FS11	A-5	FS90	F-2	IC104	G-2	#Q335	H-5		
FS12	A-5	FS91	F-3	IC105	F-2	Q336	H-4		
FS13 FS14	B-1 B-2	FS92 FS93	F-3 F-3	IC201 IC202	A-2 B-2	Q337 Q339	H-5 G-5		
FS15	B-5	FS94	F-4	IC203	C-2	4003	. 4-5		
FS16	B-5	FS95	F-4	IC204	D-2	RV106	J-1		
FS17	A-5	FS96	F-4	IC205	E-2	RV107	H-1		
FS18 FS19	A-5	FS97 FS98	F-4 F-5	IC301 IC302	D-3 D-4	RV108 RV109	H-1 G-1		
FS20	A-5 B-1	FS99	F-5	IC302	C-4	RV110	F-1		
FS21	B-2	FS100	F-5	IC304	C-3	RV111	C-1		
FS22	B-2	FS101	F-5	IC305	D-3	RV112	C-1		
FS23	B-3	FS102	F-5	IC306	C-3 C-5	RV206 RV207	A-1		
FS24 FS25	B-3 B-4	FS103 FS104	F-5 F-5	IC307 IC308	C-4	RV207	B-1 B-1		
FS26	B-5	FS105	F-5	IC309	B-5	RV209	B-1		
FS27	B-1	FS106	F-5	IC310	G-3	RV210	D-1		
FS28	B-2	FS107 FS108	G-1	IC311 IC312	E-3	RV211 RV212	G-1 F-1		
FS29 FS30	C-2 B-5	FS109	G-1 G-2	IC312	E-4 G-5	RV301	B-4		
FS31	B-5	FS110	G-2	IC314	E-3	RV302	B-4		
FS32	B-5	FS111	G-2	IC315	J-3				
FS33	B-5	FS112	G-2	IC316	J-5	RY301	J-3		
FS34 FS35	C-1 C-2	FS113 FS114	G-3 G-3	LV101	C-2	RY311	J-2		
FS36	C-2	FS115	G-3	LV201	A-2	S103	J-1		
	C-5	FS116	G-4	LV301	J-4	S203	A-1		
FS37 FS38	C-5	FS117	G-4	LV311	J-3				
FS39	C-5	FS118	G-4	LV321	J-5	#TH1	G-2		
FS40 FS41	C-1 C-1	FS119 FS120	G-5 G-5	PS1	H-5	#TH2	C-2		
FS42	C-2	FS121	G-5	PS2	H-5	TP106	H-1		
FS43	C-2	FS122	H-1			TP206	A-1		

AR-14(1/4);LTC REC/CANCEL CROSSTALK SIG.



UVW-1800

16-29


16-29

E

I


G

Н



AR-14(1-64	18-907- 11	1							
CN1 CN112	J-5 E-5	FS44 FS45 FS46	C-3 C-3 C-3	FS123 FS124 FS125	H-1 J-1 H-2	#Q1 #Q2 #Q3	E-5 E-5 E-5	TP301 TP311 TP321	J-1 J-1 J-1
#D1	D-5		C-3	FS126	H-2	#Q4	E-5	11 02.	0-1
#D101	J-2	FS48	C-3	FS127	H-2	#Q5	F-5	X301	D-3
#D102	J-1	FS49	C-4	FS128	H-4	#Q101	G-1		
#D103	C-3	FS50	C-4	FS129	J-1	#Q102	E-4		
# D201	A-2	FS51	C-5	FS130	J-1	#Q103	G-2		
#D202	A-1	FS52	D-1	FS131	J-1	Q104	C-4		
#D203	A-3	FS54	D-3 D-3	FS132 FS133	J-2 J-2	Q105 #Q201	B-4 C-1		
#D301 #D302	C-5 D-4	FS55 FS56	D-3	FS134	J-2	#Q202	E-4		
#D303	B-3	FS57	D-4	FS135	H-2	#Q203	C-1		
#D304	B-5	FS58	D-4	FS136	J-2	Q204	A-4		
# D305	B-3	FS59	D-4	FS137	J-2	Q205	A-4		
#D306	A-5	FS60	D-5 D-1	FS138 FS139	1-3	#Q301 Q302	B-3 C-5		
#D311 #D312	G-4 G-4	FS61 FS62	E-1	FS140	J-3 J-5	#Q303	B-3		
# D313	J-3	FS63	D-3	FS141	J-5	Q304	A-5		
# D314	F-3	FS64 ·	E-3	FS142	J-1	Q305	C-5		•
#D321	G-3	FS65	E-3	FS143	J-1	Q306	A-5		
#D322 #D323	G-3 J-2	FS66 FS68	D-4 E-4	FS144 FS145	J-1 J-2	#Q311 Q312	F-3 G-4		
#D324	5-2 E-4	FS69	D-4	FS146	J-2	#Q313	F-2		
#D331	G-5	FS70	D-4	FS147	J-2	#Q314	H-4		
#D332	G-5	FS72	E-1	FS148	J-3	#Q315	H-4		
#D334	E-4	FS73	E-2	FS149 FS150	J-3	Q316 Q317	H-3		
E106	H-1	FS74 FS75	E-3 F-3	FS150	J-4 H-2	#Q318	H-4 J-3		
E206	A-1	FS76	E-3	FS153	E-1	Q319	G-4		
E301	J-1	FS77	F-3	FS154	F-1	#Q321	G-3		
E31 1	J-1	FS78	E-4	FS155	J-5	Q322	G-2		
504		FS79	E-4	FS156	J-4	#Q323 #Q324	E-3 H-2		
FS1 FS2	A-1 A-1	FS80 FS81	F-4 E-5	IC1	E-4	#Q325	H-3		
FS3	A-1	F\$82	E-5	IC2	E-2	Q326	H-2		
FS4	A-2	FS83	F-1	IC3	D-5	Q327	H-3		
FS5	A-2	FS84	F-1	IC5	8-5	#Q328	J-2		
FS6	A-5	FS85	F-1	1C6	B-5	Q329	G-2		
FS7 FS8	A-2	FS86 FS87	F-1 F-1	IC7 IC101	C-5 J-2	#Q331 Q332	F-5 G-5		
FS9	A-2 A-2	FS88	F-2	IC102	J-2	#Q333	F-3		
FS10	A-5	FS89	F-2	IC103	H-2	#Q334	H-4		
FS11	A-5	F\$90	F-2	IC104	G-2	#Q335	H-5		
FS12	A-5	FS91	F-3	IC105	F-2	Q336	H-4		
FS13 FS14	B-1	FS92 FS93	F-3 F-3	IC201 IC202	A-2 B-2	Q337 Q339	H-5 G-5		
FS15	B-2 B-5	FS94	F-4	IC203	C-2	4503	G-5		
FS16	B-5	FS95	F-4	IC204	D-2	RV106	J-1		
FS17	A-5	FS96	F-4	IC205	E-2	RV107	H-1		
FS18	A-5	FS97	F-4	IC301	D-3	RV108 RV109	H-1		
FS19 FS20	A-5 B-1	FS98 FS99	F-5 F-5	1C302 1C303	D-4 C-4	RV110	G-1 F-1		
FS21	B-2	FS100	F-5	1C304	C-3	RV111	C-1		
FS22	B-2	FS101	F-5	IC305	D-3	RV112	C-1		
FS23	B-3	FS102	F-5	IC306	C-3	RV206	A-1		
FS24	B-3	FS103	F-5	1C307 1C308	C-5	RV207 RV208	B-1 B-1		
FS25 FS26	B-4 B-5	FS104 FS105	F-5 F-5	10309	C-4 B-5	RV209	B-1		
FS27	B-1	FS106	F-5	IC310	G-3	RV210	D-1		
FS28	B-2	FS107	G-1	IC311	E-3	RV211	G-1		
FS29	C-2	FS108	G-1	IC312	E-4	RV212	F-1		
FS30	B-5 B-5	FS109 FS110	G-2 G-2	IC313 IC314	G-5 E-3	RV301 RV302	8-4 8-4		
FS31 FS32	B-5	FS111	G-2	IC315	1-3	117002			
FS33	B-5	FS112	G-2	IC316	J-5	RY301	J-3		
FS34	C-1	FS113	G-3			RY311	J-2		
FS35	C-2	FS114	G-3	LV101 LV201	C-2 A-2	\$103	J-1		
FS36 FS37	C-2 C-5	FS115 FS116	G-3 G-4	LV201 LV301	A-2 J-4	S203	J-1 A-1		
FS38	C-5	FS117	G-4	LV311	J-3	2200			
FS39	C-5	FS118	G-4	LV321	J-5	#TH1	G-2		
FS40	C-1	FS119	G-5	200	11	#TH2	C-2		
FS41	C-1	FS120	G-5	PS1 PS2	H-5 H-5	TP106	H-1		
FS42 FS43	C-2 C-2	FS121 FS122	G-5 H-1	F32	H-9	TP206	A-1		
. 545	J-2								

AR-14(2/4); CH-1 REC/BIAS DRIVE, CH-1 CANCEL CROSSTALK SIG.



UVW-1800

16-33

16-33


)

I

(


1

Н



AR-14(1-64	18-907-11)								
CN1 CN112	J-5 E-5	FS44 FS45	C-3	FS123 FS124	H-1 J-1	#Q1 #Q2	E-5 E-5	TP301 TP311 TP321	J-1 J-1
#D1	D-5	FS46 FS47	C-3 C-3	FS125 FS126	H-2 H-2	#Q3 #Q4	E-5 E-5	IPSZI	J-1
#D101	J-2	FS48	C-3	FS127	H-2	#Q5	F-5	X301	D-3
#D102	J-1	FS49	C-4	FS128	H-4	#Q101	G-1		
#D103	C-3	FS50	C-4	FS129	J-1	#Q102	E-4		
#D201	A-2	FS51	C-5	FS130	J-1	#Q103	G-2		
#D202	A-1	FS52	D-1	FS131	J-1	Q104	C-4		
#D203 #D301	A-3 C-5	FS54 FS55	D-3 D-3	FS132 FS133	J-2 J-2	Q105 #Q201	B-4 C-1		
#D302	D-4	FS56	D-3	FS134	J-2	#Q202	E-4		
#D303	B-3	FS57	D-4	FS135	H-2	#Q203	C-1		
# D304	B-5	FS58	D-4	FS136	J-2	Q204	A-4		
#D305	B-3	FS59	D-4	FS137	J-2	Q205	A-4		
#D306 #D311	A-5 G-4	FS60 FS61	D-5 D-1	FS138 FS139	J-3 J-3	#Q301 Q302	B-3 C-5		
#D312	G-4	FS62	E-1	FS140	J-5	#Q303	B-3		
#D313	J-3	FS63	D-3	FS141	J-5	Q304	A-5		
#D314	F-3	FS64	E-3	FS142	J-1	Q305	C-5		
#D321 #D322	G-3	FS65 FS66	E-3	FS143	. J-1 J-1	Q306 #Q311	A-5 F-3		
#D322	G-3 J-2	FS68	D-4 E-4	FS144 FS145	J-2	Q312	G-4		
#D324	E-4	FS69	D-4	FS146	J-2	#Q313	F-2		
#D331	G-5	FS70	D-4	FS147	J-2	#Q314	H-4		-
#D332	G-5	FS72	E-1	FS148	J-3	#Q315	H-4		
#D334	E-4	FS73	E-2	FS149	J-3 J-4	Q316 Q317	H-3 H-4		
E106	H-1	FS74 FS75	E-3 F-3	F\$150 F\$152	H-2	#Q318	J-3		
E206	A-1	FS76	E-3	FS153	E-1	Q319	G-4		
E301	J-1	FS77	F-3	FS154	F-1	#Q321	G-3		
E311	J-1	FS78	E-4	FS155	J-5	Q322	G-2		
E01	A 4	FS79	E-4	FS156	J-4	#Q323 #Q324	E-3 H-2		
FS1 FS2	A-1 A-1	FS80 FS81	F-4 E-5	IC1	E-4	#Q325	H-3		
FS3	A-1	FS82	E-5	IC2	E-2	Q326	H-2		
FS4	A-2	FS83	F-1	IC3	D-5	Q327	H-3		
FS5	A-2	FS84	F-1	IC5	B-5	#Q328	J-2		
FS6	A-5	FS85 FS86	F-1	IC6	B-5 C-5	Q329 #Q331	G-2 F-5		
FS7 FS8	A-2 A-2	FS87	F-1 F-1	IC7 IC101	J-2	Q332	G-5		
FS9	A-2	FS88	F-2	IC102	J-2	#Q333	F-3		
FS10	A-5	FS89	F-2	IC103	H-2	#Q334	H-4		
FS11	A-5	FS90	F-2	IC104	G-2	#Q335	H-5		
FS12	A-5	FS91	F-3	IC105	F-2	Q336 Q337	H-4 H-5		
FS13 FS14	B-1 B-2	FS92 FS93	F-3 F-3	IC201 IC202	A-2 B-2	Q339	G-5		
FS15	B-5	FS94	F-4	IC203	C-2	QOOS	00		
FS16	B-5	FS95	F-4	£C204	D-2	RV106	J-1		
FS17	A-5	F\$96	F-4	IC205	E-2	RV107	H-1		
FS18	A-5	FS97	F-4	IC301	D-3	RV108 RV109	H-1 G-1		
FS19 FS20	A-5 B-1	FS98 FS99	F-5 F-5	IC302 IC303	D-4 C-4	RV110	F-1		
FS21	B-2	FS100	F-5	1C304	C-3	RV111	C-1		
FS22	B-2	FS101	F-5	IC305	D-3	RV112	C-1		
FS23	B-3	FS102	F-5	IC306	C-3	RV206	A-1		
FS24	B-3	FS103	F-5	IC307	C-5	RV207 RV208	B-1		
FS25 FS26	B-4 B-5	FS104 FS105	F-5 F-5	IC308 IC309	C-4 B-5	RV209	B-1 B-1		
FS27	B-1	FS106	F-5	IC310	G-3	RV210	D-1		
FS28	B-2	FS107	G-1	IC311	E-3	RV211	G-1		
FS29	C-2	FS108	G-1	IC312	E-4	RV212	F-1		
FS30	B-5	FS109	G-2	IC313	G-5	RV301	B-4		
FS31 FS32	B-5 B-5	FS110 FS111	G-2 G-2	IC314 IC315	E-3 J-3	RV302	B-4		
FS33	B-5	FS112	G-2	IC316	J-5	RY301	J-3		
FS34	C-1	FS113	G-3			RY311	J-2		
FS35	C-2	FS114	G-3	LV101	C-2	0	1.0		
FS36	C-2	FS115	G-3	LV201 LV301	A-2 J-4	S103 S203	J-1 A-1		
FS37 FS38	C-5 C-5	FS116 FS117	G-4 G-4	LV301	J-3	3203	N-1		
FS39	C-5	FS118	G-4	LV321	J-5	#TH1	G-2		
FS40	C-1	FS119	G-5			#TH2	C-2		
FS41	C-1	FS120	G-5	PS1	H-5	770.00	11.4		
FS42	C-2	FS121	G-5	PS2	H-5	TP106 TP206	H-1 A-1		
FS43	C-2	FS122	H-1			17200	M-1		

AR-14(3/4); CH-2 REC/BIAS DRIVE, CH-2 CANCEL CROSSTALK SIG.



16-37

16-37

. C

UVW-1800


D

E

F


1

Н




AR-14(1-64	8-907-11)								
CN1 CN112	J-5 E-5	FS44 FS45	C-3 C-3	FS123 FS124	H-1 J-1	#Q1 #Q2	E-5 E-5	TP301 TP311	J-1 J-1
# D4		FS46	C-3	FS125	H-2	#Q3	E-5	TP321	J-1
#D1 #D101	D-5 J-2	FS47 FS48	C-3 C-3	FS126 FS127	H-2 H-2	*Q4 #Q5	E-5 F-5	X301	D-3
#D102	J-1	FS49	C-4	FS128	H-4	#Q101	G-1	7.501	0-0
#D103	C-3	FS50	C-4	FS129	J-1	#Q102	E-4		
# D201	A-2	FS51	C-5	FS130	J-1	#Q103	G-2		
#D202	A-1	FS52	D-1	FS131	J-1	Q104	C-4		
#D203	A-3	FS54	D-3	FS132	J-2	Q105	B-4		
#D301 #D302	C-5 D-4	FS55 FS56	D-3 D-3	FS133 FS134	J-2 J-2	#Q201 #Q202	C-1 E-4		
#D303	B-3	FS57	D-4	F\$135	H-2	#Q203	C-1		
# D304	B-5	FS58	D-4	FS136	J-2	Q204	A-4		
#D305	B-3	FS59	D-4	FS137	J-2	Q205	A-4		
#D306 #D311	A-5 G-4	FS60 FS61	D-5 D-1	FS138 FS139	1-3 1-3	#Q301 Q302	B-3 C-5		
#D312	G-4	FS62	E-1	FS140	J-5	#Q303	B-3		
# D313	J-3	FS63	D-3	FS141	J-5	Q304	A-5		
#D314	F-3	FS64	E-3	FS142	J-1	Q305	C-5		
₩D321 ₩D322	G-3 G-3	FS65 FS66	E-3 D-4	FS143 FS144	J-1 J-1	Q306 #Q311	A-5 F-3		
*D323	J-2	FS68	E-4	FS145	J-2	Q312	G-4		
#D324	E-4	FS69	D-4	FS146	J-2	#Q313	F-2		
#D331	G-5	FS70	D-4	FS147	J-2	#Q314	H-4		
#D332 #D334	G-5	FS72 FS73	E-1	FS148 FS149	J-3 J-3	#Q315 Q316	H-4 H-3		
WU334	E-4	FS74	E-2 E-3	FS150	J-4	Q317	H-4		
E106	H-1	FS75	F-3	FS152	H-2	#Q318	J-3		
E206	A-1	FS76	E-3	FS153	E-1	Q319	G-4		
E301	J-1	FS77	F-3	FS154	F-1	#Q321 Q322	G-3 G-2		
E311	J-1	FS78 FS79	E-4 E-4	FS155 FS156	J-5 J-4	#Q323	E-3		
FS1	A-1	FS80	F-4	10.50		#Q324	H-2		
FS2	A-1	FS81	E-5	IC1	E-4	#Q325	H-3		
FS3	A-1	FS82	E-5	1C2	E-2	Q326	H-2		
FS4 FS5	A-2 A-2	FS83 FS84	F-1 F-1	IC3 IC5	D-5 B-5	Q327 #Q328	H-3 J-2		
FS6	A-5	FS85	F-1	IC6	B-5	Q329	G-2		
FS7	, A-2	FS86	F-1	IC7	C-5	#Q331	F-5		
FS8	A-2	FS87	F-1	IC101	J-2	Q332	G-5		
FS9 FS10	A-2 A-5	FS88 FS89	F-2 F-2	IC102 IC103	J-2 H-2	#Q333 #Q334	F-3 H-4		
FS11	A-5	FS90	F-2	IC104	G-2	#Q335	H-5		
FS12	A-5	FS91	F-3	IC105	F-2	Q336	H-4		
FS13	B-1	FS92	F-3	IC201	A-2	Q337	H-5		
FS14 FS15	B-2 B-5	FS93 FS94	F-3 F-4	IC202 IC203	B-2 C-2	Q339	G-5		
FS16	8-5	FS95	F-4	IC204	D-2	RV106	J-1		
FS17	A-5	FS96	F-4	IC205	E-2	RV107	H-1		
FS18	A-5	FS97	F-4	IC301	D-3	RV108	H-1		
FS19 FS20	A-5 B-1	FS98 FS99	F-5 F-5	IC302 IC303	D-4 C-4	RV109 RV110	G-1 F-1		
FS21	B-2	FS100	F-5	IC304	C-3	RV111	C-1		
FS22	B-2	FS101	F-5	IC305	D-3	RV112	C-1		
FS23	B-3	FS102	F-5	1C306	C-3	RV206	A-1		
FS24	B-3	FS103	F-5 F-5	IC307 IC308	C-5 C-4	RV207 RV208	B-1 B-1		
FS25 FS26	B-4 B-5	FS104 FS105	F-5	IC309	8-5	RV209	B-1		
FS27	B-1	FS106	F-5	IC310	G-3	RV210	D-1		
FS28	B-2	FS107	G-1	IC311	E-3	RV211	G-1		
FS29	C-2 B-5	FS108 FS109	G-1 G-2	IC312 IC313	E-4 G-5	RV212 RV301	F-1 B-4		
FS30 FS31	B-5	FS110	G-2	IC314	E-3	RV302	B-4		
FS32	B-5	FS111	G-2	IC315	J-3				*
FS33	B-5	FS112	G-2	IC316	J-5	RY301	7-3		
FS34 FS35	C-1 C-2	FS113 FS114	G-3 G-3	LV101	C-2	RY311	J-2		
FS36	C-2	FS115	G-3	LV201	A-2	\$103	J-1		
FS37	C-5	FS116	G-4	LV301	J-4	S203	A-1		
FS38	C-5	FS117	G-4	LV311	J-3	# T114	6.0		
FS39 FS40	C-5 C-1	FS118 FS119	G-4 G-5	LV321	J-5	#TH1 #TH2	G-2 C-2		
FS41	C-1	FS120	G-5	PS1	H-5	- 1112	O.E.		
FS42	C-2	FS121	G-5	PS2	H-5	TP106	H-1		
FS43	C-2	FS122	H-1			TP206	A-1		


AR-14(4/4); BIAS/ERASE OSC, AU/TC ERASE DRIVE




UVW-1800


16-41





CP-226 ;AUDIO INPUT/OUTPUT CONNECTOR,OUTPUT TRANSFORMER CP-226A;AUDIO OUTPUT CONNECTOR,OUTPUT TRANSFORMER





CP-226

	REF.No	UC	J
•1	CN101	FEMALE	MALE
• 2	CN102	MALE	FEMALE
• 3	R1,2,21,22	0	:N' M
+4	H3.4.23.24	:N' W	0
• 5	R8,11,28,31	0	2H M
• 6	R9,10,29,30	:16" 38	0

CP-226A

	REF.No	UC	J
• 2	CN102 ·	MALE	FEMALE
* 5	R8,11,28,31	0	:N' M
• 6	R9.10,29,30	:16, 10	0


CP-226/226A BOARD

BOARD NO.1-648-911-11,21 UVW-1800/1600(J) ;#10001-UVW-1800/1600(UC);#10001-

UVW-1800/1600


1

16-45




DR-214(1-648-908-11) CN300 CN301 CN302 CN303 H-1 C-5 H-5 L-5 D1 D1 51 D1 52 D1 53 D1 54 D1 55 D1 56 D301 D302 D303 D304 D306 G-2 L-3 K-2 M-3 K-2 L-2 J-4 H-2 H-3 E1 E2 K-1 K-5 IC1 IC51 IC52 IC153 IC153 IC201 IC201 IC303 IC304 IC304 IC305 IC306 IC306 IC307 IC308 IC301 IC308 9294421194245425312 GCDLLLCLFFFGJHJEJJH 955544424353--223334--122333442-2


DR-214(1/2); DRUM/CAP/THREAD/REEL POS./CC/REEL MOTOR DRIVE



16-49


UVW-1800/1600







DR-214(1-648-908-11) CN300 CN301 CN302 CN303 H-1 C-5 H-5 L-5 D1 D1 51 D1 52 D1 53 D1 54 D1 55 D1 56 D301 D302 D303 D304 D306 G-2 L-3 K-2 M-3 L-2 J-4 H-2 H-3 E1 E2 K-1 K-5 IC1 IC51 IC52 IC153 IC153 IC201 IC201 IC301 IC302 IC303 IC304 IC306 IC306 IC307 IC308 IC308 IC311 IC311 IC311 9994491194945495319 600111015555495319 35554442435377222333477223334772223344272

DR-214(2/2);CTL REC/PB,DRUM PG/FG AMP.,CAPSTAN FG AMP.,TENSION AMP.,TAPE TOP/END DETECT



TAPE TOP/END DETECT






KY-249(1-648-914-11)

45-914-11	}	
M-3 D-1 N-3 B-1	S8 S9 S10 S11	H-2 H-3 H-3 G-3 J-3
N-2 K-1 K-1 J-2 J-2 H-2 H-3 J-3	S13 S14 S15 S16 S17 S18 S19 S20 S21	G-3 G-2 E-2 F-2 J-3 E-3 F-3 E-2 N-2
L:3 E-2 M-2 M-3		
E-2		
D-3 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1		
E-3 D-3		
K-1 P-1 N-1 L-1 M-1 P-1		
	MÓNB NKKKJJHHHJJ LEMM E DÓDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	D-1 S9 S11 2 3 14 5 6 7 8 19 O 5 11 2 3 14 5 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1


UVW-1800

KY-249; FUNCTION KEY



UVW-1800 A | B | C | D | E | F | G | H |

1



G

KY-249 BOARD

BOARD NO.1-648-914-11 UVW-1800(J) ;#10001-UVW-1800(UC);#10001-


16-57 16-57

16-57




KY-249A(1	-648-914-2	21)	
CN590 CN591 CN592 CN593	M-3 D-1 N-3 B-1	S10 S11 S12 S13	H-3 G-3 G-3
#D1 #D2 #D3 #D4 #D5 #D6 #D7 #D8 #D9 #D10 #D11	N-2 K-1 K-1 J-2 J-2 H-2 H-3 J-3 J-3	\$15 \$16 \$18 \$20 \$21 X1	G-2 E-2 J-3 F-3 E-2 N-2
IC1 IC2 IC3 IC6	L-3 E-2 M-2 M-3		
ND1	E-2	•	
#Q1 #Q2 #Q3 Q4 #Q5 #Q7 #Q8 #Q10 #Q11 #Q11 #Q13 #Q14 #Q16 #Q16 #Q17 #Q18 #Q20 #Q21 #Q22 #Q23 #Q24 #Q22 #Q23 #Q24 #Q25 #Q23 #Q24 #Q25 #Q26 #Q27 #Q26 #Q30 #Q31 #Q31 #Q31 #Q31 #Q31 #Q31 #Q31 #Q31	033222221111111111111111111111111111111		
RV1 RV2	E-3 D-3		
S1 S2 S3 S4 S5	K-1 P-1 N-1 L-1 M-1		

KY-249A; FUNCTION KEY



UVW-1600
A | B | C | D | E | G | H |

Ì




KY-249A BOARD

BOARD NO.1-648-914-21 UVW-1600(J) ; #10001-UVW-1600(UC); #10001-

16-61 16-61

16-61



MS-39/39A(1-648-909-11)

CN350 CN351 CN352 CN353 CN354 CN355 CN357 CN358 CN359 CN360 CN361 CN362 CN362 CN363 CN363 L-1-1-5-9-3-1-1-3-5-5-5-2-4-2 B-1-1-3-5-5-5-2-4-2 F-2 F-2 B-2 M-1 K-1 K-1 K-1 D1 D2 D3 D4 D7 D8 D9 D10 IC1 IC2 IC3 IC7 IC8 H-4 E-3 D-3 G-4 G-3 F-1 F-1 B-1 M-1 Q1 Q2 Q3 Q4 X1 J-4

#: B SIDE _: UVW-1800 ONLY


MS-39/39A; CASSETTE INFORMATION, SOLENOID DRIVER, MECHA. CONTROL MPU, DATA STRAGE

UVW-1800/1600

NFORMATION, SOLENOID DRIVER, MECHA.	CUNINUL MPU, DATA SIDAGE					
,391-28 352-3 SOL. VCC ,391-27 352-4 SOL. VCC					. 1 1	i
3-13 344-18 T BRAKE SOL. VCC	1C1 D75048CW-018 (C2(1/5)		DR-214,301-18 362-13	HALL V(+)	HALL V(+) 254-1 DRUM,1-1	
5V 5V 85 150 4-3 351-3 VCC \$1,00 16	970 47 MS4532P'3 2 (C3(1/8)	PINCH SQL, STARTER 358-4 PINCH SQL, VCC 358-3 PD-35,854-3	DR-214,301-17 362-14 DR-214,301-16 362-15	HALL BIAS(-)	MALL BIAS(-) 354-2 DRUM,1-2 MALL V(-) 354-3 DRUM,1-3 HALL W(+) 354-4 DRUM,1-4	Ļ
-1 351-1 H:S POSITION W P48 -2 351-2 H:L POSITION	P71 IC 2(2/5) M54532P S 7	PINCH SOL. HOLDER 258-5 PD-35,854-5 S BRAKE SOL. STARTER 336-2 RM-126,846-2	DR-214,301-15 362-16 DR-214,301-14 382-17 DR-214,301-13 362-18	MALL W(+) DRUM FG(+) HALL W(-)	DRUM FG(+) 354-5 DRUM,1-5 HALL W(-) 354-6 DRUM,1-8	36
351-4 GND	P72 IC3(2/8) 16M54523P	S BRAKE SOL. YCC 356-1 RM-126,046-2 S BRAKE SOL. WOLDEN 356-3 RM-126,046-3 S BRAKE SOL. MOLDEN 356-3 RM-126:046-3	DR-214,301-12 362-18 DR-214,301-11 362-20	DRUM FG(-) HALL U(+)	DRUM FG(-) 354-7 DRUM,1-7 HALL U(+) 354-8 DRUM,1-8	
	1C2(3/5) M54532P 1 1 1 0	T BRAKE SOL. STARTER 357-2 RM-127.851-1	DR-214,301-10 362-21 DR-214,301-9 362-22	HALL BIAS(+) DRUM PG(+)	HALL BIAS(+) 354-9 DRUM,1-9 DRUM PG(+) 354-10 DRUM,1-10 DRUM PG(-) 354-11 DRUM,1-11	3
5 V O M	103(3/8) 4 2 13854523P	T BRAKE SOL. VGC 357-1 PM-127.851-2 T BRAKE SOL. HOLDER 357-3 PM-127.951-3	DR-214,301-8 362-23 DR-214,301-7 362-24 DR-214,301-6 362-25	DRUM PG(-) HALL U(-) DRUM MOTOR(V)	DRUM PG(-) 354-11 DRUM,1-11 HALL U(-) 354-12 DRUM,1-12 DRUM MOTOR(V) 354-13 DRUM,1-13	
#171 194 170 180 58	P82 41 IC3(4/8)		DR-214,381-5 362-26 DR-214,381-4 362-27	DRUM MOTOR(Y) DRUM MOTOR(W)	DRUM MOTOR(W) 354-14 DRUM.1-14 DRUM MOTOR(U) 354-15 DRUM.1-15	
	PB3 40 3 1C3(4/8)	RESERVE SOL. HOLDER 358-6 PD-35,864-8	DR-214,301-3 362-28 DR-214,301-2 362-29	DRUM MOTOR(W) DRUM MOTOR(U)	124-2	
			DR-214,381-1 362-30	DRUM MOTOR(U)	CAPSTAN FG(B) 355-2 CAPSTAN,CN8-2	
sy sy o			DR-214,302-8 383-23 DR-214,302-7 383-24	CAPSTAN DG(A)	CAPSTAN FQ(A) 255-3 CAPSTAN, CM8-3	
97 As As As 27 As	P90 3.0	THREADING CONT 1 364-14 DR-214,303-17	DR-214,302-2 383-29 DR-214,302-1 363-30 Ci	CAPSTAN DRIVE	CAPSTAN MOTOR GND 355-5 CAPSTAN,CM8-8 CAPSTAN DRIVE 355-6 CAPSTAN,CM8-8	
01. D 07 PT488	P01 3.0	THREADING CONT # 284-13 DR-214,203-18	DR-214,382-1 363-30 C	CAPSTAN DIR CONT	CAPSTAN DIR CONT 355-7 CAPSTAN.CH8-7 CAPSTAN MOTOR VCc 355-8 CAPSTAN.CH8-8	
1	AN4	THREADING CURRENT 364-10 DR-214,303-21				ļ
I sv sv	AR4		DR-214.301-22 362-9	S REEL FG A	S REEL FG A 356-11 RM-126.846-11	,
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	T-2	ļ			S REEL FG GND 935-10 RM-126,846-10 S REEL FG Ycc 355-13 RM-126,846-13 S REEL FG B 356-12 RM-126,846-12	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	47	No. 444 193-19	DR-214,301+21 382-10	S REEL FG B	S REEL FG B 356-12 RM-126,848-12 UNREG GND 358-9 UNREG GND 356-9	DR-214,302-29
D1	P92 37	POSITION CONT 1 384-12 DR-214,303-19 POSITION CONT 2 384-11 DR-214,303-20	DR-214,301-24 362-7 S DR-214,301-23 382-8 S	S REEL MOTOR(+)	S REEL MOTOR(+) 358-8 RM-126,946-6 S REEL MOTOR(+) 386-7 RM-126,948-7	DR-214,302-30
5 4 PS1	5 V Q		DR-214,301-26 362-5 S DR-214,301-25 362-6 S	S REEL MOTOR(-)	S REEL MOTOR(-) 356-4 RM-126,846-4 RM-126,846-5	DR-214,303-1
	ANS 2.5 Da	POSITION CURRENT 354-9 DR-214,303-21			A-3 A-4	DR-214,383-2
R15 R16 R15 R18 R16 R18	PAZTÓS-TP	I	DR-214,303-5 384-26	T REEL FG A	T REEL FG A 357-11 RM-127,851-11	DR-214,303-27 DR-214,303-28
93 Q 23 PT480	1 A-2 .				T REEL FG GND 357-10 RM-127,951-10 T REEL FG Yec 357-13 RM-127,951-13	PREITING
H:METAL REC INH de 3	P80 51	CC UP/DOWN CONT 1 384-16 DR-214,383-15	DR-214,303-4 384-27 DR-214,303-8 384-23	UNREG GND	T REEL FG B 357-12 UNREG GND 357-8	
SV SV	P81 50	CC UP/DOWN CONT 2 354-15 DR-214,383-16	DR-214,303-7 384-24 DR-214,303-12 384-19 1 DR-214,303-11 384-20 1	T REEL MOTOR(+) T REEL MOTOR(+)	T REEL MOTOR(+) 357-4 RM-127,851-4 T REEL MOTOR(+) 357-5 RM-127,851-5	
#15 177 815 177 187	AN6 24 5V	CC UP/DOWN CURRENT 364-8 DR-214,303-23	DR-214,303-10 364-20 1 DR-214,303-10 364-21 1 DR-214,303-8 364-22 1	T REEL MOTOR(-)	T REEL MOTOR(-) 357-6 RM-127.851-6 T REEL MOTOR(-) 357-7 RM-127.851-7	
D4. 60 10 04	ANG 23 DATES-TP	W WENGER STATES		<u> </u>	1	
1 H:LARGE REC INH Mr. 2 2 7 P20	AN7 2 3				THREADING FG VCC 353-5 PTC-87,841-5	
H:LARGE REC INN dr 2 dr 2 7 P21 6 P22 821 R23 5 P22 P23	V1 11-7 11-4 11-4 11-4 11-4 11-4 11-4 11-	T BRAKE CURRENT 364-7 DR-214,303-24	DR-214,502-20 363-11	THREADING FG	TINEADING FG 353-4 PTC-87,841-4 THREADING FG GND 353-3 PTC-87,841-3	
\$ V #20 ⁻¹⁰ Day ± 17 B	X1	I BRAKE GVARAGE			J-2	
#10 #25 #25 #27 #25 #26 #27 #25 #26 #27 #25 #26 #27 #25 #26 #27 #25 #25 #25 #25 #25 #25 #25 #25 #25 #25	12	4182-17	DR-214,302-19 363-12 TA	TAPE TOP SENSOR(X)	TAPE TOP SENSOR(X) 353-8 PTC-67,841-6	
2 350-2 CAS IN 1 R21 101: RD 34 P11 3 350-3 CAS IN 2 R21 101: RD 34 P11	P100 12 16 10 10 10 10 10 10 10 10 10 10 10 10 10	CPU +5V 363-3 DR-214,302-28	DR-214,302-18 363-13 TA	TAPE TOP SENSOR(Y)	TAPE TOP SENSOR(Y) 353-7 PTC-87,841-7	
7 350-7 CC DOWN 1 R20 161:RD 32 P12	AV90 20 AV90 AV90 AV90 AV96 AV96 AV96 AV96 AV96 AV96 AV96 AV96		DR-214,301-30 362-1 TA	TAPE END SENSOR(X)		
12V	17 \$194 17 \$180	/ (45 R67	DR-214,381-29 342-2 TA		TAPE END SENSOR(Y) 358-2 PD-35,864-2	
-4 350-4 CAS SENS 12V 5V 9 P102 -5 350-5 CAS SENS GND P103	R12 R12 F18D F18D	NA RAT 777 194 197 197 197 197 197 197 197 197 197 197	DR-214,302-12 363-19 S	- TENGION SENSORI-	S TENSION SENSOR(-) 360-2 TR-84.845-2	
350-9 R0	VSP 22 2 31 Avg 2 Avg 51	VCC 559-1 PTC-68,946-1	DR-214,302-11 363-20 5	S TENSION SENSOR(+)	S TENSION SENSOR(+) 386-3 TR-84,945-3	
3 383-6 SERVO SCK R35 11 :R0 1 3CK 383-4 SERVO SO R34 13 :R0 2 5 1	J-2 THREAD END	H:TH END 359-2 M:UNTH END 359-3 PTG-68,840-3			CTL HEADIX) 361-1 DU8-355,834-1	
\$ 383-5 SERVO SI SO SERVO SI SO SERVO SI SO SERVO SI SO SERVO SI SER	P112 28 4 18	GND 359-4	DR-214,302-17 DR-214,302-16 DR-214,302-15 363-16	CTL HEAD(Y)	CTL HEAD(X) 381-1 DUS-355.834-1 CTL HEAD(Y) 381-2 CTL HEAD(6) 381-3	
	# 140 OSV # 2 R63 149 160 # 160	959	UN-61-1,000-1-2	DIL MENUICI		
5V 0.3 P30 P30 F3 P31 P31 F31 F31 F31 F31 F31 F31 F31 F31 F31 F	P113 UNTHREAD END	:AD H:UNTH END 363-10 DR-214,302-21			I	
24 363-7 1/2 VO R42 19x :RD 4 187 4	P101 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1			
23 363-8 MS RESET R43 101 :RD 13 RESET		1 1	·			
₩. ē			1] 1	
1			1		1	
	16-65	16-65				
_	10-03.			, 6	т н	1
		. E I	F	,	''	1

STRAGE

MS-39/39A




RP-70(1-648-904-11)


-	11-10(1-04	0-904-11)					10 10/1/10	10-304-21)
	CN1 CN101 CN110 CN201 CN301	J-4 H-4 E-5 F-4 E-4	FS708 FS709 FS710 FS711 FS712 FS713	C-5 C-5 C-5 C-5 D-5 E-5	RV202 RV301 RV302 S1 S101	G-3 E-2 F-3 J-3 H-3	CN1 CN101 CN110 CN201 CN301	J-4 H-4 E-5 F-4 E-4
	₽D701 ₽D702	D-2 D-5	FS714 FS715	F-5 G-5	S201 S301	F-3 E-3	#D702	D-5
	₩D703 ₩D704	D-3 D-4	FS716 FS717	J-5 D-1	TP1	J-1	E2 E202	J-4 F-4
4	#D702 #D703 #D703 #D704 E1 E201 E201 E202 E601 FS201 FS303 FS104 FS106 FS201 FS202 FS203 FS204 FS305 FS306 FS301 FS305 FS306 FS307 F	534 14747 122344223441120054422354171777777717192233442354755555555555555555555555555555	FS715 FS716 FS717 FS718 FS719 FS720 FS721 FS722 FS723 FS724 FS725 FS726 IC1 IC2 IC101 IC102 IC301 IC302 #IC501 #IC503 #IC601 #IC602 IC703 IC704 IC703 IC704 IC705 IC706 IC707 IC708 #IC705 IC706 IC707 IC708 #IC802 #IC903 #IC901 #IC902 #IC903 #IC901 #IC902 #IC903 #IC901 #IC902 #IC903 #IC901 #IC902 #IC903 #IC901 #IC903 #IC901 #IC902 #IC903 #IC901 #IC903	5-5-1-1-5-5-5-1-5-5 24-24-24-24-1-1-3-3-2-1-5-4-3-3-4-32-2-2-2-2-2-2-2-2-3-3-3-2-2-2-2-2-2	S301	E-3	E2	JE JJJJTTTTTEGGEBEBETTTBABCCBBDDDDCDDCCJTGGDTT JTGBDD JTGE
	FS705 FS706 FS707	C-4 D-4 D-5	RV101 RV102 RV201	H-2 H-3 F-2				

RP-70A(1-648-904-21)

UVW-1800/1600



UVW-1800/1600 A | B | C | D | E | G | H




RP-70/70A BOARD (1/2)

BOARD NO.1-648-904-11,21 UVW-1800/1600(J);#10001-UVW-1800/1600(UC);#10001-

16-69

16-69

16-69




RP-70(1-64	8-904-11)					RP-70A(1-6	48-904-21)
CN1 CN101 CN110 CN201 CN301	J-4 H-4 E-5 F-4 E-4	FS708 FS709 FS710 FS711 FS712	C-5 C-5 C-5 C-5	RV202 RV301 RV302	G-3 E-2 F-3	CN1 CN101 CN110 CN201 CN301	J-4 H-4 E-5 F-4 E-4
#D701 #D702	D-2 D-5	FS713 FS714 FS715	E-5 F-5 G-5	\$101 \$201 \$301	H-3 F-3 E-3	#D702	D-5
#D703 #D704	D-3 D-4	FS716 FS717 FS718	J-5 D-1 D-1	TP1 TP2	J-1 J-1	E2 E202	J-4 F-4
E1 E2 E201 E202 E601	J-1 J-4 F-1 F-4 B-1	FS719 FS720 FS721 FS722 FS723 FS724	D-1 H-5 G-5 G-5 D-1 E-1	TP3 TP4 TP103 TP104 TP201 TP202	J-3 J-4 H-3 H-4 G-1 F-1	FS2 FS3 FS6 FS7 FS101 FS104	J-1 J-2 J-4 J-4 H-2 H-4
FS2 FS3 FS4 FS5 FS6 FS7 FS102 FS103 FS104 FS105 FS106 FS201 FS202 FS203 FS204 FS205 FS206 FS301 FS302 FS303 FS304 FS305 FS307 FS507 FS508 FS507 FS508 FS508 FS508 FS509 FS508 FS509 FS509 FS501 FS602 FS603 FS603 FS604 FS605 FS607 FS609 FS607 FS609 FS611 FS609 FS611 FS612 FS615 FS615 FS616 FS617 FS617 FS617 FS618 FS617 FS618 FS619	- 122344229441114111566666666666666666666666666666						######################################
FS703 FS704 FS705 FS706 FS707	D-4 D-4 C-4 D-4 D-5	RV1 RV2 RV101 RV102 RV201	J-2 J-3 H-2 H-3 F-2				

RP-70A(1-648-904-21)

UVW-1800/1600

RP-70(2/2) ;C RF REC/PB,ROTARY/FULL ERASE OSC RP-70A(2/2);C RF PB




¥	UVW-1800	UVW-1800	UYW-1400
	(-11)	(-21)	(~31)
REF	C503	R653	C503
NO.	0.022		0.022
REF	C504	R654	C504
NO.	0.022		0.022

UVW-1800/1600

A | B | C | D | E | G | H |


· ŧ



RP-70/70A BOARD (2/2)

BOARD NO.1-648-904-11,21 UVW-1800/1600(J) :#10001-UVW-1800/1600(UC);#10001-


16-73 16 - 73



SS-53(1-648-903-11)

		•	
CNI4 CNI212 CN1 CN2 CN3 CN107 CN108 CN109	K-3 C-2 E-1 F-1 P-1 N-6 K-6 C-6	IC223 IC224 IC225 IC226 IC227 IC228 IC229 IC230 IC231 IC232 IC233	J-4 J-3 J-3 C-4 A-2 F-2 L-3 L-3 L-4 M-3
#D100	A-5	PS1	L-5 M-5
#D101 #D102 #D103 #D104 #D105 #D200 #D201 #D202 #D203 #D204 #D205 #D205 #D206 #D207 #D207 #D208	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	PS2 #Q105 #Q106 #Q107 #Q108 #Q204 #Q205 #Q206 #Q207 #Q208 #Q209 #Q210 #Q211	8-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5
#D211 #D213 #D214 #D215	E-2 J-6 J-5	#R81 #R82 #R8201 #R8202 #R8203	P-3 R-2 E-1 B-1 K-4
E1 E200 E201 E202	N-1 E-4 D-1 J-1	S1 S201	R-4 B-1
E202 IC1 IC2 IC3 IC4 IC5 IC6 IC7 IC8 IC9 IC10 IC11 IC12 IC102 IC103 IC200 IC1001 IC102 IC203 IC200 IC201 IC202 IC203 IC206 IC207 IC208 IC206 IC211 IC212 IC211 IC212 IC211 IC212 IC213 IC214 IC216 IC217 IC219 IC217 IC219 IC217 IC219 IC210	P.33.33 N.53.1.21.5.5.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	TP1 TP100 TP103 TP201 TP202 TP203 TP205 TP206 TP207 TP211 TP216 TP217 TP219 TP223 TP224 TP225	R-2 A-4 B-4-2-2-1-3-3-4-4-2-3-1-2-3-1-2-2-1
	\$5.94\94499999\\\\\\\\\\\\\\\\\\\\\\\\\\\	X1 X101 X200	R-2 A-3 G-1

SS-53(1/4); SYSCON MAIN




UVW-1800/1600 16-77

E |

16-77

G

Н



16-77

16-77

F]


G

H

i

J

1.




SS-53(1-648-903-11)

33-33(1-64	0-903-11	1	
CNI4 CNI212	K-3 C-2	IC223 IC224 IC225	J-4 J-3 J-3
CN1 CN2 CN3 CN107 CN108 CN109	E-1 F-1 P-1 N-6 K-6 C-6	IC226 IC227 IC228 IC229 IC230 IC231 IC232	C-4 A-2 F-2 L-3 H-3 L-4
CV1	N-1	1C232	M-3
#D100 #D101 #D102	A-5 A-5 A-5	PS1 PS2	L-5 M-5
#D102 A-5 #D104 A-5 #D105 B-4 #D200 E-3 #D201 E-3 #D202 E-3 #D203 E-3 #D204 E-3 #D205 E-2 #D206 F-3 #D207 F-3 #D208 E-3 #D208 E-3 #D208 E-3	# Q105 # Q106 # Q107 # Q108 # Q204 # Q205 # Q206 # Q207 # Q208 # Q209 # Q210 # Q211	B-5 B-4 B-5 D-5 D-5 D-5 D-5 D-5 D-3 J-3	
#D211 #D213 #D214 #D215	E-2 E-3 J-6 J-5	# RB1 # RB2 # RB201 # RB202 # RB203	P-3 R-2 E-1 B-1 K-4
E1 E200 E201 E202	N-1 E-4 D-1 J-1	S1 S201	R-4 B-1
E202 IC1 IC2 IC3 IC4 IC5 IC6 IC7 IC8 IC9 IC10 IC11 IC12 IC15 IC100 IC101 IC102 IC103 IC200 IC201 IC202 IC203 IC204 IC206 IC207 IC208 IC208 IC209 IC210 IC211 IC212 IC213 IC216 IC217 IC216 IC217 IC216 IC217 IC212 IC222	P-3 N-3 N-3 N-5 L-1 M-5 R-5 R-5 R-2 N-2 N-3 N-3 N-3 R-5 N-3 R-5 N-3 R-5 N-3 N-3 R-5 N-3 N-3 R-5 N-3 N-3 N-3 N-3 N-3 N-3 N-3 N-3 N-3 N-3	TP1 TP100 TP103 TP201 TP202 TP203 TP205 TP206 TP207 TP211 TP216 TP217 TP219 TP223 TP224 TP225	R-2 A-4 B-4 A-2 D-1-3 G-4 G-2 G-1-2 D-1-2 C-1
	A55342343333322333331343 BEFEEDEDDDDBCCEGGGHJJJ	X1 X101 X200	R-2 A-3 G-1

UVW-1800/1600

SS-53(2/4);TC GENERATOR/READER



UVW-1800/1600 16-81 16-81 E


| G |

. . No. • 32


SS-53(1-648-903-11)

•		•	
CN 4 CN 212	K-3 C-2	1C223 1C224 1C225	J-4 J-3 J-3
CN1 CN2 CN3 CN107 CN108 CN109	E-1 F-1 P-1 N-6 K-6 C-6	IC226 IC227 IC228 IC229 IC230 IC231 IC232	C-4 A-2 F-2 L-3 H-3 L-3 L-4
CV1	N-1	IC233	M-3
#D1 00 #D1 01 #D1 02	A-5 A-5 A-5	PS1 PS2	L-5 M-5
#D103 A- #D104 A- #D105 B- #D200 E- #D201 E- #D202 E- #D203 E- #D204 E- #D205 E- #D206 F- #D207 F-	A-5-5-4-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3	# Q105 # Q106 # Q107 # Q108 # Q204 # Q205 # Q206 # Q207 # Q208 # Q209 # Q210 # Q211	B-5 B-4 B-5 D-5 D-5 D-5 D-5 D-5 J-3
#D210 #D211 #D213 #D214 #D215	G-4 E-2 E-3 J-6 J-5	# RB1 # RB2 # RB201 # RB202 # RB203	P-3 R-2 E-1 B-1 K-4
E1 E200 E201 E302	N-1 E-4 D-1 J-1	S1 S201	R-4 B-1
E202 IC1 IC2 IC3 IC4 IC5 IC6 IC7 IC8 IC9 IC10 IC11 IC12 IC10 IC101 IC102 IC103 IC200 IC201 IC203 IC204 IC206 IC207 IC208 IC207 IC208 IC201 IC211 IC212 IC211 IC212 IC213 IC214 IC215 IC217 IC219 IC201	P.333.1.21.55.2.2.2.2.3.3.5.	TP1 TP100 TP103 TP201 TP202 TP202 TP205 TP206 TP207 TP211 TP216 TP217 TP219 TP223 TP224 TP225	R-2 A-4 B-4-2 A-2 D-1 H-3-3 F-3-2 H-2 D-1 H-2 D-1
	4855342343333333333333333333333333333333	X1 X101 X200	R-2 A-3 G-1

SS-53(3/4); SERVO MAIN



UVW-1800/1600 A | B | C | D | E | G | H |



16-85

16-85

E

F

|

G


ı

K


16-85


SS-53(1-648-903-11)

SS-53(1-64	0-903-11	,	
CNI4 CNI212 CN1 CN2 CN3 CN107 CN108 CN109	K-3 C-2 E-1 F-1 P-1 N-6 K-6 C-6	IC223 IC224 IC225 IC225 IC226 IC227 IC228 IC230 IC230 IC231 IC232	J-3 J-3 C-4 F-2 L-3 H-3 L-4
CV1 #D100	N-1 A-5	IC233 PS1	M-3 L-5
#D101 #D102 #D103 #D104 #D105 #D200 #D201 #D202 #D203 #D204 #D205 #D206 #D206 #D206 #D207 #D208	555549999999999 6448	PS2 #Q105 #Q106 #Q107 #Q108 #Q205 #Q206 #Q207 #Q208 #Q209 #Q210 #Q211	M-5 B-5-8-8-5 D-5-
#D210 #D211 #D213 #D214 #D215	G4 E-2 J-6 J-5	#RB1 #RB2 #RB201 #RB202 #RB203	P-3 R-2 E-1 B-1 K-4
E1 E200 E201 E202	N-1 E-4 D-1 J-1	S1 S201	R-4 B-1
E202 IC1 IC2 IC3 IC4 IC5 IC6 IC7 IC8 IC9 IC10 IC11 IC12 IC15 IC100	P-3-3-3-3 N-3-3-1 N-1-5-5-2-2-2-3-5 N-2-5-5-2-2-2-3-5 N-2-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-	TP1 TP100 TP103 TP201 TP202 TP203 TP206 TP206 TP207 TP211 TP216 TP217 TP219 TP223 TP224 TP225	R-2 A-4 B-4 A-2 D-1 3-3 4-2 D-1 G-2 D-1 C-1
IC102 IC103 IC200 IC201 IC202 IC203 IC204 IC206 IC207 IC208 IC209 IC211 IC212 IC213 IC214 IC215 IC216 IC217 IC219 IC219 IC219 IC210 IC211 IC212 IC213 IC214 IC215 IC216 IC217 IC219 IC220 IC221 IC222	\$	X1 X101 X200	R-2 A-3 G-1




② TP225 PB






UVW-1800/1600


A | B | C | D | E | G | H




-




TBC-25(1-648-901-11)						
CN1 CN2 CN1 05 CN1 06	E-1 C-6 N-6 C-6	IC503 IC504 IC505 IC506 IC507	J-2 J-4 H-2 H-3 G-6	#Q303 #Q304 #Q305 #Q306 #Q400	P-1 N-2 N-2 R-2 P-5	
CV700 CV701	C-2 C-2	IC508 IC509 IC510	H-4 G-3 F-6	#Q401 #Q402 #Q403	P-5 R-5 P-5	
#D1 #D2 #D100 #D101 #D102 #D102 #D303 #D302 #D303 #D304 #D401 #D402 #D502 #D503 #D504 #D505 #D506 #D701 #D702	M-3-3-3-3-2-2-2-2-4-4-4-2-2-1-1-5-2-2-1-5-2-2-1-1-5-2-2-1-1-5-2-2-1-1-5-2-2-1-1-5-2-2-1-1-5-2-2-1-1-5-2-2-1-1-5-2-2-1-1-5-2-2-2-1-1-5-2-2-2-1-1-5-2-2-2-1-1-5-2-2-2-2	IC511 IC512 IC513 IC514 IC515 IC516 IC517 IC518 IC519 IC520 IC521 IC522 IC523 IC524 IC525 IC526 IC528 IC528 IC528 IC528 IC529 IC528 IC529 IC529 IC520 IC521	H134121132212433333222	#Q404 #Q405 #Q406 #Q407 #Q500 #Q501 #Q502 #Q503 #Q700 #Q703 #Q703 #Q705 #Q705 #Q706 #Q707 #Q706 #Q707 #Q709 #Q710 #Q711	MRRNF-1-1-15-4-2-1-2-2-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5	
#D703 E200 E300 E400 E500 E501 E700 E701	C-2 N-3 M-1 R-5 D-1 J-3 E-4 B-2	IC532 IC533 IC534 IC700 IC701 IC702 IC703 IC704 IC705 IC706	G-2 G-1 A-2 A-1 A-2 A-3 D-4	RV100 RV200 RV300 RV301 RV400 RV401 RV500 RV501 RV502 RV700	R-3 R-3 M-1 N-1 P-1 P-5 F-1 D-1 A-1	
FL500 FL501 FL502	F-2 E-1 D-1	IC707 IC708 IC709 IC710	F-5 A-3 E-5	RV701 RV702 RV703	B-1 B-1 B-1	
IC1 IC2	M-2 M-3	IC711 IC712	D-3 C-3	S500	J -1	
IC3 IC4	L-1 L-4	IC713 IC714	C-3 A-4	TH400	R-5	
IC5 IC6 IC7 IC100 IC101 IC102 IC103 IC200 IC203 IC300 IC301 IC302 IC303 IC303	E-6 L-1 L-5 3 3 M-2 M-3 M-1 2 P-1 1 1 2 R-1 1 2 M-2 M-1 2 M-1 1 2	IC715 IC716 IC717 IC718 IC719 IC720 IC721 IC722 IC723 IC724 IC725 IC726 IC727	D-2 3-5-2-2-3-2-4-5-5-5-4-4 B-2-3-2-4-5-5-5-4-4	TP100 TP101 TP200 TP201 TP300 TP301 TP303 TP400 TP401 TP402 TP500 TP501 TP502 TP502	R-3 R-3 R-3 R-1 P-2 P-2 M-5 N-4 N-4 D-1 D-5	
IC305 IC306 IC307	N-2 M-2 R-2	LV300 LV400	R-2 M-4	TP701 TP702 TP703	C-4 C-1 C-3	
IC308 IC400 IC401 IC402 IC403 IC404 IC405 IC406 IC407 IC408 IC501 IC502	R-5 R-5 R-5 R-5 R-5 R-5 R-4 M-5 M-2 L	#Q100 #Q101 #Q102 #Q103 #Q104 #Q200 #Q201 #Q202 #Q203 #Q300 #Q300	R-3 R-3 P-3 R-3 R-3 R-3 P-3 P-1 P-1	X700 X701	C-1 C-2 C-2	



TBC-25(1/4); A/D, MEMORY, D/A, SEQUENCER



UVW-1800/1600 A B C D E F G H




16-93 16-93

L


J


•

N




TBC-25(1-6	48-901-11)			
CN1 CN2 CN105 CN106	E-1 C-6 N-6 C-6	IC503 IC504 IC505 IC506 IC507	J-2 J-4 H-2 H-3 G-6	# Q303 # Q304 # Q305 # Q306 # Q400	P-1 N-2 N-2 R-2 P-5
CV700 CV701	C-2 C-2	IC508 IC509 IC510	H-4 G-3 F-6	#Q401 #Q402 #Q403	P-5 R-5 P-5
#D1 #D2 #D100 #D101 #D200 #D301 #D302 #D303 #D304 #D401 #D402 #D402 #D403 #D502 #D504 #D505 #D506 #D701 #D702	M-333322244442211522	IC511 IC512 IC513 IC514 IC515 IC516 IC516 IC519 IC520 IC521 IC522 IC523 IC524 IC525 IC526 IF527 IC528 IC528 IC529 IC529 IC520	- H - 3 - 4 - 1 - 2 - 1 - 1 - 3 - 2 - 2 - 2 - 2 - 2 - 3 - 3 - 3 - 3	# Q403 # Q405 # Q405 # Q407 # Q500 # Q501 # Q502 # Q700 # Q701 # Q702 # Q704 # Q705 # Q706 # Q706 # Q709 # Q709 # Q710 # Q711	M-4 R-4 R-4 R-4 F-2 F-1 D-1 C-5 C-4 A-2 C-2 C-2 C-2 C-5 B-5 D-5
#D703 E200 E300 E400 E500 E501 E700 E701	C-2 N-3 M-1 R-5 D-1 J-3 E-4 B-2	IC532 IC533 IC534 IC700 IC701 IC702 IC703 IC704 IC705 IC706	G-2 G-1 G-1 A-2 A-1 A-2 C-4 A-3 D-4	RV100 RV200 RV300 RV301 RV400 RV401 RV500 RV501 RV502 RV700	R-3 R-3 M-1 N-1 P-5 F-1 F-1 A-1
FL500 FL501 FL502	F-2 E-1 D-1	IC707 IC708 IC709	E-5 F-5 A-3	RV701 RV702 RV703	B-1 B-1 B-1
IC1 IC2	M-2 M-3	IC710 IC711 IC712	E-5 D-3 C-3	S500	J-1
IC3 IC4 IC5 IC6 IC7 IC1 00 IC1 01 IC1 02 IC1 03 IC200 IC203 IC300 IC301 IC302 IC302 IC304	L-14-6-1-5-3-3-3-2-3-3-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-2-1-1-2-1	IC713 IC714 IC715 IC716 IC717 IC718 IC719 IC720 IC721 IC722 IC723 IC724 IC725 IC726 IC727	C-A-4-2-3-5-2-2-3-2-4-5-5-5-5-4-4-9-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6	TH400 TP100 TP101 TP200 TP201 TP300 TP301 TP303 TP400 TP401 TP402 TP500 TP501 TP502 TP700	R-5 R-3 N-3 R-3 R-3 R-2 P-2 M-5 N-4 E-1 D-1 C-5
IC305 IC306 IC307	N-2 M-2 R-2	LV300 LV400	R-2 M-4	TP701 TP702 TP703	C-4 C-1 C-3
IC308 IC400 IC401 IC402 IC403 IC404 IC405 IC406 IC407 IC408 IC501 IC502	R-5 R-5 R-5 R-5 R-4 R-5 R-4 N-4 L-2 L-4	#Q100 #Q101 #Q102 #Q103 #Q104 #Q200 #Q201 #Q202 #Q203 #Q300 #Q301	R3 R3 P3 R3 R3 R3 P3 P1 P1	X700 X701	C-1 C-2 C-2






TBC-25(2/4);SYNC/SC PROCESS,TBC MPU



UVW-1800/1600

A B C D E F G H



TBC-25 BOARD (2/4)

BOARD NO.1-648-901-11 UVW-1800/1600(J);#10001-UVW-1800/1600(UC);#10001-


16-97 16-97


0

-

•

TBC-25(1-6	48-901-11)				
CN1 CN2 CN1 05 CN1 06	E-1 C-6 N-6 C-6	IC503 IC504 IC505 IC506 IC507	J-2 J-4 H-2 H-3 G-6	#Q303 #Q304 #Q305 #Q306 #Q400	P-1 N-2 N-2 R-2 P-5
CV700 CV701	C-2 C-2	IC508 IC509	H-4 G-3 F-6	#Q401 #Q402 #Q403	P-5 R-5 P-5
#D1 #D2 #D100 #D101 #D101 #D301 #D302 #D303 #D304 #D401 #D402 #D403 #D404 #D403 #D403 #D504 #D505 #D506 #D506 #D506 #D506	**************************************	IC510 IC511 IC512 IC513 IC514 IC515 IC516 IC517 IC518 IC519 IC520 IC521 IC522 IC523 IC524 IC525 IC526 IC526 IC527 IC528 IC529 IC529 IC529 IC529 IC529 IC521	P1341211322122433333222	#Q404 #Q405 #Q406 #Q406 #Q500 #Q501 #Q500 #Q701 #Q701 #Q701 #Q703 #Q704 #Q705 #Q706 #Q707 #Q708 #Q708 #Q709 #Q709 #Q710 #Q711	MR R. N. F. F. E. D. C. C. A. C. C. C. C. B. D.
#D703 E200 E300 E400 E500 E501 E700 E701	N-3 M-1 R-5 D-1 J-3 E-4 B-2	IC532 IC533 IC534 IC700 IC701 IC702 IC703 IC704 IC705	G-2 G-1 G-1 A-2 A-1 A-2 C-4 A-3	RV100 RV200 RV300 RV301 RV400 RV401 RV500 RV501 RV502	R-3 R-3 M-1 N-1 P-1 P-5 F-1 D-1
FL500 FL501 FL502	F-2 E-1 D-1	IC706 IC707 IC708 IC709	D-4 E-5 F-5 A-3	RV700 RV701 RV702 RV703	A-1 B-1 B-1 B-1
IC1 IC2	M-2 M-3	IC710 IC711 IC712	E-5 D-3 C-3	\$500	J-1
IC3 IC4	L-1 L-4	IC713 IC714	C-3 A-4	TH400	R-5
IC5 IC6 IC7 IC1 00 IC1 01 IC1 02 IC1 03 IC200 IC203 IC301 IC301 IC302 IC302 IC303	E-6 L-1 L-5 R-3 M-2 P-3 M-1 P-2 R-1 1-1 M-2	IC715 IC716 IC717 IC718 IC719 IC720 IC721 IC722 IC723 IC724 IC725 IC726 IC727	D-2 3-5-2-2-3-2-4-5-5-5-4-4 B-B-B-B-B-B-B-B-B-B-B-B-B-B-B-B-B-B	TP100 TP101 TP200 TP201 TP300 TP301 TP303 TP400 TP401 TP402 TP500 TP501 TP502	R33312254441115
IC305 IC306 IC307	N-2 M-2 R-2	LV300 LV400	R-2 M-4	TP701 TP702 TP703	C-4 C-1 C-3
IC308 IC400 IC401 IC402 IC403 IC404 IC405 IC406 IC407 IC408 IC501 IC502	R-5 R-5 R-5 R-5 R-4 M-5 N-4 L-2 L-4	#Q100 #Q101 #Q102 #Q103 #Q104 #Q200 #Q201 #Q202 #Q202 #Q203 #Q300 #Q301 #Q302	R-3 P-3 P-3 R-3 R-3 P-3 P-1 P-1	TP704 X700 X701	C-1 C-2 C-2






UVW-1800/1600


16-101

16-101


16-101

L






TBC-25(1-6	48-901-11)			
CN1 CN2 CN105 CN106	E-1 C-6 N-6 C-6	IC503 IC504 IC505 IC506 IC507	J-2 J-4 H-2 H-3 G-6	#Q303 #Q304 #Q305 #Q306 #Q400	P-1 N-2 N-2 R-2 P-5
CV700 CV701	C-2	IC508 IC509 IC510	H-4 G-3 F-6	#Q401 #Q402 #Q403	P-5 R-5 P-5
#D1 #D2 #D100 #D100 #D101 #D102 #D200 #D301 #D302 #D303 #D304 #D404 #D402 #D403 #D404 #D403 #D505 #D505 #D505 #D506 #D701 #D702	M-3 3 3 3 2 2 2 2 4 4 4 4 2 2 1 1 5 2 2 3 M-5 2 M-5 2 3 M-5 2 M-5 2 3	IC511 IC512 IC513 IC514 IC515 IC516 IC516 IC519 IC520 IC521 IC522 IC523 IC524 IC525 IC528 IC528 IC528 IC528 IC528 IC528 IC529 IC528 IC528 IC529 IC528	1.7.7.4.7.8.4.7.8.4.7.9.9.9.9.9.9.9.9.9.9.9.9.9.9.9.9.9.9	#Q404 #Q405 #Q406 #Q407 #Q500 #Q500 #Q502 #Q503 #Q701 #Q702 #Q703 #Q705 #Q705 #Q706 #Q707 #Q708 #Q709 #Q710 #Q711	M-4 R-4 R-4 R-1 R-1 R-1 R-1 R-2 R-1 R-2 R-1 R-2 R-2 R-2 R-2 R-2 R-2 R-2 R-2 R-2 R-2
#D703 E200 E300 E400 E500 E501 E700 E701	C-2 N-3 M-1 R-5 D-1 J-3 E-4 B-2	IC532 IC533 IC534 IC700 IC701 IC702 IC703 IC704 IC705 IC706	G-2 G-1 G-1 A-2 A-1 A-2 C-4 A-2 A-3 D-4	RV100 RV200 RV300 RV301 RV400 RV401 RV500 RV501 RV502 RV700	R-3 R-3 M-1 N-1 P-1 P-5 F-1 D-1 A-1
FL500 FL501 FL502	F-2 E-1 D-1	1C707 1C708 1C709	E-5 F-5 A-3	RV701 RV702 RV703	B-1 B-1 B-1
IC1 IC2 IC3	M-2 M-3 L-1	IC710 IC711 IC712 IC713	E-5 D-3 C-3 C-3	\$500 TH400	J-1 R-5
IC4 IC5 IC6 IC7 IC100 IC101 IC102 IC103 IC200 IC203 IC300 IC301 IC302 IC303 IC303 IC303	LE-1-5-3-3-2-3-3-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2-1-1-2	IC714 IC715 IC716 IC717 IC718 IC719 IC720 IC721 IC722 IC723 IC724 IC725 IC726 IC727	A-4 D-3 A-5 B-2 B-3 B-4 C-5 F-4 E-4	TP100 TP101 TP200 TP201 TP300 TP301 TP303 TP400 TP401 TP402 TP500 TP501 TP502 TP502 TP502	R-3 N-3 R-3 N-3 R-1 P-2 P-2 M-5 N-4 R-1 D-1 C-5
IC305 IC306 IC307	N-2 M-2 R-2	LV300 LV400	R-2 M-4	TP701 TP702 TP703	C-4 C-1 C-3
IC308 IC400 IC401 IC402 IC403 IC404 IC405 IC406 IC407 IC408 IC501 IC502	R-2555 4 4 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	#Q100 #Q101 #Q101 #Q102 #Q103 #Q104 #Q201 #Q201 #Q202 #Q203 #Q300 #Q301 #Q302	R3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	TP704 X700 X701	C-1 C-2 C-2







UVW-1800/1600


16-105


16-105

1

1

H |






VP-43/43A	(1-648-8	99-11)					
CN103	N-6	IC705	R-4	Q514	B-3	TP102	P-1
CN104	C-6			#Q515	B-2	TP103	L-1
CN105	R-5	#Q101	N-5	#Q516	B-2	TP104	P-3
DL1 01	N-4	#Q102	N-4	Q517 #Q601	B-3 F-5	TP201 TP301	P-1 H-1
DL301	N-4 J-4	#Q103 #Q104	N-5 N-4	# Q602	F-5	TP302	J-3
DESCI	J-4	#Q104	N-4	Q603	E-5	TP401	L-1
#D201	N-2	#Q106	N-3	Q604	F-5	11 401	-
#D401	J-2	#Q107	N-3	Q605	F-5		
#D501	A-2	#Q108	N-4	Q606	F-5		
# D502	B-2	#Q109	N-4	Q607	E-5		
# D503	B-3	#Q110	P-4	Q608	F-5		
#D504	B-4	#Q111	P-5	Q609	E-4		
#D601	D-2	#Q112	P-5	Q610	F-4		
#D602	E-2	# Q201	M-2	Q611	F-5		
#D701	R-4	# Q202 # Q203	N-1 P-2	Q612 #Q613	F-5 D-4		
E101	P-6	# Q204	N-2	#Q614	Di3		
E102	N-1	# Q205	P-2	#Q615	D-3		
E201	R-1	# Q206	P-2	#Q616	C-3		
E301	K-5	#Q207	N-2	#Q617	C-3		
E401	G-2	#Q208	N-1	#Q618	F-2		
E501	B-2	# Q209	N-1	#Q619	F-2		
E502	B-6	#Q210	N-1	# Q620	F-3		
E601	E-4	# Q211	P-2	# Q621	F-3		
E602	D-1 F-2	#Q212 #Q213	P-1 R-2	# Q622 # Q623	E-3 D-3		
E701	r-2	# Q213	R-2	# Q624	D-3 D-1		
FL201	M-1	# Q215	P-1	# Q625	E-4		
FL401	H-1	# Q216	N-2	# Q626	D-4		
FL601	E-2	#Q217	M-2	#Q627	D-1		
		#Q218	M-2	# Q628	D-1		
IC101	P-4	#Q219	M-2	#Q701	E-2		
IC102	M-5	# Q220	M-2	# Q702	F-2		
IC1 03	N-5	# Q301	J-4	# Q703	E-2		
IC104 IC201	L-5 L-3	# Q302 # Q303	J-4 H-4	# Q704 # Q705	F-2 E-2		
IC202	M-2	# Q304	H-5	# Q706	F-2		
IC203	M-1	# Q305	H-4	#Q707	E-1		
IC204	P-1	# Q306	Н-3	#Q708	F-1		
IC205	L-2	#Q307	J-3	#Q709	F-2		
IC3O1	K-4	# Q308	J-4	#Q710	F-1		
IC302	G-5	# Q309	J-4	#Q711	F-2		
IC303	H-5	#Q310	K-3	#Q712	F-2		
IC401	H-2	#Q311	K-5	#Q713 #Q714	F-1 E-1		
IC402 IC403	H-1 K-1	# Q401 # Q402	H-2 J-1	# Q/14	E-1		
IC404	G-2	# Q403	J-1	RV101	L-1		
IC501	A-5	# Q404	J-2	RV102	K-1		
IC502	A-2	# Q405	J-1	RV103	P-4		
IC503	A-2	# Q406	J-1	RV201	M-3		
IC504	B-2	# Q407	J-1	RV301	J-1		
IC505	B-2	# Q408	J-1	RV302	H-1		
IC506	A-3	# Q409	J-2	RV303	K-4		
IC507 IC508	B-5	#Q410	J-1 J-2	RV401 RV501	H-3 A-4		
IC508	C-4 B-5	#Q411 #Q412	J-2	RV502	A-4		
IC510	B-4	# Q413	K-2	RV503	B-4		
IC511	J-6	# Q414	K-2	RV504	B-4		
IC512	G-6	#Q415	K-2	RV505	B-4		
IC601	D-4	# Q416	J-2	RV506	B-4		
C602	D-4	#Q417	H-2	RV601	D-1		
10603	F-4	#Q418	H-2	RV602	F-1		
IC604	F-3	# Q501	A-1	RV603	D-1 D-1		
IC605 IC606	F-3 E-3	Q502 Q503	A-1 A-1	RV604 RV605	F-1		
IC607	F-3	Q503	A-1	RV606	C-1		
IC608	D-2	# Q505	A-5	RV701	E-1		
IC609	E-2	# Q506	A-4	RV702	Ë-1		
IC610	D-2	Q507	B-1	RV703	E-1		
IC611	D-2	Q508	B-1	RV704	G-1		
IC612	C-2	# Q509	A-4	90	0.0		
IC701	F-1	# Q510	A-4	TH201	P-2		
IC702	F-1	#Q511	A-4	TH401	J-2		
IC703 IC704	R-4 R-4	#Q512 #Q513	A-4 B-2	TP101	12		
.0704	1.(-4	- 2515	J-2		~ ~		


^{#:} B SIDE _:UVW-1800 ONLY

VP-43/A(1/7); Y RF AGC/EQ, Y DO DET.



UVW-1800/1600

A | B | C | D | E | F | G |



VP-43/A BOARD (1/7)

BOARD NO.1-648-899-11 UVW-1800/1600(J) ;#10001-UVW-1800/1600(UC);#10001-

16-109 16-109

16-109

.

ì

H


ı

1


1

1

, .




VP-43/43A	(1-648-89	99-11)					
CN103 CN104	N-6 C-6	IC705	R-4	Q514 #Q515	B-3 B-2	TP102 TP103	F
DL101 DL301	R-5 N-4 J-4	#Q101 #Q102 #Q103 #Q104	N-5 N-4 N-5 N-4	#Q516 Q517 #Q601 #Q602	B-2 B-3 F-5 F-5	TP104 TP201 TP301 TP302	FFF
#D201 #D401 #D501	N-2 J-2 A-2	#Q105 #Q106 #Q107 #Q108	N-4 N-3 N-3 N-4	Q603 Q604 Q605 Q606	E-5 F-5 F-5	TP401	L
#D502 #D503 #D504	B-2 B-3 B-4	#Q109 #Q110 #Q111	N-4 P-4 P-5	Q607 Q608 Q609	E-5 F-5 E-4		
#D601 #D602 #D701	D-2 E-2 R-4	#Q112 #Q201 #Q202 #Q203	P-5 M-2 N-1 P-2	Q610 Q611 Q612 #Q613	F-4 F-5 F-5 D-4		
E101 E102 E201	P-6 N-1 R-1	# Q204 # Q205 # Q206	N-2 P-2 P-2	#Q614 #Q615 #Q616	D:3 D-3 C-3		
E301 E401 E501 E502	K-5 G-2 B-2 B-6	#Q207 #Q208 #Q209 #Q210	N-2 N-1 N-1 N-1	#Q617 #Q618 #Q619 #Q620	C-3 F-2 F-3		
E601 E602 E701	E-4 D-1 F-2	#Q211 #Q212 #Q213	P-2 P-1 R-2	#Q621 #Q622 #Q623	F-3 E-3 D-3		
FL201 FL401 FL601	M-1 H-1 E-2	# Q214 # Q215 # Q216 # Q217	R-2 P-1 N-2 M-2	#Q624 #Q625 #Q626 #Q627	D-1 E-4 D-4 D-1		
IC101 IC102 IC103	P-4 M-5 N-5	#Q218 #Q219 #Q220 #Q301	M-2 M-2 M-2 J-4	#Q628 #Q701 #Q702 #Q703	D-1 E-2 F-2 E-2		
IC104 IC201 IC202	L-5 L-3 M-2	# Q302 # Q303 # Q304	J-4 H-4 H-5	#Q704 #Q705 #Q706	F-2 E-2 F-2		
IC203 IC204 IC205 IC301	M-1 P-1 L-2 K-4	# Q305 # Q306 # Q307 # Q308	H-4 H-3 J-3 J-4	#Q707 #Q708 #Q709 #Q710	E-1 F-1 F-2 F-1		
IC302 IC303 IC401	G-5 H-5 H-2	# Q309 # Q310 # Q311	J-4 K-3 K-5	#Q711 #Q712 #Q713	F-2 F-2 F-1	•	
IC402 IC403 IC404 IC501	H-1 K-1 G-2 A-5	# Q401 # Q402 # Q403 # Q404	H-2 J-1 J-1 J-2	#Q714 RV101 RV102	E-1 L-1 K-1		
IC502 IC503 IC504	A-2 A-2 B-2	# Q405 # Q406 # Q407	J-1 J-1 J-1	RV103 RV201 RV301	P-4 M-3 J-1		
IC505 IC506 IC507 IC508	B-2 A-3 B-5 C-4	#Q408 #Q409 #Q410 #Q411	J-1 J-2 J-1 J-2	RV302 RV303 RV401 RV501	H-1 K-4 H-3 A-4		
IC509 IC510 IC511 IC512	B-5 B-4 J-6 G-6	# Q412 # Q413 # Q414 # Q415	J-2 K-2 K-2 K-2	RV502 RV503 RV504 RV505	A-4 B-4 B-4 B-4		
IC601 IC602 IC603	D-4 D-4 F-4	# Q416 # Q417 # Q418	J-2 H-2 H-2	RV506 RV601 RV602	B-4 D-1 F-1		
IC604 IC605 IC606 IC607	F3 F3 E3	# Q501 Q502 Q503 Q504	A-1 A-1 A-1 A-1	RV603 RV604 RV605 RV606	D-1 D-1 F-1 C-1		
IC608 IC609 IC610 IC611	D-2 E-2 D-2 D-2	# Q505 # Q506 Q507 Q508	A-5 A-4 B-1 B-1	RV701 RV702 RV703 RV704	E-1 E-1 E-1 G-1		
IC612 IC701 IC702	C-2 F-1 F-1	#Q509 #Q510 #Q511	A-4 A-4 A-4	TH201 TH401	P-2 J-2		
IC703 IC704	R-4 R-4	#Q512 #Q513	A-4 B-2	TP101	L-2		




#: B SIDE _: UVW-1800 ONLY


VP-43/A(2/7);Y OMC,Y DEM,Y NL DE-EMPH.



16-113

16-113






VP-43/43A	(1-648-89	99-11)					
CN1 03	N-6	IC705	R-4	Q514	B-3	TP102	P-1
CN1 04	C-6			#Q515	B-2	TP103	L-1 P-3
CN1 05	R-5	#Q101 #Q102	N-5 N-4	#Q516 Q517	B-2 B-3	TP104 TP201	P-1
DL101	N-4	#Q103	N-5	#Q601	F-5	TP301	H-1
DL301	J-4	#Q104	N-4	#Q602	F-5	TP302	J-3
		#Q105	N-4	Q603	E-5	TP401	L-1
#D201 #D401	N-2 J-2	#Q106 #Q107	N-3 N-3	Q604 Q605	F-5 F-5		
#D501	A-2	#Q108	N-4	Q606	F-5		
#D502	B-2	#Q109	N-4	Q607	E-5		
#D503	B-3	#Q110	P-4	Q608	F-5		
#D504 #D601	B-4 D-2	#Q111 #Q112	P-5 P-5	Q609 Q610	E-4 F-4		
₩D601	E-2	#Q201	M-2	Q611	F-5		
#D701	R-4	#Q202	N-1	Q612	F-5		
5101		#Q203	P-2	#Q613	D-4		
E101 E102	P-6 N-1	# Q204 # Q205	N-2 P-2	#Q614 #Q615	D-3		
E201	R-1	₩ Q206	P-2	#Q616	C-3		
E301	K-5	#Q207	N-2	#Q617	C-3		
E401	G-2	₩ Q208	N-1	#Q618	F-2		
E501 E502	B-2 B-6	#Q209 #Q210	N-1 N-1	#Q619 #Q620	F-2 F-3		
E601	E-4	#Q211	P-2	#Q621	F-3		
E602	D-1	#Q212	P-1	#Q622	E-3		
E701	F-2	# Q213	R-2	#Q623	D-3		
FL201	M-1	# Q214 # Q215	R-2 P-1	#Q624 #Q625	D-1 E-4		
FL401	H-1	#Q216	N-2	#Q626	D-4		
FL601	E-2	#Q217	M-2	#Q627	D-1		
101.01		#Q218	M-2	#Q628 #Q701	D-1		
IC101 IC102	P-4 M-5	#Q219 #Q220	M-2 M-2	#Q701	E-2 F-2		
IC103	N-5	#Q301	J-4	#Q703	E-2		
IC104	L-5	#Q302	J-4	#Q704	F-2		
IC201	L-3	# Q303	H-4	#Q705	E-2 F-2		
1C202 1C203	M-2 M-1	# Q304 # Q305	H-5 H-4	#Q706 #Q707	E-1		
IC204	P-1	#Q306	Н-3	#Q708	F-1		
IC205	L-2	# Q307	J-3	#Q709	F-2		
10301 10302	K-4 G-5	# Q308 # Q309	j-4 J-4	#Q710 #Q711	F-1 F-2		
IC303	H-5	# Q310	K-3	#Q712	F-2		
IC401	H-2	#Q311	K-5	#Q713	F-1		
IC402	H-1	# Q401	H-2	#Q714	E-1		
IC403 IC404	K-1 G-2	# Q402 # Q403	J-1 J-1	RV101	L-1		
IC501	A-5	# Q404	J-2	RV102	K-1		
IC502	A-2	# Q405	J-1	RV103	P-4		
IC503	A-2	# Q406	J-1	RV201	M-3 J-1		
IC504 IC505	B-2 B-2	# Q407 # Q408	J-1 J-1	RV301 RV302	H-1		
IC506	A-3	# Q409	J-2	RV303	K-4		
IC507	B-5	#Q410	J-1	RV401	H-3		
IC508	C-4	#Q411 #Q412	J-2 J-2	RV501 RV502	A-4 A-4		
IC509 IC510	8-5 8-4	# Q412 # Q413	K-2	RV503	B-4		
IC511	J-6	# Q414	K-2	RV504	B-4		
IC512	G-6	# Q415	K-2	RV505	B-4		
IC601 IC602	D-4 D-4	# Q416 # Q417	J-2 H-2	RV506 RV601	B-4 D-1		
IC603	F-4	# Q418	H-2	RV602	F-1		
IC604	F-3	#Q501	A-1	RV603	D-1		
IC605	F-3	Q502	A-1	RV604	D-1		
IC606 IC607	E-3 F-3	Q503 Q504	A-1 A-1	RV605 RV606	F-1 C-1		
IC607	D-2	# Q505	A-5	RV701	E-1		
IC609	E-2	#Q506	A-4	RV702	E-1		
IC610	D-2	Q507	B-1 B-1	RV703 RV704	E-1 G-1		
IC611 IC612	D-2 C-2	Q508 # Q509	A-4	HV/04	9-1		
IC701	F-1	#Q510	A-4	TH201	P-2		
IC702	F-1	#Q511	A-4	TH401	J-2		
IC703	R-4	# Q512	A-4	TD4.04	1.0		
IC704	R-4	#Q513	B-2	TP101	L-2		

^{#:} B SIDE _: UVW-1800 ONLY

VP-43/A(3/7); C RF AGC/EQ, C DO DET.



UVW-1800/1600

16_117


16-117

1 **B**

)

į G

н



VP-43/A BOARD (3/7)

BOARD NO.1-648-899-11 UVW-1800/1600(J) ;#10001-UVW-1800/1600(UC);#10001-

16-117

16-117

1

G


н

1

J i

16-117


1..



VP-43/43A	(1-648-89	9-11)					
CN103 CN104	N-6 C-6	IC705	R-4	Q514 #Q515	B-3 B-2	TP102 TP103	P.: L-1
CN105	R-5	#Q101	N-5	#Q516	B-2	TP104	P-
DL.101	N-4	#Q102 #Q103	N-4 N-5	Q517 #Q601	B-3 F-5	TP201 TP301	P- H-
DL301	J-4	#Q104	N-4	#Q602	F-5	TP302	J-3
0.001	0-4	#Q105	N-4	Q603	E-5	TP401	L-1
#D201	N-2	#Q106	N-3	Q604	F-5		
#D401	J-2	#Q107	N-3	Q605	F-5		
#D501	A-2	#Q108	N-4	Q606	F-5		
#D502 #D503	B-2 B-3	#Q109 #Q110	N-4 P-4	Q607 Q608	E-5 F-5		
#D504	B-4	#Q111	P-5	Q609	E-4		
# D601	D-2	#Q112	P-5	Q610	F-4		
# D602	E-2	#Q201	M-2	Q611	F-5		
# <u>D701</u>	R-4	# Q202	N-1	Q612	F-5 D-4		
E101	P-6	# Q203 # Q204	P-2 N-2	#Q613 #Q614	D:3		
E102	N-1	#Q205	P-2	#Q615	D-3		
E201	R-1	# Q206	P-2	#Q616	C-3		
E301	K-5	#Q207	N-2	#Q617	C-3		
E401	G-2	#Q208	N-1	#Q618	F-2		
E501 E502	B-2 B-6	#Q209 #Q210	N-1 N-1	#Q619 #Q620	F-2 F-3		
E601	E-4	#Q211	P-2	#Q621	F-3		
£602	D-1	# Q212	P-1	#Q622	E-3		
E701	F-2	#Q213	R-2	#Q623	D-3		
EL 604		# Q214	R-2	#Q624	D-1		
FL201 FL401	M-1 H-1	#Q215 #Q216	P-1 N-2	#Q625 #Q626	E-4 D-4		
FL601	E-2	#Q217	M-2	#Q627	D-1		
		#Q218	M-2	#Q628	D-1		
IC101	P-4	#Q219	M-2	#Q701	E-2		
IC102 IC103	M-5 N-5	# Q220	M-2	#Q702	F-2 E-2		
IC103	N-5	#Q301 #Q302	J-4 J-4	#Q703 #Q704	F-2		
IC201	L-3	# Q303	H-4	#Q705	E-2		
IC202	M-2	#Q304	H-5	#Q706	F-2		
IC203	M-1	# Q305	H-4	#Q707	E-1		
IC204 IC205	P-1 L-2	# Q306 # Q307	H-3 J-3	#Q708 #Q709	F-1 F-2		
IC301	K-4	# Q308	J-4	#Q710	F-1		
IC302	G-5	# Q309	J-4	#Q711	F-2		
IC303	H-5	#Q310	K-3	#Q712	F-2		
IC401	H-2	#Q311	K-5	#Q713	F-1 E-1		
IC402 IC403	H-1 K-1	# Q401 # Q402	H-2 J-1	#Q714	E-1		
IC404	G-2	# Q403	J-1	RV101	L-1		
IC501	A-5	# Q404	J-2	RV102	K-1		
IC502	A-2	# Q405	J-1	RV103	P-4		
IC503	A-2	# Q406	J-1	RV201	М-3		
IC504 IC505	B-2 B-2	# Q407 # Q408	J-1 J-1	RV301 RV302	J-1 H-1		
IC506	A-3	# Q409	J-2	RV303	K-4		
IC507	B-5	#Q410	J-1	RV401	H-3		
IC508	C-4	#Q411	J-2	RV501	A-4		
IC509	B-5	# Q412	J-2	RV502 RV503	A-4 B-4		
IC510 IC511	B-4 J-6	# Q413 # Q414	K-2 K-2	RV503	B-4		
IC512	G-6	# Q415	K-2	RV505	B-4		
IC601	D-4	# Q416	J-2	RV506	B-4		
IC602	D-4	#Q417	H-2	RV601	D-1		
IC603 IC604	F-4 F-3	# Q418 # Q501	H-2 A-1	RV602 RV603	F-1 D-1		
IC605	F-3	Q502	A-1	RV604	D-1		
10606	E-3	Q503	A-1	RV605	F-1		
IC607	F-3	Q504	A-1	RV606	C-1		
IC608	D-2	# Q505	A-5	RV701	E-1		
IC609 IC610	E-2 D-2	# Q506 Q507	A-4 B-1	RV702 RV703	E-1 E-1		
IC611	D-2	Q508	B-1	RV704	G-1		
IC612	C-2	# Q509	A-4				
IC701	F-1	#Q510	A-4	TH201	P-2		
IC702	F-1	#Q511	A-4	TH401	J-2		
IC703 IC704	R-4 R-4	#Q512 #Q513	A-4 B-2	TP101	L-2		
10/04	17-4	# W313	U-2	11-101			

				•			
4-1		1					
			•	_,-		,,	-^
	. "		-	"		۳.	
		•	•	÷ ÷	•		•
]						

#: B SIDE _: UVW-1800 ONLY



16-121

R

UVW-1800/1600


1

E

1

|

Н



VP-43/A BOARD (4/7)

BOARD NO.1-648-899-11 UVW-1800/1600(J) ;#10001-UVW-1800/1600(UC);#10001-

16-121


16-121 16-121

. н

1


I

J



VP-43/43A	(1-648-89	99-11)					
CN103	N-6	IC705	R-4	Q514	B-3	TP102	P-1
CN104	C-6			#Q515	B-2	TP103	L-1
CN105	R-5	#Q101	N-5	#Q516 Q517	B-2 B-3	TP104 TP201	P-3 P-1
DL101	N-4	#Q102 #Q103	N-4 N-5	#Q601	F-5	TP301	H-1
DL301	J-4	#Q103	N-4	#Q602	F-5	TP302	J-3
	•	#Q105	N-4	Q603	E-5	TP401	L-1
#D201	N-2	#Q106	N-3	Q604	F-5		
#D401	J-2	#Q107	N-3	Q605	F-5		
#D501	A-2	#Q108	N-4	Q606	F-5 E-5		
#D502 #D503	B-2 B-3	#Q109 #Q110	N-4 P-4	Q607 Q608	E-5 F-5		
#D504	B-4	#Q111	P-5	Q609	E-4		
#D601	D-2	#Q112	P-5	Q610	F-4		
# D602	E-2	# Q201	M-2	Q611	F-5		
₩ <u>D701</u>	R-4	# Q202 # Q203	N-1	Q612 #Q613	F-5 D-4		
E101	P-6	# Q204	P-2 N-2	#Q614	D23		
E102	N-1	# Q205	P-2	#Q615	D-3		
E201	R-1	# Q206	P-2	#Q616	C-3		
E301	K-5	# Q207	N-2	#Q617	C-3		
E401	G-2	# Q208	N-1	#Q618	F-2 F-2		
E501 E502	B-2 B-6	# Q209 # Q210	N-1 N-1	# Q619 # Q620	F-3		
E601	E-4	# Q211	P-2	#Q621	F-3		
E602	D-1	# Q212	P-1	# Q622	E-3		
E701	F-2	#Q213	R-2	# Q623	D-3		
		# Q214	R-2	# Q624	D-1		
FL201	M-1	#Q215	P-1 N-2	# Q625 # Q626	E-4 D-4		
FL401 FL601	H-1 E-2	#Q216 #Q217	M-2	#Q627	D-1		
1 2001	L-2	#Q218	M-2	# Q628	D-1		
IC101	P-4	#Q219	M-2	# Q701	E-2		
IC102	M-5	# Q220	M-2	#Q702	F-2		
IC103	N-5	# Q301 # Q302	J-4 J-4	#Q703 #Q704	E-2 F-2		
IC104 IC201	L-5 L-3	# Q302 # Q303	H-4	#Q705	E-2		
IC202	M-2	#Q304	H-5	#Q706	F-2		
IC203	M-1	# Q305	H-4	#Q707	E-1		
IC204	P-1	#Q306	H-3	#Q708	F-1		
IC205	L-2	# Q307	J-3	#Q709 #Q710	F-2 F-1		
IC301 IC302	K-4 G-5	# Q308 # Q309	J-4 J-4	#Q711	F-2		
IC303	H-5	#Q310	K-3	#Q712	F-2		
IC401	H-2	#Q311	K-5	#Q713	F-1		
IC402	H-1	# Q401	H-2	#Q714	E-1		
IC403	K-1	#Q402	J-1	D\/***	1.4		
IC404 IC501	G-2 A-5	# Q403 # Q404	J-1 J-2	RV101 RV102	L-1 K-1		
IC502	A-2	# Q405	J-1	RV103	P-4		
IC503	A-2	#Q406	J-1	RV201	M-3		
IC504	B-2	# Q407	J-1	RV301	J-1		
IC505	B-2	# Q408	J-1	RV302 RV303	H-1		
IC506 IC507	A-3 B-5	#Q409 #Q410	J-2 J-1	RV401	K-4 H-3		
IC507	C-4	#Q411	J-2	RV501	A-4		
IC509	B-5	#Q412	J-2	RV502	A-4		
IC510	B-4	# Q413	K-2	RV503	B-4		
IC511	J-6	#Q414	K-2	RV504	B-4		
IC512 IC601	G-6 D-4	#Q415 #Q416	K-2 J-2	RV505 RV506	B-4 B-4		
IC602	D-4	#Q417	H-2	RV601	D-1		
IC603	F-4	#Q418	H-2	RV602	F-1		
IC604	F-3	#Q501	A-1	RV603	D-1		
IC605	F-3	Q502	A-1	RV604 RV605	D-1 F-1		
1C606 IC607	E-3 F-3	Q503 Q504	A-1 A-1	RV606	C-1		
IC607	D-2	#Q505	A-5	RV701	E-1		
IC609	E-2	#Q506	A-4	RV702	E-1		
IC610	D-2	Q507	B-1	RV703	E-1		
IC611	D-2	Q508 # O509	B-1 A-4	RV704	G-1		
IC612 IC701	C-2 F-1	#Q509 #Q510	A-4 A-4	TH201	P-2		
IC702	F-1	#Q511	A-4	TH401	J-2		
IC703	R-4	#Q512	A-4				
IC704	R-4	#Q513	B-2	TP101	L-2		

^{#:} B SIDE _: UVW-1800 ONLY



UVW-1800/1600

16-125


16-125


l

1

1

н ,






VP-43/43A	(1-648-8	99-11)					
CN103	N-6	IC705	R-4	Q514	B-3	TP102	P-1
CN104 CN105	C-6	***	N-5	#Q515 #Q516	B-2 B-2	TP103 TP104	L-1 P-3
CNIUS	R-5	#Q101 #Q102	N-3	Q517	B-3	TP201	P-1
DL.101	N-4	#Q103	N-5	#Q601	F-5	TP301	H-1
DL301	J-4	#Q104	N-4	#Q602	F-5	TP302	J-3
**		#Q105	N-4	Q603	E-5	TP401	L-1
#D201 #D401	N-2 J-2	#Q106 #Q107	N-3 N-3	Q604 Q605	F-5 F-5		
#D501	A-2	#Q108	N-4	Q606	F-5		
#D502	B-2	#Q109	N-4	Q607	E-5		
#D503	B-3	#Q110	P-4	Q608	F-5		
#D504 #D601	B-4 D-2	#Q111	P-5 P-5	Q609 Q610	E-4 F-4		
*D602	E-2	#Q112 #Q201	M-2	Q611	F-5		
# D701	R-4	#Q202	N-1	Q612	F-5		
		#Q203	P-2	#Q613	D-4		
E101 E102	P-6 N-1	# Q204 # Q205	N-2 P-2	#Q614 #Q615	D-3		
E201	R-1	# O206	P-2	#Q616	C-3		
E301	K-5	#Q207	N-2	#Q617	C-3		
E401	G-2	#Q208	N-1	#Q618	F-2		
E501 E502	B-2 B-6	#Q209 #Q210	N-1 N-1	#Q619 #Q620	F-2 F-3		
E601	E-4	#Q210	P-2	#Q620 #Q621	F-3		
E602	D-1	#Q212	P-1	#Q622	E-3		
E701	F-2	#Q213	R-2	#Q623	D-3		
FL-201		# Q214	R-2	#Q624	D-1 E-4		
FL401	M-1 H-1	#Q215 #Q216	P-1 N-2	# Q625 # Q626	D-4		
FL601	E-2	#Q217	M-2	#Q627	D-1		
		#Q218	M-2	# Q628	D-1		
IC101	P-4	#Q219	M-2 M-2	# Q701	E-2		
IC102 IC103	M-5 N-5	#Q220 #Q301	M-2 J-4	#Q702 #Q703	F-2 E-2		
IC104	L-5	# Q302	J-4	#Q704	F-2		
IC201	L-3	#Q303	H-4	#Q705	E-2		
IC202	M-2	# Q304	H-5	# Q706	F-2		
IC203 IC204	M-1 P-1	# Q305 # Q306	H-4 H-3	#Q707 #Q708	E-1 F-1		
IC205	L-2	# Q307	J-3	#Q709	F-2		
IC301	K-4	# Q308	J-4	#Q710	F-1		
IC302	G-5	# Q309	J-4	#Q711	F-2 F-2		
IC303 IC401	H-5 H-2	#Q310 #Q311	K-3 K-5	#Q712 #Q713	F-1		
IC-402	H-1	# Q401	H-2	#Q714	E-1		
IC403	K-1	# Q402	J-1				
IC404	G-2	# Q403	J-1	RV101	L-1		
IC501 IC502	A-5 A-2	# Q404 # Q405	J-2 J-1	RV102 RV103	K-1 P-4		
IC503	A-2	# Q406	J-1	RV201	M-3		
IC504	B-2	#Q407	J-1	RV301	J-1		
IC505	B-2	# Q408	J-1	RV302	H-1		
IC506 IC507	A-3 B-5	#Q409 #Q410	J-2 J-1	RV303 RV401	K-4 H-3		
IC508	C-4	#Q411	J-2	RV501	A-4		
IC509	8-5	#Q412	J-2	RV502	A-4		
IC510	B-4	# Q413	K-2	RV503	B-4		
IC511 IC512	J-6 G-6	# Q414 # Q415	K-2 K-2	RV504 RV505	8-4 8-4		
IC601	D-4	#Q416	J-2	RV506	B-4		
IC 602	D-4	#Q417	H-2	RV601	D-1		
IC603	F-4	#Q418	H-2	RV602	F-1		
fC604 IC605	F-3	#Q501 Q502	A-1 A-1	RV603 RV604	D-1 D-1		
IC606	E-3	Q503	A-1	RV605	F-1		
IC607	F-3	Q504	A-1	RV606	. C-1		
IC608	D-2	# Q505 # Q506	A-5 A-4	RV701 RV702	E-1 E-1		
1C609 IC610	E-2 D-2	Q507	B-1	RV702	E-1		
IC611	D-2	Q508	B-1	RV704	G-1		
IC612	C-2	# Q509	A-4	***			
IC701	F-1	#Q510 #Q511	A-4 A-4	TH201 TH401	P-2 J-2		
IC702 IC703	F-1 R-4	#Q511 #Q512	A-4	10401	J-2		
IC704	R-4	#Q513	B-2	TP101	L-2		

^{#:} B SIDE _: UVW-1800 ONLY

VP-43/A(6/7); ENCODE, S-C OUT DRIVE



UVW-1800/1600

16_120

16-129

1 **B**


1

E

į G

н

.[




VP-43/A BOARD (6/7)

BOARD NO.1-648-899-11 UVW-1800/1600(J) ;#10001-UVW-1800/1600(UC);#10001-

16-129

L


16-129 16-129



VP-43/43A	1-648-89	99-11)					
CN103	N-6	IC705	R-4	Q514	B-3	TP102	P-1
CN104	C-6		41.5	#Q515	B-2	TP103	L-1
CN105	R-5	#Q101	N-5 N-4	#Q516 Q517	B-2 B-3	TP104 TP201	P-3 P-1
DL101	N-4	#Q102 #Q103	N-5	#Q601	F-5	TP301	H-1
DL301	J-4	#Q103	N-4	#Q602	F-5	TP302	J-3
	•	#Q105	N-4	Q603	E-5	TP401	L-1
# D201	N-2	#Q106	N-3	Q604	F-5		
#D401	J-2	#Q107	N-3	Q605	F-5		
#D501	A-2	#Q108	N-4	Q606	F-5		
#D502 #D503	B-2 B-3	#Q109 #Q110	N-4 P-4	Q607 Q608	E-5 F-5		
#D503	B-4	#Q111	P-5	Q609	E-4		
#D601	D-2	#Q112	P-5	Q610	F-4		
# D602	E-2	#Q201	M-2	Q611	F-5		
#D701	R-4	# Q202	N-1	Q612	F-5		
E101		# Q203	P-2	#Q613 #Q614	D-4 Di3		
E101 E102	P-6 N-1	# Q204 # Q205	N-2 P-2	#Q615	D-3		
E201	R-1	# Q206	P-2	#Q616	C-3		
E301	K-5	#Q207	N-2	#Q617	C-3		
E401	G-2	#Q208	N-1	#Q618	F-2		
E501	B-2	# Q209	N-1	#Q619	F-2		
E502	8-6 E-4	#Q210 #Q211	N-1	#Q620 #Q621	F-3 F-3		
E601 E602	D-1	₩Q211 ₩Q212	P-2 P-1	#Q621	E-3		
E701	F-2	#Q213	R-2	#Q623	D-3		
		#Q214	R-2	#Q624	D-1		
FL201	M-1	#Q215	P-1	#Q625	E-4		
FL401	H-1	#Q216	N-2	# Q626	D-4		
FL601	E-2	#Q217	M-2	# Q627 # Q628	D-1 D-1		
IC101	P-4	#Q218 #Q219	M-2 M-2	# Q701	E-2		
IC102	M-5	# Q220	M-2	#Q702	F-2		
IC1 03	N-5	#Q301	J-4	#Q703	E-2		
IC1 04	L-5	#Q302	J-4	#Q704	F-2		
IC201	L-3	#Q303	H-4	#Q705	E-2		
IC202	M-2	#Q304	H-5	#Q706 #Q707	F-2 E-1		
IC203 IC204	M-1 P-1	#Q305 #Q306	H-4 H-3	#Q708	F-1		
IC205	L-2	# Q307	J-3	#Q709	F-2		
IC301	K-4	#Q308	J-4	#Q710	F-1		
IC302	G-5	#Q309	J-4	#Q711	F-2		
IC303	H-5	#Q310	K-3	#Q712	F-2		
IC401 IC402	H-2 H-1	#Q311 #Q401	K-5 H-2	#Q713 #Q714	F-1 E-1		
IC403	K-1	# Q402	J-1	# G/ 14	E-1		
IC404	G-2	# Q403	J-1	RV101	L-1		
IC501	A-5	#Q404	J-2	RV102	K-1		
IC502	A-2	# Q405	J-1	RV103	P-4		
IC503	A-2	#Q406	J-1	RV201	м-3		
IC504 IC505	B-2	#Q407 #Q408	J-1 J-1	RV301 RV302	J-1 H-1		
IC505	B-2 A-3	# Q409	J-2	RV302	K-4		
IC507	B-5	#Q410	J-1	RV401	H-3		
IC508	C-4	#Q411	J-2	RV501	A-4		
IC509	B-5	#Q412	J-2	RV502	A-4		
IC510	B-4	#Q413	K-2	RV503	B-4		
IC511 IC512	J-6 G-6	# Q414 # Q415	K-2 K-2	RV504 RV505	B-4 B-4		
IC601	D-4	# Q416	J-2	RV506	B-4		
IC602	D-4	#Q417	H-2	RV601	D-1		
IC603	F-4	#Q418	H-2	RV602	F-1		
IC604	F-3	# Q501	A-1	RV603	D-1		
IC605	F-3	Q502	A-1	RV604	D-1		
1C606	E-3 F-3	Q503 Q504	A-1 A-1	RV605 RV606	F-1 C-1		
IC607 IC608	D-2	#Q505	A-5	RV701	E-1		
IC609	E-2	# Q506	A-4	RV702	E-1		
IC610	D-2	Q507	B-1	RV703	E-1		
IC611	D-2	Q508	B-1	RV704	G-1		
IC612	C-2	#Q509	A-4	77 1001	0.0		
IC701	F-1	#Q510	A-4	TH201 TH401	P-2 J-2		
IC702 IC703	F-1 R-4	#Q511 #Q512	A-4 A-4	IMMUI	J-2		
IC703	R-4	#Q512	B-2	TP101	L-2		
07					_		

^{#:} B SIDE _: UVW-1800 ONLY

VP-43/A(7/7); R-Y/B-Y OUT DRIVE



UVW-1800/1600


16-133

16-133

i


G

.



16-133

М



VRA-5(1-6-	48 -898 -11)
CN101 CN102	N-6 C-6	10
CV301	F-5	10
#D101	8-3	L١

CNTO	N-6	10901	K-D	#USII	N-3
CN102	C-6	IC902	G-6	#Q512	P-4
		IC903	J-6	#Q513	P-4
CV301	F-5	IC904	E-6	# Q514	P-4
• • • • • •	. •			#Q515	P-4
#D101	B-3	LV301	E-4	#Q516	N-4
#D102	C-3	21001	-	#Q517	N-4
#D109	D-4	#Q101	A-3	#Q518	P-4
#D202	H-4	#Q102	A-5	#Q519	P-5
					P-5
#D301	E-3	#Q103	A-3	#Q520	
#D303	F-4	Q104	A-4	# Q601	L-2
D305	F-5	#Q105	A-4	#Q602	M-2
D801	A-2	#Q106	A-3	# Q603	N-4
		#Q107	A-3	#Q604	M-4
E101	B-4	#Q108	A-1	# Q605	M-4
E201	E-2	#Q109	B-2	# Q606	L-4
E301	K-3	#Q118	B-2	#Q607	M-4
E302	D-3	#Q111	B-1	# Q608	L-4
E303	H-1	#Q112	C-1	# Q609	M-5
		#Q112	C-2	#Q610	M-5
£501	R-5				****
E502	N-1	#Q114	B-4	Q801	A-2
E601	M-1	#Q115	B-4	Q802	A-2
		#Q116	B-3	Q803	A-2
FB201	K-2	#Q117	B-3	Q804	D-3
		m 0440	D 0		

EIOI	B-4	# Q108	A-1	# (2003
E201	E-2	#Q109	B-2	# Q606
E301	K-3	#Q118	B-2	# Q607
E302	D-3	#Q111	B-1	#Q608
E303	H-1	#Q112	C-1	# Q609
E501	R-5	#Q113	.C-2	#Q610
E502	N-1	#Q114	B-4	Q801
E601	M-1	#Q115	B-4	Q802
		#Q116	B-3	Q803
FB201	K-2	#Q117	B-3	Q804
		#Q118	B-3	
El 101	A-2	#O110	B.3	BV101

		#Q118	B-3		
FL101	A-2	#Q119	B-3	RV101	B-2
FL102	B-3	#Q120	B-2	RV102	B-3
FL103	C-3	#Q121	C-4	RV103	C-4
FL201	R-2	#Q122	C-4	RV104	C-3
FL202	N-2	#Q123	C-4	RV105	A-2
		#Q124	C-3	RV201	P-1
IC101	A-3	#Q125	C-3	RV202	N-1
IC102	C-2	#Q126	C-3	RV203	M-1
IC103	D-4	#Q127	C-3	RV301	E-3
IC104	G-5	#Q128	C-3	RV302	K-1
IC201	A-1	#Q129	C-2	RV303	L-1
IC202	B-1	#Q130	C-2	RV304	L-1
IC205	D-2	#Q131	B-5	RV305	L-1
IC206	D-1	#Q132	C-5	RV306	K-5
IC207	H-1	#Q133	A-2	RV501	R-1
IC208	E-2	# Q201	C-1	RV502	R-4
IC209	E-2	# Q202	H-1	RV503	R-4
IC210	G-2	#Q203	H-4	RV602	M-4
IC211	H-1	# Q204	P-2	RV603	M-4
			-		

IC211	H-1	#Q204	P-2	RV603	M-4
IC212	J-2	#Q207	R-2		
IC213	P-1	# Q209	N-2	S201	H-4
IC214	N-1	#Q210	R-2		
IC215	P-2	#Q211	K-2	TH201	M-1
IC216	K-2	#Q212	R-1		
IC217	K-2	#Q213	M-3	TP101	A-3
IC218	K-2	#Q301	D-3	TP201	C-2
IC219	J-1	#Q303	E-3	TP202	C-1
IC220	M-1	#Q305	E-3	TP301	E-3
IC301	E-4	# Q306	E-3	TP302	E-4
IC302	H-3	# Q307	E-3	TP303	H-1
IC303	E-4	#Q308	J-4	TP304	L-5
IC304	E-5	#Q309	J-4	TP305	K-4
IC305	F-4	#Q310	F-3	TP306	J-4
IC306	K-4	# Q311	F-3	TP307	J-5
IC307	F-3	#Q312	K-3	TP308	N-5
IC308	J-3	#Q313	É-4	TP309	N-5
IC309	J-3	#Q314	E-4	TP310	F-5
IC310	G-3	#Q315	J-3	TP501	R-4
IC311	J-4	#Q316	F-5	TP502	P-1
IC312	L-2	#Q317	F-5	TP503	P-5
IC313	G-5	#Q318	E-5	TP504	N-4
IC314	L-1	#Q319	K-3	TP601	N-4
IC315	K-5	#Q320	J-3	TP602	M-1
IC316	H-4	#Q321	J-4	TP603	P-5

X301 X302


F-4 H-4




IC501	P-4	#Q323	J.
IC502	R-5	#Q324	F.
IC601	L-4	# Q325	F-
IC602	M-4	#Q508	N
IC801	D-3	# Q509	P
IC802	D-2	#Q510	R


#: B SIDE

1) TP101 REC/EE (COMPOSITE)



① TP101 REC/EE (COMPONENT)





UVW-1800 16-137 16-


16-137

ORY193:C-C DELAY ADJ

1

ORV104:A/D B-Y LEVEL


H



16-137

- 1

iO



VRA-5(1-64	8-898-11))			
CN101 CN102	N-6 C-6	IC901 IC902	K-6 G-6	#Q511 #Q512	N-3 P-4
CV301	F-5	IC903 IC904	J-6 E-6	#Q513 #Q514 #Q515	P-4 P-4 P-4
#D101 #D102 #D109 #D202 #D301 #D303 D305 D801	8-3 C-4 H-4-3 F-5-2 A-2	#Q101 #Q102 #Q103 Q104 #Q105 #Q106 #Q107	E-4 A-3 A-5 A-3 A-4 A-3 A-3	#Q516 #Q517 #Q518 #Q519 #Q520 #Q601 #Q602 #Q603 #Q604	N-4 N-4 P-5 P-5 L-2 N-4 M-4
E101 E201 E301 E302 E303 E501 E502 E601	B-4-2 K-3-3 H-7-5 H-7-1 K-2	#Q108 #Q109 #Q110 #Q111 #Q112 #Q113 #Q114 #Q115 #Q116 #Q117	A-1 B-2 B-1 C-2 B-4 B-3 B-3	# Q605 # Q606 # Q607 # Q608 # Q609 # Q610 Q801 Q802 Q803 Q804	M-4 L-4 M-4 L-4 M-5 M-5 A-2 A-2 D-3
FL101 FL102 FL103 FL201 FL202	A-2 B-3 C-3 R-2 N-2	#Q118 #Q119 #Q120 #Q121 #Q122 #Q123 #Q124	8994449 86000	RV101 RV102 RV103 RV104 RV105 RV201	B-2 B-3 C-4 C-3 A-2 P-1
IC101 IC102 IC103 IC104 IC201 IC202 IC205 IC206 IC207 IC208 IC209 IC210 IC211 IC212	A-3-2-4-5-1-1-2-2-1-2-1-2-1-2-1-2-1-2-1-2-1-2-1	#Q125 #Q126 #Q127 #Q128 #Q129 #Q130 #Q131 #Q132 #Q133 #Q201 #Q203 #Q203 #Q203 #Q204 #Q204	33332255211422 CCCBCACH+422	RV202 RV203 RV301 RV302 RV303 RV304 RV305 RV306 RV501 RV502 RV503 RV602 RV603	N-1 M-1 E-3 K-1 L-1 L-1 K-5 R-4 M-4 M-4
IC213 IC214	P-1 N-1	# Q209 # Q210	N-2 R-2 K-2	S201 TH201	M-1
IC215 IC216 IC217 IC218 IC219 IC200 IC301 IC302 IC303 IC306 IC307 IC306 IC307 IC308 IC309 IC310 IC311 IC312 IC313 IC314 IC315 IC316 IC317 IC501 IC502 IC601 IC602 IC601 IC602 IC801	P.K.K.Y.MEHEEFKFYYGYYGYKHFPRLMDD	#Q211 #Q212 #Q213 #Q301 #Q303 #Q305 #Q306 #Q307 #Q308 #Q310 #Q311 #Q312 #Q314 #Q315 #Q316 #Q316 #Q316 #Q316 #Q322 #Q322 #Q323 #Q322 #Q320 #Q320 #Q320 #Q320 #Q320 #Q320 #Q321 #Q321 #Q322 #Q323 #Q324 #Q325 #Q326 #Q326 #Q326 #Q327	KRMDEEEEJJFFKEEJFFEKJJJFFKZ24 213333444335553344444224	TH201 TP101 TP201 TP202 TP301 TP302 TP303 TP304 TP305 TP306 TP307 TP308 TP309 TP310 TP501 TP502 TP503 TP504 TP601 TP602 TP603 X301 X302	M ACCUEHLS 4455554154415 44 H-1544555554154415 44 H-1554415 44 H-1554415 H-1554415 H-15544


① TP201 REC/EE (COMPOSITE)

① TP201 REC/EE (COMPONENT)

② TP202 REC/EE (COMPONENT)

#: B SIDE

VRA-5(2/4); A/D, Y/C. SEP., DECODE, CTDM (COMP.), D/A



16-141

UVW-1800

16-141

F


j G

н

Н

E

1








VRA-5(1-6	48-898-11)

CN101 CN102	N-6 C-6	IC901 IC902	.K-6 .G-6	#Q511 #Q512	N-3 P-4
CV301	F-5	1C903 IC904	J-6 E-6	#Q513 #Q514	P-4 P-4 P-4
#D101 #D102 #D109 #D202 #D301 #D303 D305 D801	83344 BCD443452 FFA	#Q101 #Q102 #Q103 Q104 #Q105 #Q106	E-4 A-3 A-5 A-3 A-4 A-4 A-3	#Q515 #Q516 #Q517 #Q518 #Q519 #Q520 #Q601 #Q602 #Q603	N-4 P-4 P-5 P-5 L-2 M-2 N-4
E101 E201 E301 E302 E303 E501 E502 E601	B-4 E-2 K-3 D-3 H-1 R-5 N-1	#Q107 #Q108 #Q109 #Q110 #Q111 #Q112 #Q113 #Q114 #Q115 #Q116	A-3 A-1 B-2 B-2 B-1 C-1 C-2 B-4 B-4 B-3	#Q604 #Q605 #Q606 #Q607 #Q608 #Q609 #Q610 Q801 Q801 Q802 Q803	M-4 M-4 L-4 M-5 M-5 A-2 A-2
FB201	K-2	#Q117 #Q118	B-3 B-3	Q804	D-3
FL101 FL102 FL103 FL201 FL202	A-2 B-3 C-3 R-2 N-2	#Q119 #Q120 #Q121 #Q122 #Q123 #Q124	8-3 8-2 C-4 C-4 C-3	RV101 RV102 RV103 RV104 RV105 RV201	B-2 B-3 C-4 C-3 A-2 P-1
IC1 01 IC1 02 IC1 03 IC1 04 IC201 IC202 IC205 IC206 IC207 IC208 IC209 IC210	A-3 C-2 D-5 A-1 B-1 D-1 H-1 E-2 G-1	#Q125 #Q126 #Q127 #Q128 #Q129 #Q130 #Q131 #Q133 #Q133 #Q201 #Q202 #Q203	3333225521142 CCCCBCACHHP	RV202 RV203 RV301 RV302 RV303 RV304 RV305 RV306 RV501 RV502 RV503 RV602 RV603	N-1 M-1 E-3 K-1 L-1 L-1 K-5 R-1 R-4 M-4 M-4
IC212 IC213	J-2 P-1	# Q207 # Q209	R-2 N-2	\$201	H-4
IC214 IC215	N-1 P-2	#Q210 #Q211	R-2 K-2	TH201	M-1
IC216 IC217 IC218 IC219 IC220 IC301 IC302 IC303 IC304 IC305 IC306 IC307 IC308 IC310 IC311 IC311 IC312 IC313 IC314 IC315 IC316 IC317 IC501 IC502 IC601 IC602 IC601 IC602 IC601 IC602	KKKJMETEEFKFJJGJLGLKTFPFLMDD	#Q212 #Q213 #Q303 #Q305 #Q305 #Q306 #Q307 #Q310 #Q311 #Q312 #Q313 #Q315 #Q315 #Q316 #Q317 #Q317 #Q318 #Q319 #Q320 #Q322 #Q323 #Q324 #Q325 #Q325 #Q329 #Q320 #Q320 #Q320 #Q321	RMDEEEJJFFKEEJFFEKJJJJFFRPR	TP101 TP201 TP202 TP301 TP302 TP303 TP304 TP305 TP306 TP307 TP308 TP309 TP310 TP501 TP502 TP503 TP504 TP601 TP602 TP603	ACCEEHLKJJN.544.544.544.544.544.544.544.544.544.54

1 TP305 REC/EE









UVW-1800

16-145






VRA-5(1-64	48-898- 11)			
CN101 CN102	N-6 C-6	IC901 IC902	K-6 G-6	#Q511 #Q512	N-3 P-4
CV301	F-5	1C903 1C904	J-6 E-6	#Q513 #Q514 #Q515	P-4 P-4 P-4
#D101 #D102	B-3 C-3	LV301	E-4	#Q516 #Q517	N-4 N-4
#D109	D-4	#Q101 #Q102	A-3	#Q518	P-4 P-5
#D202 #D301	H-4 E-3	#Q102 #Q103	A-5 A-3	#Q519 #Q520	P-5
#D303	F-4	Q104	A-4	# Q601	L-2
D305 D801	F-5 A-2	#Q105 #Q106	A-4 A-3	# Q602 # Q603	M-2 N-4
F101		#Q107 #Q108	A-3	# Q604	M-4 M-4
E101 E201	B-4 E-2	#Q108 #Q109	A-1 B-2	# Q605 # Q606	L-4
E301	K-3	#Q110	B-2	# Q607	M-4
E302 E303	D-3 H-1	#Q111 #Q112	B-1 C-1	# Q608 # Q609	L-4 M-5
E501	R-5	#Q113	C-2 B-4	#Q610	M-5
E502 E601	N-1 M-1	#Q114 #Q115	B-4	Q801 Q802	A-2 A-2
EBoot		#Q116	B-3	Q803	A-2
FB201	K-2	#Q117 #Q118	B-3 B-3	Q804	D-3
FL101	A-2	#Q119	B-3	RV101	B-2 B-3
FL102 FL103	B-3 C-3	#Q120 #Q121	B-2 C-4	RV102 RV103	C-4
FL201	R-2	#Q122	C-4 C-4	RV104 RV105	C-3 A-2
FL202	N-2	#Q123 #Q124	C-3	RV201	P-1
IC101	A-3	#Q125	C-3	RV202 RV203	N-1
IC1 02 IC1 03	C-2 D-4	#Q126 #Q127	C-3 C-3	RV203	M-1 E-3
IC104	G-5	#Q128 #Q129	C-3	RV302 RV303	K-1
IC201 IC202	A-1 B-1	#Q129 #Q130	C-2 C-2	RV303	L-1 L-1
IC205 IC206	D-2	#Q131	B-5 C-5	RV305 RV306	L-1 K-5
IC207	D-1 H-1	#Q132 #Q133	A-2	RV501	R-1
IC208 IC209	E-2 E-2	#Q201 #Q202	C-1 H-1	RV502 RV503	R-4 R-4
IC210	G-2	#Q203	H-4	RV602	M-4
IC211 IC212	H-1 J-2	# Q204 # Q207	P-2 R-2	RV603	M-4
IC213 IC214	P-1 N-1	# Q209 # Q210	N-2 R-2	S201	H-4
IC215 IC216	P-2 K-2	#Q211 #Q212	K-2 R-1	TH201	M-1
IC217 IC218	K-2 K-2	#Q213 #Q301	M-3 D-3	TP101 TP201	A-3 C-2
IC219	J-1	# Q303	E-3	TP202	C-1
IC220 IC301	M-1 E-4	# Q305 # Q306	E-3 E-3	TP301 TP302	E-3 E-4
IC302	H-3	#Q307	E-3	TP303	H-1
1C303 IC304	E-4 E-5	# Q308 # Q309	J-4 J-4	TP304 TP305	L-5 K-4
IC305	F-4	# Q310	F-3	TP306	J-4
IC306 IC307	K-4 F-3	#Q311 #Q312	F-3 K-3	TP307 TP308	J-5 N-5
IC308	J-3	# Q313	E-4	TP309	N-5
IC309 IC310	J-3 G-3	#Q314 #Q315	E-4 J-3	TP310 TP501	F-5 R-4
IC311	J-4	#Q316	F-5	TP502	P-1
IC312 IC313	L-2 G-5	#Q317 #Q318	F-5 E-5	TP503 TP504	P-5 N-4
IC314	L-1	#Q319	K-3	TP601	N-4
IC315 IC316	K-5 H-4	#Q320 #Q321	J-3 J-4	TP602 TP603	M-1 P-5
IC317 IC501	F-4 P-4	# Q322 # Q323	J-4 J-4	X301	F-4
IC502	R-5	#Q324	F-4	X302	H-4
IC601 IC602	L-4 M-4	# Q325 # Q508	F-4 N-2		
IC801	D-3	#Q509	P-2		
IC802	D-2	#Q510	R-4		

> . ↓ Sme

#: B SIDE



UVW-1800

16-149


16-149

Ε

ę. .

Н

SOPS-1045AC/1045M; POWER SUPPLY (SWITCHING REGULATOR)



SOPS-1045AC BOARD

BOARD NO.1-649-934-11

SOPS-1045M BOARD

BOARD NO.1-649-935-11 UVW-1800/1600(J) ;#10001-UVW-1800/1600(UC);#10001-

16-151 16-151

UVW-1800/1600

В

C

D

E

F


• ·

MB-470/470A(1/4); MOTHER BOARD

				VRA-5				_					
								_			VP-43/A	CN163	
	VRA-S	CH101 B		٦		VRA-5	GN102 B		□ -		A	3	
3-200-2	REG GND	1 REG GND	103-1-2	- }	200-0	UNREG GNO	1 UMREG GND 2 UNREG GND	104-1 - 2 - 3		101-1-2	REG GWD	1 REG GND 2 REG GND	105-1-2
200-1 00 > 103-3A,105-3A	REG GND	2 REG GND	103-1-2		290-9	UNREG GND	3 UNREG GND	104-1 - 2 - 3		100 > 105-3A,101-3A	H:VIDEO EE	8 CTL SIG	108-128,214-338
103-34,103-34	NG	4 NC			200-8	UNREG + 12V	4 UNREG +12V	104-4		133 - 105-4A,107-4A	L:FWD/REV X18	4 TRACKING CONT(X) 5 L:NO SIG	108-23A 105-58,107-58
	HC	§ NC		-12V P	200-7	UNREG -12V	5 UNREG -12V	104-5		184 > 108-28B 185 > 105-8A,107-8A	L:JIG EXIST	8 C SW PLS	105-68,107-68
	NC NC	6 NG -		-		NC NC	7 NC			136 > 231-12	LTC EQ(G)	7 LTC EQ(X)	231-11
	NC NC	8 NC		1		MC	8 S DATA	106-16A	124	127 > 107-14A	L:SLOW BID	8 VP SPARE 9 Y A PB RF(X)	107-178
	NC	9 NC]		NC	8 SCK 10 STRB	106-17A 106-18A	— H125	138 > 211-10 139 > 211-8	Y A PE RF(G)	10 Y B PB RF(X)	211-7
	Y REC RF(G)	16 NC 11 Y REC RF(X)	211-11			NC NC	11 NC	100-100			NC	11 GHD(GUARD)	
211-12	NC RF(G)	12 NC	211911			NC	12 NC			140> 211-4	C A PS RF(G)	12 C A PB RF(X)	211-3
02>-211-4	C REC RF(G)	18 C REC RF(X)	211-6	_ ≺111		NC	19 NC			141 > 211-2	C B PB RF(G)	13 C B PB RF(X)	211-1
	NC	14 NG 15 Y EE RF(X)	103-15B			NC NC	14 NC 15 GND(GUARD)2			103 > 101-16A	Y EE RF(G)	15 Y EE RF(X)	101-158
03 > 103-15A	Y EE RF(G)	16 C EE RF(X)	103-16B		271-8	INPUT Y(G)	16 INPUT Y(X)	271-7	── <127	104> 101-16A	C EE RF(G)	16 C EE RF(X)	101-16B
100-100	NC	17 NC]		NC	17 NC	271-8		142 > 105-18A	DEMOD Y(G)	17 GND 18 DEMOD Y(X)	NC 105-18B
05 > 107-18A	L:RGB INPUT SEL	18 L:MAINTE MODE	185-14B,187-18B,231-1 187-19B	<u>1114</u> 11117 ≺1118	271-10	INPUT R-Y(G)	18 INPUT R-Y(X)	2/1-8	— ""	143 > 105-19A	DEMOD C(G)	18 DEMOD C(X)	105-18B
107-19A 107-20A	L:COMPOSITE H:STD/L:NON BTD	20 NC	107-100		271-12	INPUT B-Y(G)	20 INPUT B-Y(X)	271-11	129	144> 107-148 .	SY DO PLS	20 L:OXIDE/H:METAL	108-248,106-188
08> 107-21A	INPUT FP1	21 INPUT FP2	197-218	 ≺114		NC	21 GND(GUARD)2	121.1	—L	145 - 105-21A 146 - 106-20A	Y DO PLS TBC SPEED	21 C DO PLS 22 L:NOISE LESS PE	105-21B 105-3B,107-3B
00 > 107-22A	INPUT SYNC	22 REC CF ID	197-228	(117 121) 121)	271-2	INPUT VIDEO(6)	22 INPUT VIDEO(X) 28 GND(GUARD)2	271-1	130	-8V - 101-23	UNREG -8V	23 UMREG -BV	105-23
200-8 5V - 200-5	REG -SV	24 REG -SV	193-24		271-8	INPUT S-Y(G)	24 IMPUT S-Y(X)	271-5	─ ─ ─≺131	-5V - 101-24	REG -6V	24 REG -5V	105-24
6V D- 200-4	UNREG + SV	25 UNREG +8V	108-25	—D6V		NC	28 MC 26 IMPUT S-C(X)	271-8		6V 0- 101-25 5V 0- 101-26-27	PEG + SV	25 UNREG + 5V 26 REG + 5V	105-28 - 27
BV 0 200-3	REG +5V	28 REG +5V	103-26-27	OSV 123)	271-4	INPUT S-C(G)	27 GND(GUARD)8	271-0		SV 0-101-28-27	REG +SV	27 REG +5V	105-28 - 27
3 200-2	REG GND	28 REG GND	103-28 - 29 - 30			NC	28 HC			101-28 - 29 - 30	REG GND	28 REG GND	105-28-29-30
200-2	REG GND	28 REG GND	183-28 - 29 - 30	,	 	REG GND	29 REG GND	104-28 - 30	— <u>Г.</u>	101-28-29-30	REG GND	30 REG GND	105-28-29-30
	0K206 REG AND REG AND REG AND REG AND REG CAND REG	UNITED ON D	ME-471A,251-1 REG GND 200-2	P UNREG GHD			10 V REG RF(G) 191-118 (4)			CH21 1 L.I.T.C. ERASE ON 199-19A 2 REC LTC 3 L.AU CH 2 ERASE ON 199-29B 4 L.AU CH 2 REC BUTE 199-19A 5 L.AU CH 2 REC BUTE 199-19A	8 L:AU CH I BIAS ON 100-198 1 L:AU CH I BIAS ON 100-19A 1 L:AU CH I BIAS ON 100-19A 11 LTC EQ(X) 100-78 12 LTC EQ(X) 100-78 13 H:CTL CUT 100-78 14 L:AU CH I HEAD REC 100-13A 15 L:AU CH I HEAD REC 100-13A	MB-771A,281-19 1 LAU CH 2 PB MUYE 100-148 -2448 MB-771A,281-19 17 LAU CH 1 PB 100-12A -2448 MB-771A,281-19 17 LAU CH 1 PB 100-12B -2448 MB-771A,281-19 2 LAU CH 1 PB 100-12B -2458 MB-771A,281-19 2 LAU CH 2 PB 100-12B -2458 MB-771A,281-13 2 LAU CH 0 PB 100-13B -2458 MB-771A,281-13 2 LAU CH 0 PB 100-19B -2458 MB-771A,281-19 2 LAU CH 0 PB 100-19A -2458 MB-771A,281-19 2 DEW DET(X) 100-19A -2458 MB-771A,281-19 2 DEW DET(X) 100-21B -2458 MB-771A,281-19 2 DEW DET(X) 100-21B -2458	28 LINE A CONT 109-09 30 LIC B REC EM A/V 109-09 31 LIC A REC EM A/V 109-09 32 LINEC CONT 109-09 33 LIY B REC EM A/V 109-06 34 LIY A REC EM A/V 109-06

UVW-1800/1600

16-153



							S-53					
						3	3-33	·				
	\$8-53	CN107	¬	_		\$\$-53	CM108		٦		SS-53	CN109
	A A	BEC CHE			277 > 214-108	DRUM ERROR	1 DRUM CURRENT	214-118	-	106-1 - 2 - 3	UNREG GND	1 UNREG GND
105-1-2	REG GND	1 REG GND		- <u>-</u>	278 > 214-12B	CAPSTAN ERROR	2 CAPSTAN CURRENT	214-13B	≺₃₀₀	106-1-2-3	UNREG GND	2 UNREG GND
100 > 105-3A,105-3A	H:VIDEO EE	3 L:NOISE LESS PB	105-3B		279 >- 214-14B	S REEL POWER CONT	3 S REEL ERROR	214-158		106-1 · 2 · 8	UNREG GND UNREG + 12V	3 UNREG GND 4 UNREG +12V
133 > 105-4A,103-4A	L:FWD/REV X13	4 H:FWD/L:REV	105-4B	→ 208	280 >- 214-16B	S REEL CURRENT	4 SOL CURRENT 5 DRUM PG	214-178 214-198	≺302 -≺303	-12V 108-5	UNREG -12V	5 UNREG -12V
200 > 105-5A	L:TBC MUTE	5 L:NO SIG	105-5B,103-5B	-E149	281 > 214-18B 282 > 214-20B	S REEL FG 8	8 S REEL FG A	214-218	-≺304	264 > 231-33	LIY B REC EN A/V	8 LIY A REC EN A/V
135 105-8A,103-6A	Y SW PLS	6 C SW PLS 7 PB SYNC	105-6B,103-6B 105-7B	_ 	283 >- 214-228	LITAPE END	7 CAPSTAN DIR CONT	214-258	₹305	261 > 231-30	L:C B REC EN A/V	7 L:REC CONT
179 105-7A,104-26A	HD REF SYNC	8 REF 1ST FIELD	105-8B	- ₹210	284 > 214-24B	CAPSTAN FG A	8 CAPSTAN FG B	214-258	≺₃os	259 > 231-28	L:RE B CONT	8 LIC A REC EN A/V
201 > 105-8A 202 > 105-9A	VD VD	S SERVO V	105-98		285 > 214-26B	ADJUST +11V	9 CAPSTAN FG A NORM	214-278	<307	258 > 231-27	H:FULL ERASE ON	9 LIRE A CONT
203 > 105-10A	L:FWD/REV X15	10 H:EXT SC DET	105-10B	-<212	286 >- 214-28B	CAPSTAN FG B NORM	10 ADJUST GND	214-298	─ ≺308	285 > 281-23	H:NR ON	10 L:SLOW EQ ON
204 > 105-11A	H:EXT SYNC DET	11 PB FP1	105-118	₹213	287 >- 214-808	S TENSION	11 ADJUST +5V	214-318	≺३09	252 231-20	H:LTC PB	11 L:AUDIO ATT ON
205 >- 105-12A	PB FP2	12 LISYNC DELAY	105-12B	1 214	288 >- 214-32B	H:CTL GAIN UP	12 CTL SIG	214-338,103-38	- 147	248 231-17	L:AU CH 2 HEAD REC	12 L:AU CH 2 PB
206 > 105-13A	TAPE SPEED	13 L:CS TBC	105-138	- ≺215	289 > 214-348	CTL PULSE	18 REC CTL	214-358		248 > 231-14	PB LTC	14 L:AU CH 2 PB MUTE
137 > 103-8A	L:SLOW BID	14 SV DO PLS	103-20A	144	290 >- 214-368	H:CTL REC	14 L:TAPE TOP	214-37B	≺ 311 _ ≺ 312	243 > 231-10	L:AU CH 2 BIAS ON	15 L:AU CH 1 PB MUTE
180 >- 104-27A	CHARA FRAME	15 CHARA SIG	104-288		291 > 214-388	THREADING FG	15 H:UNTH END 16 EMERGENCY MS RESET	214-39B 214-41B	-2:::	242 231-8	L:AU CH 1 BIAS ON	16 H:CTL CUT
105 > 101-18A	L:RGB INPUT SEL	16 L:RGB OUTPUT SEL	104-8A	162	292 > 214-40B 293 > 214-42B	1/2 VD	17 SERVO SCK	214-438	-≺314	241 > 231-7	H:OSC OFF	17 L:CS DOT
197 - 106-198,104-268	H:WIDE	17 VP SPARE 18 L:MAINTE MODE	103-8B 231-24,105-14B,101-18	152	294 > 214-448	SERVO SI	18 SERVO SO	214-458	₹315	238 > 231-5	L:AU CH 2 REC MUTE	18 L:AU CH 1 REC MUT
207 >- 105-17A	TBC SPARE	19 L:COMPONENT	101-198	-< 115	295 > 214-46B	T REEL FG B	19 T REEL FG A	214-47B	≺ 316	286 >- 281-1	L:LTC ERASE ON	19 L:AU CH 1 ERASE O
106 > 101-19A 107 > 101-20A	H:STD/L:NON STD	20 H:CHROMA MUTE	105-228	-<216	296 >- 214-48A	T REEL POWER CONT	20 T REEL ERROR	214-48A	-<317	286 > 231-2	REC LTC	20 L:AU CH 2 ERASE O
108 > 101-21A	INPUT FP1	21 INPUT FP2	101-218	− <118	297 > 214-50A	T REEL CURRENT	21 THREADING ERROR	214-508	≺316	256 > 231-25	DEW DET(X)	21 DEW DET(G)
109 > 101-22A	INPUT SYNC	22 REC CF ID	101-228	- <117	298 > 214-498	TH/UNTH POWER CONT	22 L:MS BUSY	214-483	_K318	219 > 262-8,106-22A	SERIAL CLOCK	22 L:CS KEY 23 L:SERIAL READY
-8 V ■ 105-23	UNREG -8V	23 UNREG -8V	105-23	ev	148 > 103-48	TRACKING CONT(X)	23 L:JIG EXIST	103-5A 103-20B,106-18B	134	220 > 262-6,106-23A 221 > 262-4,106-24A	SERIAL RX	24 SERIAL TX
5V ● 105-24	REG -SV	24 REG -5V	214-2	-0 6V	NC ACC	SV SPARE	24 L:OXIDE/H:METAL 25 SIRCS DATA	235-2	- ₹273	289 > 232-6	TX(-)	25 TX(+)
6V - 105-25	UNREG +6V	25 UNREG +6V	214-3		272 >- 235-1 274 >- 235-3	SIRCS GND	26 NG		7	286 > 232-3	RX(-)	28 RX(+)
5 V O 105-26 · 27	REG +5V	26 REG +5V 27 REG +5V	214-4	-0 sv	2,74	NC	27 NC			320 > 266-3	OUTPUT LTC(G)	27 OUTPUT LTC(X)
105-28 - 29 - 30	REG GND	28 REG GND	. 214-1	-		NC	28 NC		_ ·	321 > 266-1	EXT TC IN(G)	28 EXT TC IN(X)
105-28 - 29 - 30	REG GND	29 REG GND	214-1			NC NC	29 NC 30 NC		_	106-29-30	REG GND	29 REG GND 30 REG GND
105-28 - 29 - 30	REG GND	30 REG GND	214-1	_								
	CH266 1 EXT TC IN(G) 199-26A (321 2 EXT TC IN(X) 109-26B (823 3 QUTPUT LTG(G) 109-27A (322 4 QUTPUT LTG(X) 109-27B (322		INPUT REF(Q) 106-6A		CN266 1 OUTPUT 8-C(0) 104-15A - C OUTPUT 8-C(X) 104-15B - C OUTPUT 8-C(X) 104-15B - C C C C C C C C C C C C C C C C C C	4 OUTPUT 8-V(X) 5 OUTPUT VIDEO 1(Q) 164-24A 7 OUTPUT VIDEO 1(Q) 164-24A 7 OUTPUT VIDEO 2(Q) 164-25A 8 OUTPUT VIDEO 2(X) 164-25A 10 OUTPUT VIDEO 2(X) 164-25B 11 OUTPUT Y 2(Q) 164-25B 12 OUTPUT Y 2(X) 164-19B 13 OUTPUT R-Y 2(Q) 164-22B 14 OUTPUT R-Y 2(Q) 164-22B 15 OUTPUT R-Y 2(Q) 164-22B 16 OUTPUT R-Y 2(X) 164-22B 17 OUTPUT R-Y 2(X) 164-22B 18 OUTPUT R-Y 2(X) 164-22B 19 OUTPUT R-Y 2(X) 164-22B		5 OUTPUT B-Y 1(9) 104-19A (172 2 OUTPUT B-Y 1(X) 104-19B (101 3 OUTPUT R-Y 1(X) 104-21A (174 4 OUTPUT R-Y 1(X) 104-21B (103 5 OUTPUT Y 1(9) 104-17A (103 6 OUTPUT Y 1(9) 104-17A (103		CN271 CN271 I INPUT VIDEO(X) A LINET MECKEN	2 INPUT VIDEO(4) 102-26A (132 4 INPUT S-C(4) 102-26A (133 6 INPUT S-Y(4) 102-26A (133 7 INPUT S-Y(5) 102-26A (133 9 INPUT Y(3) 102-16A (133 10 INPUT Y(3) 102-16A (133 110 INPUT R-Y(4) 102-16A (133 111 INPUT B-Y(5) 102-16A (133 112 INPUT B-Y(5) 102-26B (133 113 INPUT B-Y(5) 102-26B (133 114 INPUT B-Y(5) 102-26B (133 115 INPUT B-Y(5) 102-26B (133	CN271・・・UVW-
	CP-226/A,861-1 CP-226/A,861-2 CP-226/A,861-3 CP-226/A,861-4		CP-228/A,682-1 CP-286/A,682-8 CP-286/A,682-9 CP-286/A,682-9 CP-286/A,682-9 CP-286/A,682-9 CP-286/A,682-9		CP-228/A,886-1 CP-226/A,886-1	OP-226/A,865-0 OP-226/A,865-0 OP-226/A,865-0 OP-226/A,865-0 OP-226/A,865-10 OP-226/A,865-10 OP-226/A,865-11 OP-226/A,865-12 OP-226/A,865-13 OP-226/A,865-13 OP-226/A,865-13 OP-226/A,865-13		CP-226/A.663-8 CP-226/A.663-8 CP-226/A.663-9 CP-226/A.663-9 CP-226/A.663-9 CP-226/A.663-9 CP-226/A.663-9 CP-226/A.663-9		CP-225,684-1	CP-225,664-7 CP-225,664-0 CP-225,664-0 CP-225,664-0 CP-225,664-0 CP-225,644-0 CP-225,644-0 CP-225,644-0 CP-225,644-1	

16-155

		S - 5									\				Di	R-214		
	\$5-53	CN108		7				SS-53	CN 105	9	7		_			CN214		
	A		В					A	I	8			. [A	В		
	DRUM ERROR		DRUM CURRENT	214-11B	-<299		106-1 - 2 - 3	UNREG GND	-	UNREG GND			} -		REG GND	1 REG GND	107-28,29,30	———— <u>*</u>
	CAPSTAN ERROR	_	CAPSTAN CURRENT	214-139	⊢ <300		106-1 - 2 - 3	UNREG GND		UNREG GND			-5V •		REG -5V	2 REG -5V	107-24	
	S REEL POWER CONT		S REEL ERROR	214-158	← (301		106-1 - 2 - 3	UNREG GND		UNREG +12V	 	———12V	5 V D		REG +5V	3 UNREG +6V 4 REG +5V	107-25	
	S REEL CURRENT	-	SOL CURRENT DRUM PG	214-17B 214-19B	→ (302 → (303		106-4	UNREG +12V UNREG -12V	_	UNREG -12V		-12V	_		DR GND	5 DR GND	200-1	
	S REEL FG B	+	S REEL FG A	214-218	-<304		231-33	L:Y B REC EN A/V	$\overline{}$	L:Y A REC EN A/V	231-34	-<265	,		DR GND	6 DR GND	200-1	
	L:TAPE END		CAPSTAN DIR CONT	214-23B	-<305		231-30	LIC B REC EN A/V		L:REC CONT	231-32	-<283	№ 12V D-		UNREG + 12V	7 UNREG + 12V	200-8	
	CAPSTAN FG A	_	CAPSTAN FG B	214-25B	-<306		231-28	L:RE B CONT	8	L:C A REC EN A/V	231-31	₹262	12V D		UNREG + 12V	8 UNREG + 12V	200-8	
	ADJUST + 11V	9	CAPSTAN FG A NORM	214-27B	-<307	258	291-27	H:FULL ERASE ON	_	LIRE A CONT	231-29	─ <260	-12V		UNREG -12V	9 UNREG ~12V	200-7	
	CAPSTAN FG B NORM		ADJUST GND	214-29B	-<308		231-23	H:NR ON	_	LISLOW EQ ON	231-22	— ≺254	-		NC	10 DRUM ERROR	108-1A	
	S TENSION	_	ADJUST + 5V	214-31B	₹309		231-20	H:LTC PB	_	L:AUDIO ATT ON	231-21		<u> -</u>		NC	11 DRUM CURRENT	108-1B	——————————————————————————————————————
	H:CTL GAIN UP		CTL SIG	214-33B,103-3B	147		231-17	L:AU CH 2 HEAD REC			231-19	<251 <250	-		NC NC	12 CAPSTAN ERROR	108-2A 108-2B	— <u> </u>
	H:CTL REC		REC CTL L:TAPE TOP	214-358 214-378	≺3 10 ≺3 11		231-14	PB LTC	o	L:AU CH 2 PB MUTE	231-16	- €248	F		NC NC	14 S REEL POWER CONT	108-3A	
	THREADING FG		H:UNTH END	214-398	₹312		231-9		_	L:AU CH 1 PB MUTE	231-15	- ≺247	⊢		NC	15 S REEL ERROR	108-3B	-<30
	H:TH END		EMERGENCY MS RESET	214-418	-<313		231-8	L:AU CH 1 BIAS ON		H:CTL CUT	231-13	-<245			NC	18 S REEL CURRENT	108-4A	
	1/2 VD		SERVO SCK	214-43B	-<314		231-7	H:OSC OFF	17	L:CS DOT	262-9	~ 276			NC	17 SOL CURRENT	108-4B	<30
	SERVO SI	_	SERVO SO	214-458	≺ 315		231-5	LIAU CH 2 REC MUTE			231-6	-<240			NC .	18 DRUM FG	108-5A	
	T REEL FG B		T REEL FG A	214-47B	− <316		231-1	LILTO ERASE ON		L:AU CH 1 ERASE ON	231-4	— ≺238	\vdash		NC	19 DRUM PG	108-5B	—≝::
	T REEL POWER CONT	_	T REEL ERROR	214-49A	₹317		231-2	REC LTC	_	L:AU CH 2 ERASE ON	231-3	— ₹23 7	<u> </u>		NC NC	20 S REEL FG B	108-6A	
	T REEL CURRENT	$\overline{}$	THREADING ERROR	214-50B 214-48B	-≺318 -≺319		231-25 262-8,106-22A	DEW DET(X) L:SYSTEM RESET		DEW DET(G) L:CS KEY	262-7	— 	⊢		NC NC	22 L:TAPE END	108-7A	
	TRACKING CONT(X)	_	L:JIG EXIST	103-5A	134		262-6,106-23A	SERIAL CLOCK		L:SERIAL READY	106-23B,262-5	<228	-		NC	23 CAPSTAN DIR CONT	108-7B	-<30
	SV SPARE	_	L:OXIDE/H:METAL	103-208,108-188	~ \159		262-4,106-24A	SERIAL RX		SERIAL TX	106-248,262-3	— <230			NC	24 CAPSTAN FG A	108-8A	- ≺28
	SIRCS VCC	_	SIRCS DATA	235-2	-€273		232-6	TX(-)		TX(+)	232-5	- ≺268			NC	25 CAPSTAN FG B	108-88	— ≺30
	SIRCS GND	2 6	NC			286	232-3	RX(-)		BX(+)	232-4	─ <267			NC	26 ADJUST +11V	108-9A	-<28
	NC	2 7			ļ		268-3	OUTPUT LTC(G)		OUTPUT LTC(X)	266-4	≺322			NC	27 CAPSTAN FG A NORM	108-98	
	NC	2.8				321	266-1	EXT TC IN(G)		EXT TC IN(X)	266-2	≺323	⊢		NC	28 CAPSTAN FG B NORM	108-10A	————──~2 8 ————————————————————————————————————
	NC	30				. 1	108-29 - 30	REG GND		REG GND	250-9 • 10,251-1 • 2	─ Ĕ	-	· · · · · · · · · · · · · · · · · · ·	NG NG	30 S TENSION	108-10B	
	NC	30	NC		l	,	106-29 - 30	REG GND	130	I HEG GNU	1230-3-10,231-1-2		-		NC	31 ADJUST +5V	108-118	
															NC	32 H:CTL GAIN UP	108-12A	-<28
															NC	33 CTL SIG	108-12B,103-3B	
															NC	34 CTL PULSE	108-13A	 ≺28
													<u>_</u>		NC	36 REC CTL	108-13B	— ├³¹
	77 96 178 171 175 175			N - 4 0 0 0			0 - N	2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3					<u> </u>		NC	38 H:CTL REC	108-14A	
	+ +++++++++++++++++++++++++++++++++++			ŸŸŸŸŸŸ				ŸŸŸŸŸŸŸŸŸŸ					-		NC NC	37 L:TAPE TOP 38 THREADING FG	108-14B 108-15A	— <u> </u>
								▝▗ ╀ _╸ ╀ _╸ ╀ _╸ ╀ _╸ ╀ _╸ ┞ _╸ ┞ _╸					⊢		NC NC	39 H:UNTH END	108-15B	
													-		NC	40 H:TH END	108-16A	
													i i		NC	41 EMERGENCY MS RESET	108-16B	— -{31
													F		NC	42 1/2 VD	108-17A	-<29
															NC	43 SERVO SCK	108-17B	≺31
4 6 4 6	× = × = × = × =			4 6 4 6 4 6			اه ا ح اه ا								NC	44 SERVO SI	108-18A	
15	20 22 22 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25			198 218 218 178			0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					<u> </u>		NC	45 SERVO SO	108-188	
4 4 4	104-24A 104-25B 104-25B 104-18A 104-22B 104-20B			104			0 2 2 0 0 2 0 0 2 0 0 0 0 0 0 0 0 0 0 0	102-20A 102-24A 102-16B 102-16B 102-18A 102-20B					⊢		NC NC	46 T REEL FG B	108-19A	—— ⊟ ∷:
													296 > 1	08-204	T REEL POWER CONT	47 T REEL FG A	108-19B	 ₹::
													317		T REEL FROR	48 TH/UNTH POWER CONT	108-22A	— <u></u> □_2′,
	6 × 6 ×									CN271 · · · UVW-18	OO ONLY		297 > 1		T REEL CURRENT	50 THREADING ERROR	108-218	
3-C(G) 3-C(X) 3-Y(G) 3-Y(X)	OUTPUT VIDEO 1(9) OUTPUT VIDEO 1(X) OUTPUT VIDEO 2(X) OUTPUT Y 2(3) OUTPUT Y 2(3) OUTPUT R-Y 2(3) OUTPUT R-Y 2(3) OUTPUT R-Y 2(X) OUTPUT R-Y 2(X)			B-Y 1(G) B-Y 1(X) B-Y 1(X) Y 1(G) Y 1(X)			DEO(X)	((3) ((3) ((3) ((4) ((4) ((4) ((5) ((5) ((6) ((6) ((6) ((6) ((6) ((6									-	
TPUT (TUPUT TIPUT TIPUT TIPUT TIPUT TIPUT			ULTPUT B ULTPUT B ULTPUT R VUTPUT Y VUTPUT Y			PUT VI	NPUT 8-C(G) NPUT 8-Y(X) NPUT 8-Y(G) NPUT Y(G) NPUT H-Y(X) NPUT B-Y(G) NPUT B-Y(G)										
- 2 5	5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			CH289				Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z									_	
	CP-226A, 865-5 CP-226A, 865-6 CP-226A, 865-9 CP-226A, 855-9 CP-226A, 855-10 CP-226A, 855-11 CP-226A, 855-11 CP-226A, 855-11 CP-226A, 855-11 CP-226A, 855-11			CP-226/A,865-1 CP-226/A,865-2 CP-226/A,865-3 CP-226/A,863-4 CP-226/A,863-4 CP-226/A,863-4 CP-226/A,863-4				CP-226.664-6 CP-226.664-6 CP-226.664-6 CP-226.664-7 CP-226.664-7 CP-226.664-10 CP-226.664-11 CP-226.664-11						· -		BOARD NO.1-64	470A BOA 8-918-11,21 (J) :#10001-	ARD (

MB-470/470A(3/4);MOTHER BOARD

		Y 0	۷ .	4 8 4 8		- 55 >	## <
VRA-5	CN101 -		20 A	1	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	22 2 2 2 2 2 2 3 2 3 4 3 4 3 4 3 4 3 4 3	
(UVW-1800)	CN102 -		1	+			
		4 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$	\Box	1111	1 + 1 + 1	
VP-43/A	CN103 -	12A	2 0 EE				
	CN104 -	M H H H H H H H H H H H H H H H H H H H	H:VID	INPUT FP &		SYNC	L.COMPONENT L.COMPOSITE 13B
				100		INPUT SYNC	19 E-COMP
	/ CN105 -	FF(S) FF(S			+++	=	
TBC-25		CHARA FRICE C A PE RF(S) C B	=				
	CN106	2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
		D: H					<u> </u>
	CH107 -		4 K	1 1 1 1		YZ.	# Y # Y Y Y # Y Y Y # Y Y Y # Y Y Y # Y Y Y # Y Y Y # Y Y Y # Y Y Y # Y Y Y # Y Y Y Y # Y Y Y Y # Y
SS-53	CN108		30		++++		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	_	2	- H		++++		
	CN109 -						LIAU CH 1 BIAS OH LIAU CH 1 HEA REC LIAU CH 1 FE BUTE LIAU CH 1 FE BUTE LIAU CH 1 FE BUTE LIAU CH 2 BIAS OH LIAU CH 2 BIAS OH LIAU CH 2 BIAS OH LIAU CH 2 PEANE ON LIAU CH 2 PE BUTE LIAU CH 3 PE BUTE LIAU CH 4 PE BUTE LIAU CH 5 P
							AS ON MUTE ERAS ON MUTE C MUTE
SW-REG	C#200						8 7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					120 DH 12
	/ CN201 -	ADJUST 4 17 ADJUST 4 17 ADJUST 4 17 ADJUST 4 17 ADJUST 6 17 ADJUST		-HH	++++		
		ADJUST 41V			1111		
MB-470/A	CH211						
	CN231 -						
DR-214	CN214 -					+++	
DR-214							
CP-237/A	CH232 -						
		IN (C)					
HP-61/A	CN235 -	NE SECTION AND ADDRESS OF THE SECTION A		- 5 5 5	2000	T(X)	
111 - V 17 A		DUB HPUT REF(1) DUB HPUT REF(2) ENT TC IN(0) ENT TC IN(1)	SNPUT B-Y(8)	1 AE	* * * * *	8 1 1 1	
			Z Z	N N N N N N N N N N N N N N N N N N N	N N N N	INPUT 8-Y(X) INPUT VIDEO(Q) INPUT VIDEO(X)	1
KY-249/A	DN262 -						
	/ CN266 -				+++	1-1-	
	ĺ						
	CN267 -			- **			
CP-225/A	CN268 -						
	CN269 -			-			
	CN271 -			-			
•	(UVW-1800)		=	- '			
		1 A C D E H					L
	INDEX -						

UVW-1800/1600


A | B | C | D | E | G | H |

A

				¥ 8	ž :							:N101 \	
	· · · · · · · · · · · · · · · · · · ·	~ · · · · · · · · · · · · · · · · · · ·			¥ 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		= 1	2 2	22		30 NO BIO BIO C.T. O B	N102	VRA-5 (UVW-180
	< 0 < 0			٧,							4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	· NAAA	
	9 × 9 ×	28 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	26A HEXT STOR HEXT STOR H:FWD/L:RED	IVIDEO II	- 04			9				N 103	V P - 4 3
	DEMOD C(O) DEMOD C(X) DEMOD Y(X)	ENC SLANK	7A 108 H:E 15A H:E	H:STOTE:NE	INPUT FP 1			INPUT SYNC			1.00MPOHENT 1.00MP		
	4 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0		MUTE	9 9 -		::					22.0 2.20 2.20 2.20 2.20 2.20 2.20 2.20	H105	TBC-
		21.8 41.8	H: CHROMA								1 0 0 0 EL 0 0 0 EL 0 0 0 0 EL 0 0 0 0 EL 0 0 0 0		
13.8 12.8 12.8	# < < # !		2	20 A 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	× =						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N107	
	2 2 1 B	¥ 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 440									N 108	S S - 5
											+=+++++++++++++++++++++++++++++++++++++	N 100	
		RESE	N 00		-			+	+		LIAN CH 1 BAS ON LIAN CH 1 BAS ON LIAN CH 1 FP ERAS ON LIAN CH 1 FP ERAS ON LIAN CH 2 FRANCE ON LIAN CH 3 FRANCE ON LIAN CH 4 FRANCE ON LIAN CH 4 FRANCE LIAN CH 5 FRANCE LIAN CH	N200	SW-R
818	DEW DET(G) DEW DET(C) DOWN CHO DRUM CURENT DRUM FO DRUM FO	BENCY MS	ERASE ERASE	H:TH END H:UNTH END							LAN CH 1 PA GAN LAN CH 1 PA GAN LAN CH 1 PA GAN LAN CH 1 PA BANE LAN CH 1 PA BANE LAN CH 2	W261 \	
C11 316	D E W O NUM O D R W	#	H:CTL	HUE HUE				+				N211	M B - 4
	* ***		= 1 2 2 2					1	+			N231	
<u> </u>											ASE ON	N214	DR-2
938	0 0 0 0 0 0	4	服 配 で が	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0							4 8 B 4 8 B 8 7 B		J
	F(G)			•								N232	CP-2
	INPUT REF(G)	ENT TC IN(G)			@ &	E X E S	6 2 3		(0(x)			N235	HP-6
	900	## E # 1			INPUT 6-Y(X)	INPUT REF(X) INPUT R-Y(G)	8 10 8	V-8-V	PUT VIDE	PUT Y(X			
·					2 2	2 2 3			2 2 2	5		N262	K Y - 2
												W266 \	
		L-aj			-	<u> </u>		-				N267	
												N268	CP-2
												N269 N271	
					= =	=			~ - =	-		N-1800)	

MB-470/470A BOARD (3/4)
BOARD NO.1-648-918-11.21
UVW-1800/1600(J) :#10001UVW-1800/1600(UC):#10001-

16-157 16-157



UVW-1800/1600

A | B | C | D | E | G | H |

## C C C C C C C C C C C C C C C C C C		< B < B < B < B < B < B < B < B < B < B		2 CN101	
		Y EE RF(0)	1.2.30	CN102	VR/
WYC WYC	7	**************************************	4 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CN103	VP.
17A SOATA SO	8 A B B B B B B B B B B B B B B B B B B	11A U AX18 SC(X) 119 U AX18 SC(X) 119 U AX18 SC(X) 128 V AX18 SC(X) 128 S S S S S S S S S S S S S S S S S S S	6	CN105	TB
22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	180 - 8 - 7 (3) 180 - 4 - 7 (4) 180 - 4 - 7 (4) 180 - 4 - 7 (4) 180 - 4 - 7 (4) 180 - 4 - 7 (4) 180 - 4 - 7 (4) 180 - 4 - 7 (4) 180 - 4 - 7 (4) 180 -	VP SPARE (178 (179) V A PP RF(X) V S PP RF(X) V O DE AV	F	CN107 CN108 CN109	ss
REC CIL REC CIC REMOTE SO PAASE REMOTE SYNO PHASE RA(+) RA(+) RA(+) RA(+) RA(+) RA(+) REBALA CLOCK REBA	THREADING ERROR THAUNTH POWER CONT T REEL ERROR T REEL ERROR T REEL ERROR T REEL FO A T REEL FO B T REEL FO B		A	CN200	
	148EAD 148EAD 17 REEL 7 REEL 7 REEL 7 REEL 1 X(+)			CN201 CN231	ME
			a 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4	CH214	
		.		CN232	
			\$ 2 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	CN282	
				CN266	
			60 · • · · · · · · · · · · · · · · · · ·	CN268	CI
R S	T	J V Y	UNREG UNREG REG UNREG REG UNREG LANGE LANGE	CN271 (UVW-18:	

MB-470/470A BOARD (4/4)
BOARD NO.1-648-918-11,21
UVW-1800/1600(J) :#10001UVW-1800/1600(UC):#10001-

16-159

16-159

MB-471/471A(1/2); MOTHER BOARD

		R	P-70/A				AF	-31/A				Al	R-14	
		AP-78/A	CHITO				AP-31/A	CRIII	—			AR-14	CN112	
>	111-1-2-3	REG GND	1 REG GND	251-1-2	-	3-112-1-2-3	REG GND	1 REG GND	110-1-2-3		-	REG GND	1 REG GND	111-1-2-3
, 1	111-1-2-3	REG GND	2 REG GND	251-1 · 2 251-1 · 2		112-1-2-3	REG GND	2 REG GND	110-1-2-3		,	REG GND	2 REG GND 3 REG GND	111-1-2-3
	111-4	REG +5V	4 REG +5V	251-3	-05V	8V 0- 112-4	REG +SV	4 REG +SV	118-4	OSY Dev	5Y O	REG +6V UNREG +6V	4 REG +5V 5 UNREG +6V	111-6
	111-6	REG -5V	5 UNREG +6V 6 REG -5V	251-4 251-5		6V D- 112-5 -5V 0- 112-6	UNREG +6V	S UMREG +6Y	118-5	-5Y	-5Y	REG -5V	6 REG -6V	111-6
-# V B	111-7	UNREG -8V	7 UNREG -8V	251-8		-8V - 112-7	UMREG -SV (REG GKD)	7 UNREG -8V 8 CH 1 LINE OUT(G)	115-7	-8-8V -<147	-8V	UNREG -8V (REG GND)	7 UNREG -BV 8 (REG GHD)	111-7 NC
100>	₹ 81- 2	L:Y B REC EN A/V	8 NG . 9 L:Y A REG EN A/V	281-1	_ ≺104	129 > 274-4	CH 1 LINE OUT(X)	9 CH 1 HP OUT(8)	278-2	- ≺140	NC NC	(REG GND)	F (REG GND)	NC
		NC NC	10 GHD(GUARD) 11 Y REC RF(G)	281-12	- (105	130 >- 278-5	(REG GND) CH 3 HP RET	16 CH 1 HP DUT(X)	278-1	-<148 -<158	NC	(REG BND)	11 (REG GND)	NC
		NC NO	12 Y REC RF(X) 13 GND(GUARD)	261-11		NC 131 > 112-15A,276-8	(MES GND) CH 1 REC VOL(G)	12 CH 1 MP VOL(X) 13 CH 1 METER OUT	278-6	─────────────────────────────────────	179>- 275-1		12 AU CH 1 INPUT(Y) 13 (REG GND)	275-2 NC
		NG NG	14 Y A PB RF(Q)	261-16	-< 107	MC	(REG GND)	14 CH 1 REC RET	276-5	── <153	131 > 151-13A,276-	(REG GND) 6 CH 1 REC VOL(G)	14 AU CH 1 INPUT(X) 15 (REG GND)	275-8 NC
		NC NC	15 Y A PB RF(X)	261-9	-	132 >- 112-188 NC	CH 1 ENC(X)	16 (REG GND)	112-17A NC	────────────────────────────────────	NC	(REG GND)	16 CH 1 REC VOL(X)	276-4
		NC	17 Y B PB RF(G)	281-8		133 >- 201-26 HC	PB LTC (REG GND)	17 LTC EQ(X) 18 (REG GND)	281-24 NC	 -≺1#5	164 > 115-15B	(REG GND)	17 (REG GND) 18 CM 1 ENC(X)	111-15A
		NC NC	18 GHD(GUARD)			184 >- 112-198	LTC MEC I(8)	19 LTC REC I(X)	112-298	₹158	NC NC	(REG GND)	18 LTC REC I(G)	111-19A 111-19B
101>	281-5	LIC B REC EN A/V	21 LIC A REC EN AIV	281-3		135 > 112-398	(REG GND) CH 2 INSERT CROSSTA	20 LTC REC (9) LK 21 CH 1 INSERT CROSSTA	112-218 LK 112-108		NC NC	(RES GND)	21 LTC REC I(G)	111-20B
		NC NG	22 GND(GUARD) 23 C REC RF(G)	281-8		136 > 261-21	(REG GHD)	22 H:CTL CUT 23 L:AU CH 1 PB MUTE	281-22	————─── ——————————————————————————————	160 > 281-33	(REG SND)	22 (REG GND) 23 L:LTC ERASE ON	NC 281-34
		NC NC	24 C REC RF(X)	281-5		HC	(REG GKD)	24 L:AU CH 2 PB MUTE	281-18	─ ─── ─ ── ─	NC	(REG GND)	24 L:AU CH 2 ERASE ON	281-32
		NG NG	25 GHD(GUARD) 26 C A PB RF(G)	281-4	- <115	137 >- 281-18 NC	(REG GMD)	25 L:AU CH 1 PB	281-17	───← 162	181 >- 281-30 NC	(REG GND)	26 LIAU CH 1 REC MUTE	281-28
		NC	27 C A PB RF(X)	261-3	-	136 > 112-278,281-15	H:LTC PB (REG GND)	27 L:AUDIO ATT ON 28 L:SLOW EQ ON	281-14	—————————————————————————————————————	182 > 261-28 NC	H:DSC OFF	27 HILTO PB	111-27A,281- 281-27
		NC NC	28 GND(GUARC) 29 C 5 PB RF(G)	261-2		120 > 112-208	H:BIAS ON	26 H:NR ON	281-12	≺166	163 >- 281-28 NC	L:AU CH 2 BIAS ON (REG SND)	29 H:BIAS ON 30 CH 2 INSERT CROSSTA	111-29A
		NC NC	30 C B PB RF(X) 31 GND(GUARD)	261-1	-	NC NC	(REG GND)	30 L:MAINTE MODE 31 CH 1 REC HEAD(X)	112-419	─────────────────────────────────────	NC	(REG GND)	31 (REG GMD)	NC
102>	281-7	L:RE B CONT	32 L:RE A CONT	291-6	- ≺111	140 > 112-41A,111-32B	(RES SND) CH 1 REC HEAD(S)	32 CH 1 REC HEAD(G) 33 CH 2 REC HEAD(X)	111-33A,112-41	A -<140 -<160	NC 143 > 111-37A	(REG GND) CH 2 ENC(G)	32 CH 2 ENC(X) 33 (REG GND)	111-36A NC
		NC	34 CH-B RE(Y)	264-6	- <120	141 >- 274-2	MON: OUT(X)	34 CH 2 REC HEAD(G)	112-428	— <170	NC 173 > 111-38B,276-	(REG GND) S CH 2 REC VOL(G)	34 CH 2 REC VOL(X) 35 (REG GND)	276-1 NC
		NC NC	35 CH-8 RE(X) 35 CH-8 RE(G)	264-5	₹121 ₹122	142 > 112-328	(REG GHD)	35 MONI OUT(G) 36 (REG BND)	NC	4 171	NC	(REG OND)	36 AU CH 2 INPUT(X)	276-6
		NC NC	37 CH-A RE(G) 38 CH-A RE(Y)	264-4	-<123 -<124	142 >- 112-29A NG	CH 2 ENC(G)	37 CH 2 REC RET	276-2 112-35A,276-3	C172	184 > 275-4 NC	(REG OND)	37 (REG GND) 38 AU CH 2 INPUT(Y)	NC 275-5
		NC	39 CH-A RE(X)	264-2	− ₹125	144 >- 277-2	CH 2 METER OUT	38 CH 2 HP VOL(X) 48 CH 2 HP VOL(8)	278-8	174	NC NC	(REG GMD)	38 (REG GND) 40 (REG GND)	NC
		NC NC	41 FULL ERASE(G)	265-2	-<128 ·	145 > 276-9	(REG GHD) CH 2 HP RET	41 CH 2 HP OUT(X)	278-8	─ ── ─	140 > 111-38A,111-	328 CH 1 REC HEAD(G)	41 CH 1 REC HEAD(X)	111-318
	281-8	H:FULL ERASE ON	42 FULL ERASE(Y) 43 FULL ERASE(X)	265-1	-<127 -<128	148 > 274-6	(REG GND) CH 2 LINE OUT(X)	42 CH 2 HP OUT(8) 43 CH 2 LINE OUT(8)	273-4 274-6	177	164 > 111-33B	(REG GND) CH 2 REC HEAD(X)	42 CH 2 REC HEAD(G) 43 (REG GND)	111-348 NC
-12V -	111-44 - 45	UNREG -12V	44 UNREG -12V	251-7		-12V - 112-44 · 45	UNREG -12V	44 UNREG -12V	110-44 - 45	-12V	-12V D	UNREG -12V	44 UNREG -12V 45 UNREG -12V	111-44 - 45
	111-44 - 45	UNREG +12V	45 UNREG -129	251-7 251-8	-4-12¥ -412¥	127 - 112-48-47	UNREG +12V	40 UNREG +12V	110-48 - 47	— 412¥	127 0	UNREG + 12V	45 UNREG +12V	111-46 - 47
1240	111-46 - 47	UNREG +12V	47 UNREG +12Y	251-8		127 - 112-43 - 47	UNREG + 12V	47 UNREG +12V	110-48 - 47	-412V	1270	UNREG + 12V UNREG GND	47 UNREG +12V 48 UNREG AND	111-48 - 49 - 1
2	111-48 - 48 - 50	UNREG GND	49 UNREG GND 50 UNREG GND	251-9 251-9			7-3 UNREG SHD	48 UNREG GND	110-48 - 49 - 50			UNREG GND	49 UNREG GND	111-48 - 48 - 1
										•••	w ~	9 N 9 h 9 w	N. T	
		구, 참			Ξ								، آ	
	116-1-2-3 116-1-2-3 116-4 116-6 116-6 116-7 116-4-4	116-46-46-56	8 - 1	9-1-0	P-001	110-3 00 110-3 00 10-3 00 10	88-48 118-48 118-48	111-184 111-184 111-184 111-184	A\$5611	112-15A 112-12B 112-14B 112-14B	1 (2 - 3 8 8 6 1 4 5 1 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	116-348 111-378 116-38,111-318 116-148 118-16,111-18A	11-13B 11-38A 11-38A	111-108 111-08 111-418
	REG GND REG GND REG SV UNREG SV REG - EV REG - EV UNREG - EV UNREG - EV		3 O A PB RF(E) 6 O A RC RF(E) 6 O A RC RF(E) 7 Y B PB RF(E) 7 Y B PB RF(E) 9 Y B PB RF(E) 11 Y A PB RF(E) 11 Y A RC RF(E) 12 Y A RC RF(E) 13 Y A RC RF(E) 14 Y A RC RF(E)	CH283 1 0 EW DET(K) 2 DEW DET(G)		NO NO NO NO NO NO NO NO	FULL ERABE(Y) FULL ERABE(Y) FULL ERABE(Y) FULL ERABE(Y) FULL ERABE(Y)	MONI OUT(8) MONI OUT(8) MONI OUT(8) CH 1 LIME OUT(8) CH 5 LIME OUT(8)	NO LINE OUT(X)	CH276 1 AV CH 1 INFUT(9) 2 AU CH 1 INFUT(7) 4 AU CH 2 INFUT(7)		CRT1 1 CH 2 REC VOL(X) 2 CH 8 REC RET 3 CH 2 REC VOL(9) 4 CH 1 REC RET 6 CH 1 REC VOL(9)	THE METER OUT ON A BEEN OUT ON A BEEN OUT OWNED OND IN NO.	CH278 1 CH 1 HP OUT(X) 2 CH 1 HP OUT(X) 3 CH 2 HP OUT(X) 4 CH 2 HP OUT(0)
85		CHR1	UB-7701,211-3 S UB-7701,211-3 S UB-7701,211-6 G UB-7701,211-7 T UB-7701,211-9 G UB-7701,211-9 G UB-7701,211-1 G UB-7701,211-1 G UB-7701,211-1 G	CHES.	i	01-1 01-8 01-8 001-6	- W W W	0P-2281A,374-1 0P-2881A,374-1 0P-2881A,374-8 0P-2881A,374-8 0P-2881A,374-8		CP - 226, 275 - 1 1 CP - 226, 275 - 1 CP - 226, 275 - 9 CP - 226,	! 1	000 - 1 000 - 1 000 - 2 000 - 3	0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 2 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5
	MB-4701A.2 MB-4701A.2 MB-4701A.2 MB-4701A.2 MB-4701A.2 MB-4701A.2	-47014	1-4701A 1-4701A 1-4701A 1-4701A 1-4701A 1-4701A	D C C C C C C C C C C C C C C C C C C C	8 A	DACE DACE	ORUE.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	C 7 - 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	OF-228	VR-1555, VR-1556, VR-1566,	KY-2491A, KY-2491A, KY-2401A, KY-2401A,	HP-61/A,4 HP-61/A,4 HP-61/A,4

									1
								!	100
								i	,
	AP-	-31/A			AR-14				de
	AP-31/A	CN111 8		AR-14	CR112 B				-
3 112-1·2·3 112-1·2·3	REG GND	1 REG GND 118-1-2-3 2 REG GND 110-1-2-3		REG GND	1 REG GND 2 REG GND	111-1-2-3			_
-OSV 5V O- 112-4	REG +5V	3 REG GND 110-1-2-3 4 HEG +5V 110-4	OSV SV 0-	REG GND REG +5V		111-1-2-3 111-4 —O5Y			1
—□6V 6V □ 112-5 —0-5V -5V ⊕ 112-6	REG -5V	5 UNREG +8V 110-5 6 REG -5V 110-6	—Dsv ev D—	UNREG +8V REG -5V	6 REG -5V	111-5 —Q6V 111-6 — 0-5V		 	and the same of th
-8-8V -8V H 112-7	(REG GND)	7 UNRES -SV 110-7 8 GH 1 LINE GUT(G) 274-3	-8V -8V B-	UNREG -SV (REG GND)	# (REG GHD)	111-7 ——-& V			
-<104 129 > 274-4 NC NC 130 > 278-5	(REG GND) CH 1 HP RET	S CH 1 MP OUT(G) 278-2 10 CH 1 MP OUT(X) 278-1 11 CH 1 MP VOL(G) 278-7	148 NC 148 NC	(REG GHD)	10 CH 1 INSERT CROSSTALK	HC 111-21B —<158		ļ	CANAL PROPERTY AND ADDRESS OF THE PERTY ADDRESS OF THE P
131 > 112-15A,278-6	(REG GND)	11 CH 1 HP VOL(G) 278-7 12 CH 1 HP VOL(X) 278-6 13 CH 1 METER OUT 277-1	-(150 NC NG	(REG GND) (REG GND)		NC 275-2 (185		i	1
-<107 RC -<108 182 > 112-188	(REG GND)	14 CM 1 REC RET 278-5 15 CH 1 ENC(G) 112-17A	153 HC	(REG GND)	14 AU CH 1 INPUT(X)	275-3 —<186			
-<100 133 > 201-25	(REG GND)	18 (REG GND) NC 17 LTC EQ(X) 281-24	HC 156 184 >- 111-1	(REG GHD)	10 CH 1 REC VOL(X)	278-4 <187		1 1	4
-<110 NG 134 >- 112-19B	(REG OND)	19 (REG GND) NC 19 LTC REC ((X) 112-208	-<156 NC	(REG GND)		111-15A —<132 111-19A —<134		·	September 2
-<111 NC -<112 135 > 112-30B	CH 2 INSERT BROSSTALK	20 LTC REC I(G) 112-218 21 GH 1 INSERT CROSSTALK 112-108	─────────────────────────────────────	(REG GHD) (REG GHD)	20 LTC REC I(X)	111-19B —<156 111-20B —<157			٠
-<113 136 > 281-21		28 H:GTL GUT 281-22 23 L:AU CH 1 PB MUTE 281-28	-<158 HC -<180 188>- 281-3	(REG GND) 3 REC LTC	23 L:LTC ERASE ON	NC		·	1
→114 NC 137 > 281-18	L:AU CH 2 HEAD REC		— <181 NC — <182 181 > 281-3		E 25 L:AU CH 1 ERASE ON				1
-<115 NG -<116 138 > 112-278,281-18	H:LTC PB	26 L:AU CH 2 PB 281-16 27 L:AUDIO ATT ON 281-14	-<163 NC -<164 182 > 281-2			111-27A,281+15 -{138			ŧ
-<117 138 > 112-288 KG	H:BIAS ON	28 L:SLOW EQ ON 281-13 29 H:NR ON 281-12 30 L:MAINTE MODE 281-11	105 NC 106 100 ≥ 281-2		28 L:AU CH 1 BIAS ON 29 H:BIAS ON	111-29A -<128		 	1
—<119 NC	(REG GND)	31 CH 1 REC HEAD(X) 112-418 32 CH 1 REC HEAD(G) 111-33A,112-41A	167 NC NC NC NC	(REG GND) (REG GND)	(444 644)	111-21A			Con-castle
√120 141 > 112-41A,111-32	B CH 1 REC HEAD(G)	33 GH 2 REC HEAD(X) 112-43A 34 GH 2 REC HEAD(G) 112-428	<169 143 > 111-3 <170 NC		33 (REG GHD)	NC 278-1 -(183		 	
-<121 HC -<122 142 >- 112-32B	(REG GND) CH 2 ENC(X)	35 MONI OUT(G) 274-1 36 (REG GND) NC	171 178> 115-3 NC		35 (REG GHD)	NC 275-8 —€194		j	3
≺123 143 > 112-33A ≺124 NC	CH 2 ENC(Q)	37 CH 2 REC RET 278-2 38 CH 2 REC VOL(G) 112-35A,278-3	<172 184 > 275-4 ←179 NC		37 (REG GHD)	MC 275-5 —<188			Manufacture and Manufacture an
-<128 144 >- 277-2 NC	(REG GND)	88 CH 2 HP VOL(X) 278-8 48 CH 2 HP VOL(G) 278-10	-<174 NC NC	(REG GHD)	40 (REG GND)	NC	CN112,CN264,CN265,EN275,CN278 · · · UVW-1800 ONLY	! !	
126 145 > 278-9 127 HC 128 146 > 274-6	(REG GND)	41 CH 2 HP OUT(X) 278-3 42 CH 2 HP OUT(G) 278-4	176 148 > 111-3 177 NC	(REG GHD)	42 CH 2 REC HEAD(G)	111-31B <168 111-34B <178		1	
-128 146 → 274-8 -12V -12V → 112-44-45 -12V -12V → 112-44-45	UNREG -12V	43 CH 2 LINE OUT(G) 274-5 44 UNREG -12V 110-44-45 45 UNREG -12V 110-44-45	-12V -12V -12V -12V -12V -12V -12V -12V	UNREG -12V		111-44-45 4-12V			Pendelinteault
	UNREG +12V	48 UNREG +12V 110-46 - 47 47 UNREG +12V 110-46 - 47	12V 12V 0	UNREG -12V UNREG +12V UNREG +12V	46 UNREG +12V	111-48-47	•	1	1
112-48 - 49 - 50,5	277-3 UNREG GND 277-3 UNREG GND	48 UNREG GND 110-48-49-50 48 UNREG GND 110-48-49-50		UNREG GND	4.6 UNREG GND	111-49-49-50 E m		İ	1
112-48 - 49 - 50,1	277-3 UNREG GND	50 UNREG GND 110-49-49-50		UNREG GND		111-48-49-50	- t		T
								i	ı
									f
								}	
					įν.		**************************************		•
					<u> </u>				4
				134					2000
				4,111-18A					1
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	110-428	# 4 # 4 # 4 # 4 # 4 # 4 # 4 # 4 # 4 # 4	112-128 112-128 112-148 112-368 112-368	2	111-100	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	110-120 111-210 111-22]	1
								1	ATTIVITY OF
		0 0 0 0	<u> </u>	× 6× 6			A V V V V V V V V V V V V V V V V V V V		•
× 2 5 5 7 5 6	8 E (4)	((a) (x) (x) (x) (x) (x) (x) (x) (x) (x) (x	1 INPUT(0) 1 INPUT(Y) 2 INPUT(Y) 2 INPUT(Y) 2 INPUT(Y)	E REC VOL(X) E REC RET E REC VOL(B) I REC VOL(B) I REC VOL(B) I REC VOL(B)	I METER OUT REG GHD	DUT(X) DUT(X) DUT(X) VOL(X) VOL(3)	N N N N N N N N N N N N N N N N N N N	1	4
A RE(X) A RE(Y) A RE(Y) B RE(Y) B RE(Y)	E E E E	NI N	% & %	2 E E E E E E E E E E E E E E E E E E E	S S S S S S S S S S S S S S S S S S S	THE TENTE			
0H284	2001	MONI OUT(B) MONI OUT(B) OH I LINE OUT(B) CH I LINE OUT(B) CH 2 LINE OUT(X) HG HG	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	E E E E E E	E E E E	TO O O O O O O O O O O O O O O O O O O			£ 5
7 • a • a • A	CR285 1 FULL ERABE(Y) 2 FULL ERABE(X) 3 FULL ERABE(X)	3 - ~ ~ ~ ~ ~	0 0 H AU OH OH AU OH	2 - 2 6 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	O CHEST	2 ON 1 HP DUT(N) 2 ON 1 HP DUT(N) 4 ON 1 HP DUT(N) 6 ON 1 HP PUT(N) 7 ON 1 HP VOL(N) 7 ON 2 HP VOL(N) 8 ON 2 HP RET 1 ON 9 HP VOL(N) 1 ON 9 HP VOL(N) 1 ON 9 HP VOL(N)			1
- 2 5 7 9 9 7		07-286/A.274-1 07-286/A.274-2 07-286/A.274-3 07-286/A.274-3 07-286/A.274-3 07-286/A.274-3 07-286/A.274-3				HP-81A,401-1 HP-81A,401-2 HP-81A,401-3 HP-81A,401-3 HP-81A,401-3 HP-81A,401-3 HP-81A,401-3 HP-81A,401-3 HP-81A,401-3 HP-81A,401-3 HP-81A,401-3			CHECKSHEE
DRUM, 961-1 DRUM, 961-2 DRUM, 961-3 DRUM, 961-3 DRUM, 961-5	7 7 7	61 A. 27 61 A. 27 61 A. 27 61 A. 27 61 A. 27 61 A. 27	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		18	A 401	(A)	MB-471/471A BOARD (1/2)	ŧ
0 80 0 80 0 80 0 80	ORUH, DRUH, DRUH,	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 10 - 288. 271 - 288.	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KY-2491A,382-1 KY-2491A,392-2 KY-2491A,392-4 KY-2491A,392-4	T T T T T T T T T T T T T T T T T T T		BOARD NO.1-648-919-11,21	1
							2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	UVW-1800/1600(J) ;#10001-	New York
								UVW-1800/1600(UC);#10001-	1
16-161	16-161							16-161	1


MB-471/471A(2/2);MOTHER BOARD


				,		•	
		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	.ROSSTALK	HEAD(S)	80 80 4 	6 > 6 > 6 > 6 = 6 = 6 = 6 = 6 = 6 = 6 =	A 40 to 10 t
RP-70/A	CN118	ENC(S)	RECHEST	2 E			
		;		5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		# # # # # # # # # # # # # # # # # # #	16.47
AP-31/A	CN111				12.3		
		6 2 2 2			1 A 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		23A Y A FB RF(0) Y A FB RF(1) Y B FB RF(1) Y B FB RF(1) Y RC RF(0) Y RC RF(0) Y RC RF(0) S 6 47
AR-14	CN112	13A 148 148 148 148 148 149 149 149 149 149 149 149 149 149 149	< 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 8 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20 00 00 00 00 00 00 00 00 00 00 00 00 0	# Y # Y # # # # # # # # # # # # # # # #	0 0 0 0 0
(UVW-1800)		V 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1(x)	PB LTC
	5N251				ASE(G) ASE(X) ASE(Y)	9,11	
MB-471/A	CN281			CH-A RE(0) CH-A RE(1) CH-B RE(1) CH-B RE(1)	FULL ERABE(O) FULL ERABE(X)		0 0 0 1 1
	EM281				• -		10 %
			001(0)		PEW DET(G) DEW DET(G) TASE ON T TEASE ON T TEASE ON	Parameter Parame	
DEW SENSOR	CN 263		NT THE		H-CTL CUT H-CTL CUT H-CTL CUT H-CTC PB H-TC PB	LEAU ON 1 P LEAU ON 1 P LEAU ON 2 P LEAU ON 2 P LEAU ON 2 P LEAU ON 3 P LEAU O	
		AU CH 1 INPUT(6) AU CH 1 INPUT(13) AU CH 1 INPUT(13) AU CH 2 INPUT(13) AU CH 2 INPUT(14) AU CH 2 INPUT(14) AU CH 3 INPUT(14) AU CH 1 INPUT(16) CH 1 INP WILL CH 1 INP WILL CH 1 INPUT(16)	CH 1 MF 1 MF 1 MF 1 LINE O CH 1 MF 1 MF 1 MF 1 LINE O CH 1 MF 1 MF 1 MF 1 LINE O CH 1 MF 2 MF 1 MF 1 MF 1 MF 1 MF 1 MF 1 MF	CH 2 LINE R METER OUT R RES REC VOL(X) P REC VOL(X)			
	CN284	N	THE SERVICE OF THE SE	CA S S S S S S S S S S S S S S S S S S S			
DRUM MOTOR (UVW-1800)	CH265				N 0 -		
CP-226/A	CN274			. •		- N	
	CN276 (UVW-1800)						
VR-155 (UVW-1808)	CN276			1			
(UVW-1800)							
WW 040/A	A						
KY-249/A	CN277	·	-	a			
HP-61/A	CN278						
		A C			D F H	М	P R Y UNREG UNREG + 6V
	INDEX	NOTE: UVW-1800 ONLY					


UVW-1800/1600

A | B | C | D | E | G | H |

HEAD(A) HEAD(A	5	6 < 8 < 8		n e o v	- CN110 RP-70/A
21.A CH 2 HBERT CH 2 HBERT CH 2 HBERT CH 2 HB B B CH	18	V 0 0 V 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	17.A MP(0) MP(X) MP(4 0 0 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- CN111 AP-31/A
25 25 25 25 25 25 25 25 25 25 25 25 25 2		2 1 (0) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1170 Y A PB RF(0) Y A PB RF(X) Y B PB RF(X)	9 9 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7	- CN112 AR-14 (UVW-1800)
CH-A RE(0) CH-A RE(1) CH-A RE(1) CH-B RE(1) CH-B RE(1) CH-B RE(1)	FULL ERABE(0) FULL ERABE(1) FU				- CN281 MB-471/A
2 LINE OUT(X)	DEW DET(G) DEW DET(X) LERASE ON CUT ON CH 18149 ON	LAU CH 1 ERMS ON LAU CH 1 PB LAU CH 1 PB LAU CH 1 PB LAU CH 1 PB LAU CH 2 BAR ON LAU CH 2 BAR ON LAU CH 2 BAR ON LAU CH 2 PB MUTE LAU CH 2 PB			- CN263 DEW SENSOR
CH 2 METER OUT CH 2 NEC NET CH 2 NEC VOL(S) SH 2 NEC VOL(S)	04 99 ==				DRUM MOTOR (UVW-1800)
* *					- CH274 - CN275 (UVW-1800)
		· · · · · · · · · · · · · · · · · · ·			- CN276 VR-155 (UVW-1800)
•			: :		- CH277 KY-249/A
	D F H L	M	P R Y UNREG UNREG REG + 12V + 6V + 5V	REG UNREG REG UNREG UNREG GND GND -5 V -8 V -12 V	MB-471/471A BOARD (2/2) BOARD NO.1-648-919-11,21 UVW-1800/1600(UC);#10001- UVW-1800/1600(UC);#10001-
16-163	16_163				16-163








UVW-1800/1600

16-167



16-167

L

16-167

SECTION 17 SEMICONDUCTOR PIN ASSIGNMENTS

この章の図の中には互換性のないダイオード、トランジスタ、 ICが併記されていることがあります。部品を交換するときには 必ず部品表を参照してください。

等価回路はICメーカーのData Bookに従いました。


The chart in this section may sometimes show diodes, transistors, and ICs that are not interchangeable. When replacing a component, be sure to refer to the parts list. The circuit diagram of each IC is obtained from the IC data book published by the manufacturer.

C IMILIAN (SEC						10	2405
DIODE	PAGE	TRANSISTOR	PAGE	IC	PAGE	IC	PAGE
10E-2	17-3	2SC2458		74F00SJ	17-6		17-22
1 1E2	17-3	2SC2655	17-4				17-22
		2SC2715	17-4	AM27C020-150	ODC 17-6	M54532P	17-22
1SS119	17-3	2SC2715Y		AN77L05	17-6		
1SS119TD		2SC2785	17-4			MB4002PF	17-22
1SS303		2SC3012	17-4	BX3914	17-6	MB40568	17-23
1SS304		2SC3332	17-4			MB88201	17-22
1SV160		2SC3399		CX20188	17-7	MB88342PF	17-23
1T33C		2SC3735		CX22017	17-6		
		2SC4176-B35				MC14051BF	17-23
DA204U	17-3	2SC4177-L6		CXA1370Q	17-8	MC14052BF	17-23
DA210S		2SC4178-F13		CXA1450M		MC14053BC	P17-23
DAE100		2SC4213A		CXA1451M		MC14053BF	17-23
KV1470	17-3	200421071		CXA1479Q			17-24
1141470		2SD1020	17-4	CXA1521M		MC14069UB	F17-24
RB441Q	17-3	2SD1021		***************************************			17-24
RD??M		2SD2136		CXD1095Q	17-9		17-24
RD??M-B?		2SD596-DV5		CXD1151Q			8 17-24
HU??M-B?	17-3	2SD773		CXD1171M			F 17-25
OD007 000D	47.0	2SD788		CXD1175AM			2F 1 7-25
SB007-03CP		200/00	17-4	CXD1216M			4N 1 7-25
SB01-05CP	17-3	2SJ106	17.4	CXD2202Q	************		8AN 1 7-26
	470.0			CXD2207Q		141074110400	DAIY 17-60
UZM??B	17-3	2SJ226	17-5	CXD8161AQ		Messeach	10FC 1 7-25
. ==			47.5			MOOZO4CLL	10-0 17-25
LED		2SK209		CXD8165Q CXD8176AQ		N IMOGEODO	1 7-26
		2SK852-X2					1 7-20
GL480	17-3	2SK94-X4	17-5	CXD8243AM.			1 7-19
				CXD8310M			
MISCELLANEOU	JS	DTA123JU		CXD8313Q	17-18		17-26
		DTA144EU	17-5				7-26 A 1 7-26
DM-230				CXK48324Q	17-16		
GP1A30R	17-3	DTC144ES					17-26
		DTC144EU	17-5	HD6435348RA	400F 17-20		1 7-26
TRANSISTOR							A 1 7-26
		· FMS2		L78M09T-FA .	17-19		1 7-26
2SA1020		FMW2					1 7-26
2SA1115		FMW7		L79M05T-FA .		NJM79M09F	A 1 7-27
2SA1141	17-3	FMW8		L79M09T-FA .	17-19		
2SA1150	17-3	FMY3	17-5				1 7-19
2SA1175	17-3			LA7205	17-19	PQ30RV1	1 7-27
2SA1232	17-3	IMX1	17-5				
2SA1319	17-3			LB1620	17-20		L 1 7-27
2SA1610		PT480	17-5				1 7-27
2SA1611				LM1881M	17-19	SC7S32F	1 7-27
				LM2903P			
2SB1094	17-4			LM2903PS		SN74HC00A	N 1 7-27
2SB1416	17-4			LM311PS	17-19		NS 1 7-27
2SB733		•		LM358P	17-19	SN74HC04#	NS 1 7-27
2SB733-34						SN74HC08A	N 1 7-27
2SB810				M51957BFP.	17-22		NS 1 7-27
2SB941				M51957BL	17-22	SN74HC10A	NS 1 7-28

SEMICONDUCTOR INDEX

K	PAGE
SN74HC11ANS	17-28
SN74HC138ANS	
SN74HC157ANS	17-28
SN74HC161AN	17-28
SN74HC164ANS	
SN74HC192NS	
SN74HC266ANS	
SN74HC27ANS	
SN74HC32ANS	
SN74HC541ANS	
SN74HC7266NS	. 17-29
SN74HC74AN	. 17-29
SN74HC74ANS	.17-29
SN74HC86ANS	. 1,7-30
SN74HCU04AN	
SN74HCU04ANS	. 17-27
SN74LS221NS	. 17-30
SRM2016M10	. 17-30
TA7267P	. 17-30
TA78L09S	. 17-26
TC5081AP	
TC74HC123AF	
TC74HC191AF	
TC74HC221AF	
TC7S04F	
TC7S08F	
TC7S32F	17-27
TL062CPS	. 17-31
TL082CPS	
TL084CNS	
TL431CLP	
UPC324G2	
UPC358C	17-19
UPC358G2	
UPC45570	
UPC45700	
UPC4570G2	
UPC4574G2	
UPC78L05T	17-32
UPD4053BC	17-23
UPD42101C-3	
UPD42101G-3	
UPD6453GT	
UPD70320GJ-8	
-5BG	17-36
UPD75028GC	
UPD75048CW	


UVW-1800/1600








MISCELLANEOUS





TRANSISTOR



2SA1020



2SA1115 2SA1150




2SA1141






2SA1175 2SB810





2SA1232




2SA1319





2SA1610 2SA1611




2SB1094

2SB1416

2SB733 2SB733-34





2SC2785 2SD1020 2SD1021



2SC3012





2SC3332








2SC3399 (R1 = 47K, R2 = 47K) DTC144ES (R1 = 47K, R2 = 47K)



2SC2458

2SC2655 2SD788



2SD2136






2SD773






2SJ106

2SC2715 2SC2715Y 2SC3735 2SC4176-B35 2SC4177-L6 2SC4178-F13 2SC4213A 2SD596-DV5




IC


74F00SJ (NS) FLAT PACKAGE TTL 2-INPUT POSITIVE-NAND GATE - TOP VIEW -




AM27C020-150DC (AMD)

C-MOS 2M (262,144x8)-BIT UV ERASABLE PROM - TOP \checkmark IEW -






AN77L05 (PANASONIC) +5V POSITIVE VOLTAGE REGULATOR - FRONT VIEW -




BX3914 (SONY)

CTL REC/PB AMPLIFIER - PRINTED SIDE -




CX22017 (SONY)

VIDEO SIGNAL PROCESSOR - TOP VIEW -




CXA1451M (SONY) WIDEBAND VIDEO SWITCH - TOP VIEW -




INPUT
CONT1, 1 ; POWER SAVE CONTROL PIN OF DRV.1 AND DRV.2
INT1, 2 ; 1/2-CHANNEL INPUT PIN
SWIN1, 2 : IN1/IN2 PINS SWITCH CONTROL PIN

OUTPUT OUT1, 2 SWOUT OUTPUT PIN OF DRV.1/2 OUTPUTS IN1 PIN OR IN2 PIN WHICH HAS BEEN SELECTED BY SWITCH.




CXA1450M (SONY) FLAT PACKAGE

VIDEO SIGNAL SWITCH - TOP VIEW -




CXA1521M (SONY) GAIN CONTROL AMP



CX20188 (SONY)

DOLBY & TYPE AND C TYPE, NOISE REDUCTION SYSTEM - TOP VIEW -



#1; ONE POWER-VCC/2. TWO POWER-#2; ONE POWER-GND. TWO POWER-#3; Vcc-Veg ; +8 to +21V

ANTI SATURATION
CALIBRATION
PE CALIBRATION/REC/ PB SELECT
LLS HIGH PASS FILTER
HLS WAITING
REFERENCE SOURCE CURRENT
LLS HIGH PASS FILTER
LLS WAITING ANTS HWT I REF LHPF LWT LWT _LLS WAITING

OFF/B/C _ODLEY IN OFF/B-TYPE/C-TYPE SELECT

SSK _SPECTRAL SKEWING SWITCH

TCH _WLS DETECTOR TIME CONSTANT

TCL _LLS DETECTOR TIME CONSTANT

VF _ENCODE HEPUT


**LLS | LOW LEVEL STAGE

**LLS | LOW LEVEL STAGE

REC REC O P8 139 PB (+19 841 REC (+) 8 27 *LLS *LLS


CXA1370Q (SONY)

DEMODULATOR/OVER MODULATION COMPENSATOR TOP VIEW -



											(Vec = + 5V)
PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGANL	PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL
1	0	OMC	13	1	DRPV	25	-	Vcc4	37	1	SHREF
2	-	Vcc1	14	-	GN03	26	0	DEMCV	38	1	SHAPL
3	0	MVDC	15	0	880	27	į.	VDGAIN	39	1	SHCLP
4		LMT2	16	0	BAO	28	-	Vec5	40	-	GND6
5	L	LMT1	17	-	Vcc3	29	1	IEXT2	41		LM2IN1
6	-	GND2	18	0	SWO	30		VIIN	42		LM2IN2
7		HFX	19	-	GND4	31	1	IEXT1	43	1	LM1IN1
6	1 1	LDO	20		SW3	32	-	GND5	44		LM1IN2
9	- 1	Vcc2	21	1	SWC1	33	-	Vec6	45	-	Vec7
10	0	DMRC	22	1	SW2	34	0	SHO	46		GND7
11	0	FDEDC	23	1	SWC2	35	0	SHC	47	-	GND1
12	111	DMGAIN	24	1	SW1	36		SHVIN	48	1	REFV


Vec1, GND1: FOR OVER MODULATION COMPENSATOR Vec2, GND2: FOR DEMODULATION COMPENSATOR Vec3, GND3: FOR BUFFER Vec4, GND4: FOR 3 INPUT SWITCH Vec5, GND5: FOR DEMODULATOR Vec6, GND6: FOR SAMPLE HOLD Vec7, GND7: FOR LIMITER



EMPUT
DMGAIN
DRPV
HFX
IEXT1, 2
LM1, 2
LM1, 2
LDO
REFV
SHCLP
SHCLP
SHCLP
SHVIN
SW1 - 3
SWC1, 2
VDGAIN
VIIN


FOR RESISTOR
VIDEO SIGNAL
SWITCH CONTROL
FOR RESISTOR
OVER MODULATION COMPENSATE LIMITER
DEMODULATE LIMITER
SWITCH CONTROL
REFERENCE VOLTAGE
FOR RESISTOR
SAMPLE HOLD PULSE
SAMPLE HOLD PULSE
SAMPLE HOLD REFERENCE VOLTAGE
SAMPLE HOLD DEMODULATE VIDEO
3 INPUT SWITCH
3 INPUT SWITCH
GAIN CONTROL
CAIN CONTROL
CAIN CONTROL
CAIN CONTROL
VOLTAGE

DEMODULATOR
VARIABLE DEEMPHASIS CONSTANT
FIXED DEEMPHASIS CONSTANT
FIXED DEEMPHASIS DECOUPLING
MONOMULTI DECOUPLING
OVER MODULATION COMPENSATER
SAMPLE HOLD CAPACITY
SAMPLE HOLD
3 INPUT SWITCH




CXA1479Q (SONY)

PB RF SIGNAL PROCESSOR FOR VTR - TOP VIEW -





PIN NO.	1/0	SIGNAL	PIN NO.	1/0	SIGNAL.	PIN NO.	1/0	SIGNAL	PIN NO.	1/0	SIGNAL
1		CHSW CONT	13	ı	OFF SET1	25	-	EQ2(A)IN	37	0	AB RF OUT
2	1	OFF SET2	14	1	IN A	26	ı	EQ2(MAIN)CNT	38	-	AMP Vcc
3	0	AOR OUT	15	T	EQSEL	27	-	EQ2(8)IN	39		RF(A)IN
4	1	ENV(B)	16	1	IN B	28	-	EQ2 Vcc	40	-	GND
5	1	ENV(A)	17	-	DCPL1	29	0	EQ1 OUT	41	- 1	RF(B)IN
6	0	TH OUT	18	0	DO EQ	30	1	EQ1 CONT	42	-	RF Vcc
7	1	TH CONT	19	-	DO Vec	31	-1	EQ1(B)IN	43	I.	RF(C)IN
8	0	DO OUT	20	=	EQ GND	32	-	EQ1 Vcc	44	-	GND
9	0	REF	21	0	EQ2(MAIN)OUT	33	1	EQ1(A)IN	45	1	RF(D)IN
10	1	ENV IN	22	-	GND	34	1	GAIN CNT	46	-	AMP Vcc
11	0	DET OUT2	23	0	EQ2(SUB)OUT	35	0	SWD RF	47	0	CD RF OUT
12	0	DET OUT1	24	1	EQ2(SUB)CNT	36	1	RF LEVEL	48	1	MODE CON

CXD1095Q (SONY) FLAT PACKAGE C-MOS I/O PORT EXPANDER - TOP VIEW -




PIN NO.	IN	OUT	SYMBOL	PIN NO.	IN	оит	SYMBOL	PIN NO.	IN	OUT	SYMBOL	PIN NO.	1N	out	SYMBOL
1			NC	17	0	0	PC6	33			NC	49	0	0	PXO
2			NC	18	0	0	PC7	34	_		NC	50	0	0	PX1
3	0	0	PB1	19			NC	35	0	Ó	D3	51			NC
4	0	0	PB2	20	0	0	PDO	36	0	0	04	52	0	0	PX2
5	0	0	P83	21	0	0	PDI	37	0	0	05	53	0	0	PX3
6	0	0	P84	22	0	0	PD2	38	0	0	06	54	0	0	PAO
7	0	0	P85	23	0	0	PD3	39	0	0	07	55	0	0	PAI
8	0	0	PB6	24	0	0	PD4	40	0		CLR	56	0	0	PA2
9	0	0	PB7	25			GND	41	0		RST	57			GND
10			GND	26	0		V00 (+5V)	42			GND	58	0		V001+5V1
11	ि	0	PCO	27	0	0	P05	43	0		WR	59	0	0	PA3
12	0	0	PCI	28	0	0	P06	44	0	1	RD	60	0	0	PA4
13	0	0	PC2	29	0	0	P07	45	0		CS	61	0	0	PA5
14	0	0	PC3	30	0	0	00	46	0		AO	62	0	0	PA6
15	0	0	PC4	31	0	0	DI	47	0		A1	63	0	0	PA7
16	0	0	PC5	32	0	0	D2	48	0		A2	64	0	0	PBO






CXD1171M (SONY) FLAT PACKAGE C-MOS 8-BIT D/A CONVERTER - TOP VIEW -




CXD1151Q (SONY)


C-MOS VIDEO SIGNAL PROCESSOR FOR BETACAM TOP VIEW -



PIN	ASSIGNMENT


Pin NO.	1/0	SIGNAL	Pin NO.	1/0	SIGNAL	Pin NO.	1/0	SIGNAL	Pin NO.	1/0	SIGNAL
1	1	RDO	21	_	8D8	41		N C	61		NC
2	1	RD1	22	-	Vss (GND)	42	-	Vss (GND)	62	1	COFF
3	-	RD2	23	0	TMO	43	0	CTDO	63	1	FP1
4	1	RD3	24	0	TM1	44	0	CTD1	64	1	FP2
5	1	RD4	25	0	TM2	45	0	CTD2	65	- 1	CFFD
6		RD5	26	0	TM3	46	0	CTD3	66	1	CFID
7	1	RD6	27	0	TM4	47	0	CTD4	67	1	VO
8		RD7	28	0	TM5	48	0	CTDS	68	l i	BLK2
9	1	RDB	29	ō	TM6	49	0	CTD6	69		SH
10	1	TSL2	30	0	TM7	50	0	CTD7	70	1	CLPI
11	1	TSL3	31	0	TMB	51	0	CTD8	71	0	CLPO
12	-	Vss (GND)	32	0	TM9	52	-	Ves (GND)	72	1	XRST
13	1	800	33	1	Vpp (+5V)	53		NC	73	1	Voc (+5V)
14	1	BD1	34	1	TMOD	54		NC	74	1	TST1
15	,	BD2	35	1	TMEN	55		NC	75	1	TST2
16	1	803	36	1	TSL 1	56		NC	76	Ī	ZSHT
17		BD4	37	1	BLK!	57		NC	77	1	RCK
18		BD 5	38	ı	MODE1	58		NC	78	1	WCK
19		806	39	1	MODE2	59		NC:	79	1	RZERO
20	1	BDZ	40	11	MODES	60		NC	80	1.	WZERO





CXD8310M (SONY)

C-MOS GATE ARRAY




38 39

78 77 80 79 76 WCK RCK WZERO RZERO


MODE MODE3 TSL1 TSL2 TSL3 36 11 34 35 74 TMOD TMEN TST 1

CXD1175AM (SONY) FLAT PACKAGE C-MOS 8-BIT 20MSPS VIDEO A/D CONVERTER - TOP VIEW -




	INPUT SIGNAL	DATA OUTPUTS											
STEP	VOLTAGE	D7	D6	D5	D4	D3	D2	D1	DO				
0	OV (VRT)	1	1	1	1	1	1	1	1				
1	0.01V	1	1	1	1	1	1	1	0				
		1	-	:	1	1	-	:					
- 1	1	1 :	1	1.5	. :	:	1	E	:				
127	1.34V	1.	0	0	0	0	0	0	0				
128	1.35V	0	1	1	1	1	1	1	1				
-		7	1:		-	1	1	1	:				
:	!		1 :	:	1	1	1	:	:				
255	2.7V (VRB)	0	0	0	0	0	0	0	0				

0 : LOW LEVEL




CXD1216M (SONY) FLAT PACKAGE C-MOS GENLOCK DRIVER



INF		MODE	SYSTEM
MODE1	MODE2	MODE	31316#
0	0	MI	PAL-VBS
1	0	M2	PALM-VBS
0	1	МЗ	PALSECAM-VS/SC/LALT
1	1	M4	NTSC-VBS,NTSC-VS/SC PALM-VS/SC/LALT

0 : LOW LEVEL 1 : HIGH LEVEL



EPUT

CK: 41±0 CLOCK INPUT

ESC: 5C/COLOR BURST

HD: HD HASE COMPARATE FROM CXD1217

HD: HD DRIVE FROM CXD1217


ISC: SUBCARRIER FROM CXD1217

LALT: LALT FROM REFERENCE SIGNAL GENERATOR


MODE1,2: SYSTEM SELECT

SYNC: SYNC FROM REFERENCE SIGNAL GENERATOR

OUTPUT
HOOM: PHASE COMPARATOR HR WITH MD
HR: fiv OF SYNC SEPARATE
INT_EXT: INTERNAL_EXTERNAL SPECIFIED
LALTR: LINE CHANGE RESET
SCOOM: PHASE COMPARATOR ESC WITH ISC
TGC: TRISTATE CONTROL
VR: fv OF SYNC SEPARATE



								•			(Vob = + 5V)
PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL
1	1	FG1/IP24	26	1/0	IOP2	51	1/0	D7	76	0	PPG11/0P21
2	1	FG0/IP23	27	1/0	IOP1	52	1/0	D6	77	0	PPG10/OP20
3	1	PBH/IP22	28	1/0	IOP0	53	1/0	D5	78	0	PPGOF/OP17
4	1	SYNC1/IP21	29	-	PWM VDD	54	1/0	D4	79	0	PPGOE/OP16
5	1	SYNCO/IP20	30	0	PWM7/0P37	55	1/0	D3	80	0	PPGOD/OP15
6	1	FG02/IP14	31	0	PWM6/OP36	56	1/0	D2	81	0	PPGOC/OP14
7	1	FG01/IP13	32	0	PWM5/0P35	57	1/0	D1	82	0	PPG08/0P13
8	i i	FG00/IP12	33	0	PWM4/0P34	58	1/0	DO	83	0	PPGOA/OP12
9	I	CTL/IP11	34	0	PWM3/0P33	59	-	Vss	84	0	PPG09/0P11
10	- 1	LAT/IP10	35	0	PWM2/OP32	60,	1	RES	85	0	PPG08/0P10
11	-	VDO	36	0	PWM1 / OP31	61	1	MD1	86	0	CLKO
12	T	UD/IP07	37	0	PWM0/0P30	62	1	MD0	87		EXTAL
13	11	CCLK/IP06	38	-	Vss	63	-	VDD	88	0	XTAL
14	1 1	FGC1 / IPO5	39	T	AS14	64	1	WR	89	-	Vss
15	1	FGCO/IPO4	40	1	AS13	65	1 1	RD	90	0	PPG07/0P07
16	1	FGB1/IP03	41		A15	66	1	CE	91	0	PPG06/0P06
17	1	FGB0/IP02	42	-	A14	67	0	IREQ2	92	0	PPG05/0P05
18	1	FGA1/IP01	43	1.	A13	68	0	IREQ1	93	0	PPG04/0P04
19		FGAO/IPOO	44	1	. A6	69	0	IREOD	94	0	PPG03/0P03
20	-	Vss	45	-	A5	70	1 1	FXSEL	95	0	PPG02/0P02
21	1/0	IOP7	46	1	A4	71	0	OP26	96	0	PPG01 / OP01
22	1/0	IOP6	47	1	A3 _	72	0	EXCST/OP25	97	0	PPG00/0P00
23	1/0	IOP\$	48		A2	73	0	EXCSO/OP24	98	1	FG12/IP27
24	1/0	IOP4	49	1	A1	74	0	PPG13/OP23	99	1	FG11/IP26
25	1/0	IOP3	50		A0	75	0.	PPG12/OP22	100	1	FG10/IP25



INPUT

AO - A15

AS13, AS14

SELECTING CONDITION OF ADDRESS DECODER

AS13, AS14

SELECTING CONDITION OF ADDRESS DECODER

AS13, AND AS14 BITS

CCLK

B-BIT COUNTER CLOCK INPUT

CE

CHIP ENABLE

CTL

RESOLUTION 2.5MH2 WITH EDGE SELECT FUNCTION.

WITH FREQUENCY DIVISION MASK TIMER

EXTAL

CRYSTAL OSCILLATION OR EXTERNAL CLOCK INPUT

FG0

FG00 - FG02

FREQUENCY DIVISION ENABLE RESOLUTION 2.5MH2.

WITH FREQUENCY DIVISION MASK TIMER

FG1

GEOSE SELECTION ENABLE RESOLUTION 1.0MH2

FG11, 12

FREQUENCY DIVISION AND FROM

DETECTION AND 4FG COUNT (UP/DOWN) BY FG00

AND FGA1, 1.0

BITS. UP/DOWN IS MADE BY

CONTROLLING THE UP/DOWN OF B-BIT COUNTER.

FG40

GAPTURE THROUGH MASK TIMER.

*1 : SELECTS ONE OF FGA0 TO FGC1 INPUT AND

DETECTS BOTH EDGES AND FROM THE FFC

CAPTURE THROUGH THE MASK TIMER.

FGC0

FGC1

*1 : SELECTS ONE OF FGA0 TO FGC1 INPUT AND

DETECTS BOTH EDGES AND FROM THE FFC

CAPTURE THROUGH THE MASK TIMER.

FGC0

FGC1

*1 : SELECTS ONE OF FGA0 TO FGC1 INPUT AND

DETECTS BOTH EDGES AND FERFORM THE FFC

CAPTURE THROUGH THE MASK TIMER.

FREQUENCY DIVISION SELECTION OF CLOCK INPUT

AND

DETECTS BOTH EDGES AND FERFORM THE FFC

CAPTURE THROUGH THE MASK TIMER.

FREQUENCY DIVISION SELECTION OF CLOCK INPUT

MD0, 1

TEST MODE DESIGNATION

PBH INPUT OF COMPOSITE SYNC OR V SYNC.

RESOLUTION 1.0MH2 WITH HALF H KILLER.

FCC1

FCC2

FREQUENCY DIVISION SELECTION OF CLOCK INPUT

WRITE

XOUTPUT

CLOCK CUTPUT

SPG00 - PPG00

FREGO INTERRUPTION SIGNAL OF FFC CAPTURE UNIT

FREQUENCY DIVISION OF PRG00 WITH HLOCK

PPG00 - PPG01 - PPG10

FREQUENCY DIVISION OF PRG00 WITH HLOCK


PPG00 - PPG01 - PPG10

DATA BUS

CONTROL


CXD2207Q (SONY)


C-MOS TBC WRITE CLOCK GENERATOR FOR BETACAM



PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL
1	0 1	SYNC	26		FOPO	51		PBE	76.		SVLK
2		BLK	27	11	SHOT	52	1	NOS	77		SVD
3	1	VIN4	28	1	BCPI	53	1	SPD	78		OFF
4	1	REF3	29	0	BCPO	54	1	R20	79	0	IOCK .
5	1	VIN3	30	1	EOPX	55	1	FBID	80	0	CS
6	0	VOT3	31	0	EOPO	56	1	DO	81	1/0	MO0
7	1	Al3	32	-	AGND	57	1	GBD	82	-	GND
8		ACPI	33		Al2	58	1	GAT	83	1/0	MO1
9	- 1	AGND	34	1	DOPI	59	-	GND	84	1/0	MO2
10		ACPX	35	- 1	DOPX	60	1	GH	85	1/0	MO3
11	0	ACPO	36	0	DOPO	61	0	WCP	86	1/0	MO4
12	1 1	SMPL	37	1	VCOI	62	0	ACP	87	1/0	MO5
13	1	CHIN	38	1	VCEN	63	0	TOUT	88	1/0	MO6
14		BOPX	39		MD1	64	0	AZ2	89	1/0	MO7
15	11	BOPO	40	1	MD2	65	0	AZ1	90		AMD
16	1	SHC1	41	1	INT	66	0	WZ	91		VIN2
17		SHC2	42	.1.	YC	67	1	CKN	92	1	REFI
18	1 1	SH2I	43	T	TMOD	68	0	GCK	93		REF2
19	0	ERI	44	1	TCK	69	0	ACK	94	L	VIN1
20	0	ER2	45		TDAT	70	0	XCK	95		AOPI
21	-	AVDO	46	-	BTS	71	-	VDD	96		AOPX
22	1	COPI	47	1	REST	72	0	CH	97	0	AOPO
23	1	COPX	48	-	VDD	73	0	SSH	98	-	AVDO
24	0	COPO	49	1	DDF	74	0	DCP	99	1	Al1
25	11	FOPX	50	0	SHO	75	1	ERR	100		CCPI

(VDO = AVDO = + 5V)






											1100 - 10 1
PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL
-	1/0	DOL	21	1/0	D7R	41	1/0	D6M	61	1	A10L
2	1	WRL	22	1/0	D6R	42	1/0	D5M	62	1	A9L
3	1	RDL	23	1/0	D5R	43	1/0	D4M	63		A8L
4	0	WAITL	24	1/0	D4R	44	1/0	D3M	64		A7L
5	1	CSL	25	1/0	DBR	45	1/0	D2M	65	1	A6L
6	1	CKL	26	1/0	D2R	46	-	Voo	66	1	A5L
7	-	NC	27	1/0	DIR	47	1/0	DIM	67	1	A4L
8	-	NC	28	1/0	DOR	48	1/0	DOM	68		A3L
9		ATOR	29	T	WRR	49	0	AOM	69	I	A2L_
10		ASR	30	1	RDR	50	0	AIM	70	1	A1L
11		ASR	31	0	WAITE	51	0	A2M	71	-	GND
12	-	GND	32	ı	CSR	52	0	MEA	72	-	Vpo
13		A78	33	-	GND	53	-	GND	73	1	AOL
14	1	A6R	34	-	Voo	54	0	A4M	74	1/0	D7L
15	1	A5R	35	1	CKR	55	0	A5M	75	1/0	D6L
16	1	A4R	36	1	CKT	56	0	A6M	76	1/0	D5L
17	1	A3R	37	0	WEM	57	0	A7M	77	1/0	D4L
18	1 1	A2R	38	ō	OEM	58	0	ASM	78	1/0	D3L
19	11	AIR	39	ō	CEM	59	0	A9M	79	11/0	D2L
20	1	AOR	40	1/0	D7M	60	0	A10M	80	1/0	DIL

CXD8243AM (SONY) FLAT PACKAGE

C-MOS DIGITAL YC SEPARATOR/DECODER/CTDM CLOCK GENERATOR - TOP VIEW --




###UT
: BURST FLAG
: BURST FLAG
: BURST FOR PHASE COMPARISON
CBLK : CHROMA BLANKING PULSE
: RIGGER PULSE FOR BURST SAMPLING
: TRIGGER PULSE FOR BURST SAMPLING
: SIGNAL FORMAT SELECT (* 1)
: SIGNAL FORMAT SELECT (* 2)
: SIGNAL FORMAT SELECT (* 2)
: SIGNAL FORMAT SELECT (* 2)
: TRAPEZOID SAMPLING
: BURST FLAG
: CHROMA BLANKING PULSE
: TRAPEZOID SAMPLING
: BURST FLAG


: CHROMA BLANKING PULSE
: TRAPEZOID SAMPLING
: BURST FLAG

: CHROMA BLANKING PULSE
: TRAPEZOID SAMPLING
: BURST FLAG


: CHROMA BLANKING PULSE
: TRAPEZOID SAMPLING
: BURST FLAG
: CHROMA BLANKING PULSE
: TRAPEZOID SAMPLING PULSE
: SIGNAL FORMAT SELECT (* 2)
: BURST FLAG
: CHROMA BLANKING PULSE
: TRAPEZOID SAMPLING PULSE
: SIGNAL FORMAT SELECT (* 2)
: BURST FLAG
: SIGNAL FORMAT SELECT (* 2)
: TRAPEZOID SAMPLING PULSE
: TRAPE



CX08165Q (SONY) FLAT PACKAGE C-MOS REFERENCE SYNC GENERATOR - TOP VIEW -




PIN No.	1/0	SIGNAL	PIN No.	10	SIGNAL	PIN No.	10	SIGNAL	PIN No.	1/0	SIGNAL
1	-	NC	41	-	NC	81	-	NC	121	-	NC
2	-	NC	42	-	NC	82	-	NC	122	-	NC
3	-	GND	43	-	GND	83	-	GND	123	-	GND
4	1/0	VBL	44	1	HR	84	1	TM2	124	-	NC
5	1/0	'OBBL	45	1/0	LALT	85	0	OSC	125	0	VD0
6	1/0	OVD	46		ALTR	86	.]	SD1	126	0	VD1
7	1/0	OFOE	47	1	CLR	87	1	SCK	127	0	VD2
8	0	CFDET	48		CK27	68		STRB	128	0	VD3
9	0	OSYNC	49	0	CK13	89	1/0	PDO	129	0	VD4
10	1	VOVR	50		HCK	90	1/0	PD1	130	0	VD5
11	-	GND	51	-	GND	91	-	GND	131	-	GND
12	0	OVR	52	1	SM1		1/0	P02	132		VD6
13	0	READV	53		SM2		1/0	PD3	133		VD7
14		VP0	54		SM3	94	1/0	PD4	134		VISP
15	T	VP1	55	0	PHO	95	1/0	PD5		1/0	BST
16	1	VP2	56		PHI	96	1/0	PD6		1/0	028H
17	1	VP3	57	0	PH	97	1/0	P07	137	1/0	HS
18	1	ADV	58	0	CLP	98		PCK	138	0	RZ
19	-	GND	59	-	GND	99	-	GND	139		GND
20	-	NC	60	-	NC	100	-	NC	140	1-	NC
21	-	VDD	61	-	NC	101	-	VOD	141		VDO
22	1	CONF	62	1/0	EQ	102	T	SYCK		1/0	F2H
23	1	SDL	63	1/0	VS	103	1	ADOE	143	1/0	FH
24	T	CSDL	64	0	PALT	104	1	CNT	144	1	FLK2
25	0	RSID	65	11/0	R2BH	105	0	·SWR	145		VITE
26	0	RBG	66	11/0	RHBL	106	0	SWS	146		VIEX
27	10	SCBL	67	11/0	OHBL	107	1	SCLD	147	_	YBL
28	0	RBLK	68	11/0	OHFB	108	L	VISC	148	0	CBL
29	! -	GND	69	_	GND	109	0	UDO	149		BCAM
30	10	RSYNC	70	. 0	18F	110	0	UD1	150	0	ENBL
31	10	RVD	71	1	P8F	111		UD2	151		CID8
32	10	REOE	72	11/0	12H	112	0	UD3	152	-	CIDR
33	0	R8F	73	10	INTH	113	0	UD4	153		VISB
34	11	EXVR	74	! !	TM1	114	0	UD5	154		VISR
35	1.1	SEXT	75	1	TCI	115	0	UĐ6	155		OSID
36	0	BEXT	76	1	FSC4	116	0	UD7	156	0	JUC
37	-	VDD	77	-	VDD	117	-	VDD	157		VDD
38	i I	TGC	78	-	NC	118	- 1	l NC	158	3! -	NC
39	-	NC NC	79	-	NC	115	1 -	I NC	159		NC
40	-	NC NC	BO	-	, NC	120) -	I NC	160) -	NC



CXK48324Q (SONY)

C-MOS 2.4M (960x306x8) BITS 3 PORTS VIDEO FIELD MEMORY — TOP VIEW —




							(\	$t_{00} = +5 \text{ V}$
PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGANL	PIN No.	1/0	SIGNAL
1	-	Voo	23	- 1	NC	45		VCLR2
2	0	D013	24		TE	46		OE2
3	0	D012	25	-	NC	47	1 1	CKR2
4	0	D011	26	-	NC	48	0	DO27
5	101	D010	27		RM	49	0	DO26
6		CKR1	28	i i	HCLRO	50	0	DO25
7		· 0E1	29		INCO	51	0	D024
8		VCLR1	30	1	VCLRO	52	1 - 1	Vob
9		INC1	31		WE	53	-	GND
10	i I. I	HCLR1	32		CKW	54	0	DO23
11	1	ADD3	33	-	NC	55	0	DO22
12	1 1	ADD2	34	- 1	Vco	56	0	DQ21
13	1 1 1	ADD1	35	1 1	DIN7	57	0	DQ20
14	1 1 1	ADDO	36	1 1	DIN6	58	-	GND
15		APM	37	1 1	DIN5	59	- :	Vco
16	-	NC	38		DtN4	60	0 :	DO17
17	- 1	NC	39	1	DIN3	61	0	D016
18		GND	40	1	DIN2	62	0	D015
19	-	NC	41	j., l	DIN1	63	0	DO14
20	-	NC	42	1	DINO	64	1 - 1	GND
21	- 1	NC	43		HCLR2			
22		NC	44	i I	INC2	Г)	


INPUT
ADDO - ADD3
APM
CKR1, CKR2
CKW
DINO - DIN7
HCLR0 - HCLR2
INCO - INC2
RM
TE
VCLR0 - VCLR2
WE ADDRESS INPUT ADDRESS PRESET MODE ENABLE PORT 1 OR 2 SHIFT SIGNAL INPUT PORT 0 SHIFT SIGNAL INPUT PORT 0 DATA INPUT PORT 0 - 2 HORIZONTAL CLEAR PORT 0 - 2 LINE INCREMENT RECURSIVE MODE ENABLE TEST MODE ENABLE PORT 0 - 2 VERTICAL CLEAR PORT 1 OR 2 OUTPUT ENABLE PORT 1 OR 2 OUTPUT ENABLE PORT 1 OR 2 OUTPUT ENABLE

OUTPUT DO10 - DO17 DO20 - DO27

PORT 1 DATA OUTPUT




CXD8161AQ (SONY) FLAT PACKAGE C-MOS DIGITAL Y/C SEPARATOR & CHROMA DECODER - TOP VIEW -



PIN	1/0	SIGNAL	PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL	PIN	1/0	SIGNAL
No.		GND	31		GND	61	-	GND	91	_	GND
<u> </u>	-		32	-	009	62	0	Y02	92	0	801
2	0	PEW		1		63	0	Y03	93	0	BO0
3	0	PES	33	-	DOS		0		94	0	ROS
4	1	819	34		D07	64	-	Y04	_		ROS
5		BIB	35		006	65	0	Y05	95	0	
6		B17	36	-	DO5	66	1	OE	96	-	HOD1
7	1	816	37	1	DO4	67		RND	97		HOD2
8	1	8(5	38	1	DO3	68	-	B67	98		HOD3
9		814	39	1	DO2	69		CO	99	1	HOD4
10		813	40	1	DO1	70	0	Y06	100	0	R07
11		BI2	41	- 1	D00	71	0	Y07	101	0	R06
12	1	Bil	42	1	MRST	72	0	Y08	102	0	R05
13	1	B10	43	0	DRST	73	0	Y09	103	0	RO4
14	-	Voo	44	-	Voo	74	-	Voc	104	-	Voo
15	-	GND	45	-	GND	75	-	GND	105	-	GND
16	0	BCEW	46	I	DI9	76	0	809	106	0	RO3
17	0	BCES	47	1 1	DIS	77	0	808	107	0	RO2
18	0	RCEW	48	T	D17	78	0	BO7	108	0	RO1
19	0	RCES	49	1	Di6	79	0	BO6	109	0	ROO
20	1	RIS	50	1	DIS	80	1	TMODO	110	1	CLP
21		RIS	51	1	DI4	81	T	TMOD1	111	1	CBLK
22		RI7	52	1	DI3	82	1	TMOD2	112	1	YISC
23		RI6	53	1	DI2	83	11	TMOD3	113	1	HBLK
24		RI5	54	1	DII	84	1	TMOD4	114	1	BPF
25		RI4	55	1	DIO	85	1	PMO	115	i	BW
26	1	RI3	56	T	CMOD2	86	1	PM1	116	1	LALTI
27	1	RI2	57	1	CMOD1	87	0	BO5	117	0	LALTO
28	1	RII	58	T	CMODO	88	0	BO4	118	1	PH1
29	i	RIO	59	0	Y00	89	0	BO3	119	I	PHO
30	1	HIZ	60	0	YOT	90	0	BO2	120	1 1	CLK

(Vnc = +5V)



MPUT		
B67	: CORRELATION DETECT SENSITIVITY SEI	LECT
	(H: 6 BITS/L: 7 BITS)	
BIO - BI9	: B-Y DATA (COMPONENT MODE)	
0.00	. I . DAND DACC OF TED COLECT	
BPT	COMPOSITE SIGNAL THROUGH OUT CO	MTRO
CBLK	CHROMA BLANKING PULSE	MI I I I I
CHLK		
CLK	; CLOCK	
CLP	CLAMP PULSE	
# 1) CMOD0 D2	Y/C CORRECATION MODE SELECT	
co	: CHROMA DECODE CONTROL	
DIO DI9	2H DELAY DATA (COMPOSITE MODE) 1	for NTSC
	4H DELAY DATA (COMPOSITE MODE) 1	for PAL/PAL-M
DO0 - DO9	: 1H DELAY DATA (COMPOSITE MODE) 1	for NTSC
	2H DELAY DATA (COMPOSITE MODE) 1	for PAL/PAL-M
HBLK	H BLANKING PULSE	
HIZ	PULSE CONTROL	
LALTI	: LINE ALTERNATE	
* 2) MODE1 - MODE4		
# Z) MODE! - MODE	; RESET	
	OUTPUT ENABLE	
OE PHO, PH1	REFERENCE PHASE for CHROMA DECO	DE and
PHO, PH1	HEFERENCE PHASE for CHROMA DECOM	DE and
	VLSC GENERATION	
PMO, PM1	PHASE SHIFT CONTROL	
RIO - RI9	COMPOSITE DATA (COMPOSITE MODE)	
	R-Y DATA (COMPONENT MODE)	
	CHROMA DATA (CHROMA MODE)	
RND	OUTPUT ROUND OFF SELECT	
TMOD0 - D4	TEST MODE/BPF STAGE SELECT	
VISC	VIRTICAL INTERVAL SUB-CARRIER CON	TROL


CHECKET		
BOEC	: B-Y CLAMP ERROR SENSE	
BCEN BCES	BY CLAMP ERROR WIDTH	
900 POP	BY DATA (B 09: MSB)	
OUTPUT BCES BCEW BOO - BO9 DRST	CUTTONIAL DELAY LINE DECET	
DHST	EXTERNAL DELAY LINE RESET	
LALTO	LINE ALTERNATE	
PES	: PHASE ERROR SENSE	
PEW RCES	; PHASE ERROR WIDTH	
RCES	PHASE ERROR WIDTH R-Y CLAMP ERROR SENSE	* 2)
RCEW	: R-Y CLAMP ERROR WIDTH	MODE2 MODE1
RO0 - RO9	: R-Y DATA (RO9 : MSB)	
Y00 - Y09	RY CLAMP ERROR WIDTH RY DATA (RO9: MSB) Y DATA (YO9: MSB)	0 0
	·	0 1
		1 0
		1 1
* 1)		
Chappeler (Con IC)	ACCOL MODE	MODE4 MODE3

QD2	(CMOD)	CMOD0		- [
0	0	0	0-1 FIX	- 1
0	0	1	1-2 FIX	- 1
0	1	0	0-1-2 FIX	- 1
0	1	1	8PF FIX	Ŀ
t	0	0	0-1/1-2/0-1 ADAPTIVE	- 5
1	0	1 1	0-1/1-2/1-2 ADAPTIVE	1
1	1	0	0-1/1-2/0-1-2 ADAPTIVE	
1	1	1	0-1/1-2/0-1-2/8PF ADAPTIVE	
LOV	V LEVEL		0-1 : UPPER 2 LINE COMB FILTER	


D : LOW LEVEL

COMPOSITE DATA BPF COMB FILTER VISC DELAY DELAY DETECT 93,92 90-87 79-76 PHASE ERROR DET 13 PES 13 PEW CMODO 98 | CMODO 57 | CMODO 95 | CMODO 95 | CMODO 97 | CMODO 97 | CMODO 99 | 19 RCES CLAMP ERROR DET 17 BCES


CXD8313G (SONY)
C-MOS TBC
- TOF VIEW -




PIN No.	1/0	PIN HAME	PIN No.	1/0	PIN NAME	PIN No.	10	PIN NAME	PIN No.	1/0	PIN NAME
1	-	GND	41	_	GND	81	-	GND	121	-	GND
2	1	FWDXREV	42	1/0	RMAB	82	0	RBWLN	122	1	DIN9
3		X13	43	1/0	RVCLR	83	0	COMPBLK	123	1.	DINS
4		NOIPB	44	1/0	WMAB	84	0	VBLK2	124		DIN7
5		HEE	45	1/0	WYCLR	85	0	VBLK1	125		DIN6
6	1	HINPHASE	46	1/0	TOTO	38	0	ADVVBLK	126		DIN5
7		SHIFTINH	47		TST5	87	0	ADDTHRU	127		DIN4
8	0	VSCEXFP1	48	1	TST4	88	0	RDIZ	128	1	DIN3
9	0	VSCDTFP2 .	49	-	TST3	89	0	RCK	129	1	DIN2
10	-	GND	50	-	GND	90	-	GND	130	-	GND
11	1	OSCON	51		TST2	91	0	VCLR2	131	1	DIN1
12	1	MOD6	52	1	TST1	92	0	INC2	132		DINO
13		DT	53	1	TSTO	93	0	HCLR2	133		WCK
14		DTX3	54	1	RLMOFF	94	0	MRCK2	134		WZ
15		PBOE	55		FLMOFF	95	0	VCLR1	135	1	ADVWZ
16	1	DTV	56		MOD11	96	0	INC1	136		WCLP
17	1	SVV	57	T	MOD10	97	0	HCLR1	137		VISCCMUT
18	1	SWP	58	1	MOD7	98	0	MRCK1	138	1	PRCK
19	1	FRX3020	59	-	GND	99	0	VCLR0	139	-	GND
20	-	Vpo	60	-	Voo	100	-	Voo	140	-	Voo
21	0	BINS	61	1/0	BID	101	0	INCO	141	1	PRZ
22	0	WINS	62	1/0	BIDDIR	102	0	HCLR0	142	1	PBSYNC
23	0	BWBLK	63	1	MOD4	103	0	DOCLR	143	0	WBLK
24	0	WHITECNT	64	1	MOD3	104	0	MWCK	144	1/0	GH
25	1 1	DO	65	1	MOD2	105	0	WE	145	0	SHW
26	1/0	PB16H	66	11	MOD1	106	0	DOUTO	146	1/0	SD01
27	1/0	PB2H	67	1 1	JUC	107	0	DOUT1	147	1/0	GB
28	0	COUNTERV	68	1	SGBLK	108	0	DOUT2	148	0	WDIZ
29	1/0	PBV	69	1 1	REFOE	109	0	DOUT3	149	1/0	FBID
30	-	GND	70	-	GND	110	-	GND	150	-	GND
31	0	WRITEV	71	1 1	READV	111	0	DOUT4	151	1/0	FFB
32	0	WOE	72	1	RZ	112	0	DOUT5	152	1/0	FRB
33	1/0	WVISCID	73	1	R456FH	113	0	DOUT6	153	0	FF30C0FF
34	0	RVISCID	74	11	R28H	114	0	DOUT7	154		FR30HDL
35	1/0	RVSET	75	1. 1	R2FH	115	-	-	155	1	THRU2
36	1/0	WENP	76	11	HCK	116	0	DOUT8	156	1	THRU1
37	1/0	RENP	77	1	SDATA	117	0	DOUT9	157	1/0	NOSIG
38	11	LEVTST	78	1	SLD	118	0	SDO2WDO	158	0	PDSCONT
39	11	CLR	79	11	SCK	119	1	HOE	159	0	SPDPWM
40	1 -	VDD	80		Vpp	120		VDD	160) -	Voo




L78M09T-FA (SANYO) + 9V 0.5A P005SZ51 (SHARP) + 5V 1A POSITIVE VOLTAGE REGULATOR




L79M05T-FA (SANYO) -5 V L79M09T-FA (SANYO) -9 V NEGATIVE VOLTAGE REGULATOR (500 mA)




LA7205 (SANYO)
AGC AMP, INPUT SELECT, AGC DET, COMPARATOR
- SIDE VIEW -



LM1881M (NS) FLAT PACKAGE VIDEO SYNC SEPARATOR - TOP VIEW -





LM358P (TI)
UPC358C (NEC)
UPC358G2 (NEC) FLAT PACKAGE
DUAL OPERATIONAL AMPLIFIERS
- TOP VIEW -




LM2903P (TI) LM2903PS (TI) FLAT PACKAGE NJM2903D (JRC) DUAL VOLTAGE COMPARATORS - TOP VIEW -





LM311PS (TI) FLAT PACKAGE

VOLTAGE COMPARATOR WITH STROBE

- TOP VIEW -










	SOURCE / SINK		FRC		
	SOUNCE / SINK	U	V	W	rno
. [W PHASE→V PHASE			0	. 0
'	V PHASE-W PHASE	1	'		1
$\overline{}$	W PHASE-U PHASE		0	0	0
2	U PHASE-W PHASE	1	0		1
3	V PHASE-W PHASE	- 0	0	1	0
3	W PHASE→V PHASE	٠,			1
. [U PHASE→V PHASE	0	1	۵	0
٩!	V PHASE→U PHASE	۰			1
5	V PHASE→U PHASE	_	В		0
9	U PHASE→V PHASE	1	, ,		1
6	U PHASE→W PHASE	_			0
9	W PHASE→U PHASE	0	1	1 1	1


0 : LOW LEVEL

NPUT CD FCU FCV FCW FRC RF STOP UIN1, UIN2 VC VIN1, VIN2 WIN1, WIN2 CURRENT DETECTION
PHASE COMPENSATION
PHASE COMPENSATION
PHASE COMPENSATION
DIRECTION CONTROL
CURRENT DETECTION
OVERCURRENT PROTECTION
VERCURRENT PROTECTION
VERCURRENT PROTECTION
VERCURRENT PROTECTION
VERCURRENT
VERCURREN


: U PHASE OUTPUT : V PHASE OUTPUT ; W PHASE OUTPUT





HD6435348RA00F (HITACHI) C-MOS 8-BIT 1-CHIP MICROCOMPUTER - TOP VIEW -




PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL
	1/0	P21/R/W	-	11/0	P63/PM3/IROs/A19
2	1/0	P22/05	42	-	Vpc
3	1/0	P23/RD	43	1/0	P70/TMCI
4	1/0	P24/WR	44	1/0	P71/FT11
5	1 -	Voo	45	1/0	P72/FT12
6	1	MD0	46	1/0	P73/FTI3/TMRI
7		MD1	47	1/0	P74/FT081/FTCI1
8		MD2	48	1/0	P75/FTQB2/FTCI2
9	I	STBY	49	1/0	P76/FTOB3/FTCI3
10	-	RES	50	1/0	P77/FTOA1
11	1	NMI	51	-	AGND
12	-	GND	52		P80/AN0
13	1/0	P30/D0	53		P81/AN1
14	1/0	P31/D1	54	1	P82/AN2
15	1/0	P32/D2	55	-	P83/AN3
16	11/0	P33/D3	56	1	P84/AN4
17	1/0	P34/D4	57		P85/AN5
18	1/0	P35/D5	58	H	P86/AN6
19	1/0	P36/D6	59	1	P87/AN7
20	1/0	P37/D7	60	-	AVoo
21	1/01	P40/A0	61	1/0	P90/FTOA2
22	1/0	P41/A1	62	1/0	P91/FTOA3
23	1/0	P42/A2	63	1/0	P92/TXD2/PW1
24	1/0	P43/A3	64	11/0	P93/RXD2/PW2
25	1/0	P44/A4	65	11/0	P94/SCK2/PW3
26	1/0	P45/A5	66	1/0	P95/TXD1
27	1/0	P46/A6	67	1/0	P96/RXD1
28	1/0	P47/A7	68	1/0	P97/SCK1
29	-	GND	69		EXTAL
30	1/0	P50/A1	70		XTAL
31	1/0	P51/A2	71	-	GND
32	1/0	P52/A10	72	1/0	P10/4
33	1/0	P53/A11	73	1/0	P11/E
34	1/0	P54/A12	74	1/0	P12/BACK
35	1/0	P55/A13	75	1/0	P13/BREQ
36	1/01	P56/A14	76	1/0	P14/WAIT
37	1/0	P57/A15	77	1/0	P15/IRQ0
38	1/0	P60/IRQ2/A16	78	1/0	P16/IRQ1/ADTRG
39	1/0	P61/PM1/IRQ2/A17	79	1/0	P17/TMO
40	1/0	P62/PM2/IRQ4/A18	RO	1/0	P20/AS










M51957BFP (MITSUBISHI) FLAT PACKAGE VOLTAGE DETECTOR - TOP VIEW -







M51957BL (MITSUBISHI) VOLTAGE DETECT DELAY - PRINTED SIDE VIEW -






M51958A (MITSUBISHI) FLAT PACKAGE VOLTAGE DETECT DELAY - TOP VIEW -






M54523P (MITSUBISHI)


BIPOLAR TRANSISTOR ARRAY WITH OPEN COLLECTOR - TOP VIEW -



M54532P (MITSUBISHI)

DARLINGTON TRANSISTOR ARRAY WITH CLAMP DIODE







MB4002PF (FUJITSU) FLAT PACKAGE HIGH SPEED VOLTAGE COMPARATOR - TOP VIEW -





MB88201 (FUJITSU)
C-MOS 4-BIT MICROCOMPUTER
- TOP VIEW -







EX : EXTERNAL XTAL IN
RO-RII : I/O PORT(R) IN/OUT
RESET : RESET IM
START : STANDBY RELEASE IN
RII/X : EXT CLOCK IN/INT CLOCK OUT








M888342PF (FUJITSU) FLAT PACKAGE C-MOS 8-BIT D/A CONVERTER




ACI - AOS : S-BIT D/A OUTPUTS
CK : CLOCK INPUT
DI : SEMAL DATA INPUT
DO : DATA OUTPUT
LD : DATA LOAD CONTROL INPUT (H:LOAD)




MC14051BF (MOTOROLA) FLAT PACKAGE

C-MOS 8-CHANNEL ANALOG MULTIPLEXER/DEMULTIPLEXER -- TOP VIEW --




MC14052BF (MOTOROLA) FLAT PACKAGE

CMOS DUAL 4-CHANNEL ANALOG MULTIPLEXERS/DEMULTIPLEXERS - TOP VIEW -




MC14053BCP (MOTOROLA) MC14053BF (MOTOROLA) FLAT PACKAGE UPD4053BC (NEC)

CMOS TRIPLE 2-CHANNEL ANALOG MULTIPLEXERS/DEMULTIPLEXERS - TOP VIEW -




	COM	I.MPUIS_	ON		
	EN	A (X,Y,Z,)	CHANNEL		
O: LOW LEVEL	0	0	0		
1 HIGH LEVEL	0	1	1		
X: DON'T CARE.	1	X	OPEN		

MC14066BF (MOTOROLA) FLAT PACKAGE C-MOS QUAD BILATERAL ANALOG SWITCH



MC14069UBF (MOTOROLA)

C-MOS INVERTER - TOP VIEW -




MC14576BF (MOTOROLA) FLAT PACKAGE C-MOS DUAL VIDEO AMPLIFIERS - TOP VIEW -



XVD0+1 V3s (=+5V to +12V


MC34051M (MOTOROLA) FLAT PACKAGE RS-422 DRIVER/RECEIVER - TOP VIEW -





MC68HC05C8 (MOTOROLA)


C-MOS 8-BIT MICROCONTROLLER UNIT - TOP VIEW -




: INTERRUPT REQUEST
: OSCILLATOR FREQUENCY
: PROGRAMMABLE D PORT
: RECEIVING DATA
: RESET
: SUB SELECT
: CAPTURE FEATURE FOR THE ON-CHIP PROGRAMMABLE TIMER INPUT IRQ OSC1 PD0 - I ROI RESET SS TCAP PD5, PD7

OUTPUT OSC2 SCK TCMP TDO OSCILLATOR FREQUENCY SERIAL CLOCK COMPARE FEATURE OF THE ON-CHIP TIMER TRANSMITTON DATA


MASTER INPUT, SUB OUTPUT MASTER OUTPUT, SUB INPUT PROGRAMMABLE A PORT PROGRAMMABLE B PORT PROGRAMMABLE C PORT



MC74HC4002F (MOTOROLA) FLAT PACKAGE C-MOS 4-INPUT NOR GATE



MC74HC173F (MOTOROLA) FLAT PACKAGE C-MOS 4-BIT D-TYPE REGISTERS WITH 3-STATE OUTPUT



		18	PUT				OUTPUT
RD	СК	DATA	IN	В	OUTP	UT EN	0
Rυ	-n	GI	G2	_	OE1	OE2	
٦	X	X	X	×	0	0	0
0	0	×	X	X	0	0	QO
0	5	1	X	X	0	0	QO
0	5	X	1	X	0	0	0.0
0	5	0.	0	0	0	0	0
0	1	0	0	Ti	0	0	1
×	X	X	X	×	1 1	X	HI-Z
×	X	×	X	×	X	1	HI-Z

O ; LOW LEVEL

1 ; HIGH LEVEL


X ; DON'T CARE


HI-Z ; HIGH IMPEDANCE

OO ; LEVEL OF O BEFORE THE INDICATED


INPUT CONDITIONS WERE STABLISHED


MC74HC4024N (MOTOROLA) C-MOS 7-BIT BINARY COUNTERS - TOP VIEW -






MS6264CLL-10FC (MOSEL) FLAT PACKAGE C-MOS 64K (8kx8)-BIT STATIC RAM - TOP VIEW -








MC74HC4538AN (MOTOROLA)

C - MOS DUAL RETRIGGERABLE / NON - RETRIGGERABLE MONOSTABLE MULTIVIBRATOR - TOP VIEW -











RETRIGGERARI F M M V





NJM2068DD (JRC)

LOW NOISE OPERATIONAL AMPLIFIER - TOP VIEW -



NJM360M (JRC) FLAT PACKAGE HIGH SPEED VOLTAGE COMPARATOR (TTL OUTPUT)
- TOP VIEW -



NJM4556M-A (JRC) FLAT PACKAGE OPERATIONAL AMPLIFIER
(WIDE BAND, DECOMPENSATED)
- TOP VIEW -



NJM4558D-D (JRC) NJM4558D-FA (JRC) NJM4558M (JRC) FLAT PACKAGE DUAL OPERATIONAL AMPLIFIER - TOP VIEW -




NJM78L09A (JRC) + 9V (100mA) TA78L09S (TOSHIBA) + 9V (100mA) POSITIVE VOLTAGE REGULATOR





NJM78M09FA (JRC) +9V POSITIVE VOLTAGE REGULATOR (500mA) - FRONT VIEW -






NJM79L05A (JRC) - 5V NJM79L09A (JRC) - 9V NEGATIVE VOLTAGE REGULATOR (100mA)





NJM79M09FA (JRC) - 9V NEGATIVE VOLTAGE REGULATOR (500mA) - FRONT VIEW -



PO30RV1 (SHARP) VARIABLE 1A POSITIVE VOLTAGE REGULATOR




SC14S66FEL (MOTOROLA) CHIP PACKAGE C-MOS BILATERAL ANALOG SWITCH



CONT SWITCH


0 OFF 0: LOW LEVEL
1 ON 1: HIGH LEVEL

SC7S04F (MOTOROLA) CHIP PACKAGE TC7S04F (TOSHIBA) CHIP PACKAGE C-MOS INVERTER




TYPE	Voo
7S04F 7SU04F	+2 to +6V
4S69F 4SU69F	+3 to +18V

SC7S32F (MOTOROLA) CHIP PACKAGE TC7S32F (TOSHIBA) CHIP PACKAGE C-MOS 2-INPUT OR GATE




SN74HC00AN (TI) SN74HC00ANS (TI) FLAT PACKAGE C-MOS QUAD 2-INPUT NAND GATES - TOP VIEW -




TYPE	V00
TC74AC00 TYPE TC74VHC00	+2 to +5.5V
MC74HCT00N	+5V
74ACT00 TYPE	+4.5 to +5.5\
OTHER TYPES	+2 to +6V

SN74HC04ANS (TI) FLAT PACKAGE SN74HCU04AN (TI) SN74HCU04ANS (TI) FLAT PACKAGE C-MOS HEX INVERTERS - TOP VIEW -




TYPE	Veo
74HCT04 TYPE	+ 5V
TC74AC04 TYPE TC74VHC04 TYPE	+ 2 to + 5.5V
74ACT04 TYPE	+ 4.5 to + 5.5V
OTHER TYPES	+2 to +6V

SN74HC08AN (TI) SN74HC08ANS (TI) FLAT PACKAGE C-MOS QUAD 2-INPUT AND GATES - TOP VIEW -




NOTE:						
TYPE	Voo					
TC74AC08F MC74ACT08M	+ 2 to + 5.5V					
TC40H	+2 to +8V					
OTHER TYPES	+2 to +6V					


SN74HC10ANS (TI) FLAT PACKAGE C-MOS 3-INPUT NAND GATE - TOP VIEW -



SN74HC11ANS (TI) FLAT PACKAGE C-MOS 3-INPUT POSITIVE-AND GATE




SN74HC138ANS (TI) FLAT PACKAGE C-MOS 3-TO-8 LINE DECODER/DEMULTIPLEXER - TOP VIEW -




SN74HC157ANS (TI) FLAT PACKAGE

C-MOS QUAD 2-LINE-TO-1-LINE DATA SELECTOR/MULTIPLEXER - TOP \bigvee IEW -



SN74HC161AN (TI)

C-MOS SYNCHRONOUS PRESETTABLE 4-BIT BINARY COUNTER - TOP VIEW -



400	ITROL	. INP	UTS	MODE
Ro	LD	ENT	EN2	MUUE
0	х	х	х	RESET (ASYNCHRONOUS)
1	0 X X PRESET (SYNCHR	х	PRESET' (SYNCHRONOUS)	
1	1	0	Х	NO COUNT
1_	1	X 0 NO COUNT	NO COUNT	
1	1	1	1	COUNT

HIGH LEVEL DON'T CARE

COUNT	OUTPUTS					
COONT	QD.	QC	QB	QA		
0	0	0	Q	0		
1	0	0	0	1		
2	0	0	1	0		
3	0	0	1	1		
4	0	1	0	0		
5	0	1_	0	1		
6	0	1	1	0		
7	0	1	1	1		
8	1	0	0	0		
9	1	0	0	1		
10	1	0	1	0		
11	1	0	1	1		
12	1	1	0	0		
13	1	1	0	1		
14	1	1	1	0		
15	1	1	1	1		


COUNT SEQUENCE

C	ARR	Y C	UTPU	т "со"			
	0A — 08 — 00 ~ 00 —	t)—	:0			
NZ		4					
	CO	IS	HIGH	WHEN	EN2	INPUT	

NOTE :	
TYPE	Voo
74ACT	+5٧
TC40H	+ 2 to + 8V
OTHERS	+2 to +6V

SN74HC164ANS (TI) FLAT PACKAGE

C-MOS 8-BIT SERIAL-IN/PARALLEL-OUT SHIFT REGISTER - TOP VIEW -




OTHER TYPE	s .	2 to +6V	1					
	Q t 3 i	02 4	Q3 si	Q4 61	Q5 10]	96	Q7 12 j	Q8 (3)
cx °D	9 6	10	- I	- I		9 10		- 0
الماك ه	Ro L	no +	Re.	. 14	_{Ro} 4	RED	R. +	RD
RD 200	I			<u> </u>		I		Ţ


SN74HC192NS (TI) FLAT PACKAGE

C-MOS SYNCHRNOUS UP/DOWN DECADE COUNTER


- TOP VIEW -




SN74HC266ANS (TI) FLAT PACKAGE C-MOS 2-INPUT EXCLUSIVE-NOR GATE — TOP VIEW —




SN74HC27ANS (TI) FLAT PACKAGE C-MOS 3-LINE POSITIVE-NOR GATE - TOP VIEW -




SN74HC32ANS (TI) FLAT PACKAGE C-MOS QUAD 2-INPUT OR GATES - TOP VIEW +




SN74HC541ANS (TI) FLAT PACKAGE
C-MOS BUFFERS AND LINE DRIVERS WITH 3-STATE OUTPUTS
- TOP VIEW -



SN74HC7266NS (TI) FLAT PACKAGE C-MOS 2-INPUT EXCLUSIVE-NOR GATES - TOP VIEW -




SN74HC74AN (TI)
SN74HC74ANS (TI) FLAT PACKAGE
C-MOS DUAL D-TYPE FLIP-FLOPS WITH DIRECT SET/RESET
- TOP VIEW -



46	104	NOTE :	
2 30 3	12 50 9	TYPE	Voo
ज भ	T T	TC74HCT74AF	+5∨
7 J.	7 1.	TC74AC74 TYPE	+2 to +5.5V
, of	no 9	74ACT74 TYPE	+4.5 to +5.5V
<u> </u>	D.	OTHER TYPES	+2 to +6V

SN74HC86ANS (TI) FLAT PACKAGE C-MOS QUAD EXCLUSIVE OR GATES - TOP VIEW -




NOTE :


TYPE Vob

TC74AC86 TYPE +2 to +5.5V

OTHER TYPES +2 to +6V


SRM2016M10 (SEIKO EPSON) FLAT PACKAGE C-MOS 16384-BIT (2048x8) STATIC RAM - TOP VIEW -







SN74LS221NS (TI) FLAT PACKAGE


TTL MONOSTABLE MULTIVIBRATOR WITH SCHMITT TRIGGER INPUT - TOP VIEW -






TA7267P (TOSHIBA)
DC MOTOR DRIVER
- PRINTED SIDE VIEW -






TC74HC221AF (TOSHIBA) FLAT PACKAGE

C-MOS MONOSTABLE MULTIVIBRATOR WITH SCHMITT TRIGGER INPUT – TOP VIEW –




TC5081AP (TOSHIBA)


CMOS PHASE COMPARATOR - SIDE VIEW



PHASE COMPARATOR TIMING CHART




TC74HC123AF (TOSHIBA) FLAT PACKAGE CMOS DUAL RETRIGGERABLE MONOSTABLE MULTIVIBRATORS — TOP VIEW —




- 18	NPU	T	QUT	PUT	
RD	Α	8	Q	ō	
0	х	Х	0	1	
4	1.	X	0	1	
4	X	0	0	1	
4	0	5	5	J.	O; LOW
- 5	Z.	1	冗	J	1; HIGH
5	0	4	5	V	X; DON'T

LOW LEVEL HIGH LEVEL DON'T CARE



OTE:					
TYPE	Voo				
TC74HCT123AF	+5V				
OTHER TYPES	+2 to +6V				


TC7S08F (TOSHIBA) CHIP PACKAGE C-MOS 2-INPUT AND GATE



TYPE	Vpo
7S08F 7S08FU	+2 to +6V
4\$81F 14\$81F	+3 to +18V

TC74HC191AF (TOSHIBA) FLAT PACKAGE

C-MOS PRESETTABLE SYNCHRONOUS 4-BIT BINARY UP/DOWN COUNTER - TOP VIEW -



HODE !	SELEC	TION		COUNT	SEQUE	ENCE			
CONT	ROL	NPUTS	MODE	COLPET	COUNT OUTPUTS				
B	EN	U/D	MODE	COUNT	QD	QC	QB	QA	
0	×	×	PRESET LASYNCHRONOUS)	0	0	0	0	0	
1	1	×	NO COUNT	2	6	ä	1	0	
7	0	0	UP COUNT	3	1 6	0	1	1	1
1	0	1	DOWN COUNT	4	0	1	0	0	ı
	LEV	EI		5	0	1	0	1	
	1 LEV			6	0	1	1	0	UP COUNT
DON	T CA	RE.		7	0	1	1	. 1	ã
,				8	1	0	0	0	
/BR	W OUT	PUTS		9	1	0	0	1	7
				10	1	0	1	0	
てど				. 11	1	0	1	1	
08 00 00	:= <u>_</u>	カ		12	1	1	0	0	1
90	=	4	CA/BRW1	13	1	1_	0	- 1	
2000	_	\~~		14	1	1	1	0	
X=		'n		15	1	1	1	1	1


CA/8RW1 OUTPUT IS HIGH WHEN COUNT IS "15" AT UP-COUNT OR WHEN COUNT IS "0" AT DOWN COUNT.

CA/BRW2 OUTPUT IS LOW WHEN BOTH THE CLOCK AND EN INPUTS ARE LOW AND CA/BRW1 OUTPUT IS HIGH.


TL062CPS (TI) FLAT PACKAGE TL082CPS (TI) FLAT PACKAGE OPERATIONAL AMPLIFIER (JFET INPUT) - TOP VIEW -




TL084CNS (TI) FLAT PACKAGE OPERATIONAL AMPLIFIER (J FET-INPUT) - TOP VIEW -



TL431CLP (TI) ADJUSTABLE PRECISION SHUNT REGULATOR



UPC324G2 (NEC) FLAT PACKAGE QUAD OPERATIOAL AMPLIFIERS - TOP VIEW -




UPC4557C (NEC) OPERATIONAL AMPLIFIER (WIDE BAND, LOW NOISE) - TOP VIEW -




UPC457OC (NEC) UPC4570G2 (NEC) FLAT PACKAGE OPERATIONAL AMPLIFIER - TOP VIEW -




UPC4574G2 (NEC) QUAD OPERATIONAL AMPLIFIER - TOP VIEW -





UPC78L05T (NEC) + 5V POSITIVE VOLTAGE REGULATOR (100mA)




UPD42101C-3 (NEC) UPD42101G-3 (NEC) FLAT PACKAGE C-MOS 7K (910x8)-BIT FIFO MEMORY - TOP VIEW -











PIN NO.	1/0	SYMBOL	PIN NO.	1/0	SYMBOL	PIN NO.	1/0	SYMBOL	PiN I/O	SYMBOL
1	1/0	P43	17	1/0	PTO0/P20	33	1	AN6	49 li/0	P83
2	1/0	P42	18	1/0	MAT/P103	34	1	AN5	50 1/0	P82
3	1/0	P41	19	1/0	MAZ/P102	35	1	AN4	51 1/0	P81
4	1/0	P40	20	1/0	MAI/P101	36	1	AN3/P113	52 11/0	P80
5	1/0	P33	21	1/0	MAR/P100	37	1	AN2/P112	53 11/0	P73/KR7
6	1/0	P32	22	1	RESET	38	1	AN1/P111	54 1/0	P72/KR6
7	1/0	P31	23	1	X1	39	1	ANO/P110	55 1/0	P71/KRS
8	1/0	P30	24	-	X2	40	1	A GND	56 1/0	P70/KR4
9	-	GND	25	-	IC	41	1	TIO/P13	57 1/0	P63/KR3
10	1/0	S81/SI/P03	26	T	XT1 .	42	1	P12/INT2	58 1/0	P62/KR2
11	1/0	S80/S0	27	1/0	XT2	43	1	PII/INTI	59 1/0	P61/KR1
12	1/0	SCK/P01	28	-	Vac	44	-	P10/INTO	60 11/0	P60/KR0
13	1	INT4/900	29	-	AVop	45	1/0	P93	61 1/0	P53
14	1/0	BUZ/P23	30	-	AVREF .	46	1/0	P92	62 1/0	P52
15	1/0	PCL/P22	31	-	AVREF -	47	1/0	P91	63 1/0	P51
16	1/0	PPG/P21	32	1	AN7	48	1/0	P90	64 1/0	P50






UP075048CW (NEC) C-MOS 4-BIT 1-CHIP MICROCOMPUTER - TOP VIEW -: ANALOG 0 - 7
: ANALOG REFERENCE (+)
: ANALOG REFERENCE (-)
: EXTEMAL VECTORED INTERRUPT 0, 1, 4
: EXTEMAL TEST 2
: KEY RETUM 0 - 7
: EXTEMAL COMPARATE TIMING
(MFT A/D MODE)
: PORT 1
: PORT 1
: PORT 3
: PORT 3
: PORT 4
: PORT 5
: PORT 6
: PORT 7
: PORT 7
: PORT 8
: PORT 10
: PORT 10
: PORT 10
: PORT 11
: RESET
: SIREAL
: TIMER 0
: MAIN SYSTEM CLOCK OSCILLATION 1, 2
: SUB SYSTEM CLOCK OSCILLATION 1, 2 MIPUT ANO - ANT AVREF (+) AVREF (-) INT 0, 1, 4 INT2 KRO - KRT MAT S81/\$1/P03 out 1 GND 64 63 P30 OUT \$80/\$0 / PO2 out 2 62P31 out SCK/PO1 out 3 61P32 INT4/PO0 out 4 P00 - P03 P10 - P13 P20 - P23 P30 - P33 P40 - P43 P50 - P53 P60 - P63 P70 - P73 P80 - P83 P90 - P93 P100 - P103 P100 - P113 RESET SI BUZ/P23 OUT 5 60P33 30 ANO/P110 29 AN1/P111 28 AN2/P112 27 AN3/P113 59P40 PCL/P22 IN 6 PPO/P21 IN 7 58P41 750 55 751 54 752 53 753 52 57P42 PT00/P20 out 8 26 25 24 56243 MAT/P103 DUT 9 MAZ/P102 OUT 10 55 P50 MAI/P101 out 11 54P51 PSI/KR SI TI 0 X1, 2 XT1, XT2 MAR/P100 OUT 12 53P52 RESET OUT 13 52 P53 51 P60/KR0 X1 IN 14 P70/KF OUTPUT BUZ MAI MAR : BUZZER CLOCK
: INTEGRATION CONTROL (MFT A/D MODE)
: REFERENCE INTEGRATION CONTROL
(MFT A/D MODE)
: AUTOZERO CONTROL (MFT A/D MODE)
: AUTOZERO CONTROL (MFT A/D MODE)
: PROGRAMMABLE CLOCK
: PROGRAMMABLE PULSE
(MFT TIMER MODE)
: PROGRAMMABLE TIMER 0
: SCRIAL BUS 0.1 50P61/KR1 49P62/KR2 15 X2 IC 11/16 XT1[7 48 P63/KR3 MAZ PCL PPO PRO 43 PRO 42 PRO 41 PRO 40 XT2 OUT 18 47P70/KR4 19 6 P71/KR5 11 MAI/P101 PTO0 SB 0, 1 SO 45 P72/KR6 MAZ/P108 20 AVDD #3 10 +5V) MAT/PIOS P80 39 P9 1 30 P82 36 P83 36 44PT3/KR7 21 AV REF+ INPUT/OUTPUT SCK ; SERIAL CLOCK 43 Pe0 42 Pe1 22 AV REF -AN7 OUT 23 P22/PCL 41 P82 ANG OUT 24 ANS OUT 25 40P83 3 P01/SCR 39P90 AN4 1/026 ANS/P113 1/027 38P91 37P92 AN2/P112 1/028 36 293 AN1/P111 1/029 35 PIO/INTO ANO/PITO 1/030 34P11/INT1 31 33P12/INT2 TIO





UPD70320GJ-8-5BG (NEC)
C-MOS SINGLE CHIP 16/8-BIT MICROCOMPUTER
- TOP VIEW -



PIN No.	1/0	SYMBOL	PIN No.	1/0	SYMBOL	PIN No.	1/0	SYMBOL
1	0 !	A12	33	1/0	O PI3/INTP2/INTAK		1/0	P01
2	- 1	NÇ	34	1/0	P14/INT/POLL	66	1/0	P02
3	0	A13	35	1/0	P15/TOUT	67	1/0	P03
4	0	A14	36	1/0	P16/SCK0	68	1/0	P04
5	0	A15	37	1/0	P17/READY	69	-	INT.CONNECT
6	0	A16	38		PTO	70	-	NC
7	0	A17	39	1	PT1	71	1/0	P05
8	0	A18	40	1	PT2	72	1/0	P06
9	0	A19	41	1	PT3	73	1/0	P07/CLKOUT
10		RxD0	42	ı	PT4	74	1/0	D0
11		GND	43	T	PT5	75	1/0	Di
12	1/0	CTS0	44	-	NC	76	1/0	D2
13	0	TxD0	45	1	PT6	77	1/0	D3
14		RxD1	46	ı	PT7	78	1/0	D4
15	1.1	CTS1	47	-	INT.CONNECT	79	1/0	D5
16	0	TxD1	48	-	VTH	80	1/0	D6
17	1/0	P20/DMARQ0	49	-	NC	81	1/0	D7
18	-	INT.CONNECT	50	-	NC	82	0	AO
19	-	VDO	51	-	GND	83	0	A1
20	-	VDO	52	-	GND	84	0	A2
21	1/0	P21/DMAAKO	53	-	X1	85	0	A3
22	-	NC	54	-	X2	86	0	A4
23	1/0	P22/TC0	55	-	Voo	87	0	A5
24	-	INT.CONNECT	56	-	Voo	88	0	A6
25	1/0	P23/DMARQ1	57	1	RESET	89	0	A7
26	1/0	P24/DMAAK1	58	0	REFRO	90	0	A8
27	1/0	P25/TC1	59	0	R/W	91	0	A9
28	1/0	P26/HLDAK	60	0	MSTB	92	0	A10
29	11/0	P27/HLDRO	61	0	IOSTB	93	-	NC
30	1.	P10/NMI	62	0	MREQ	94	0	A11
31	1	P11/INTP0	63	1	EA			
32	1	PI2/INTPI	64	1/0	P00			

		8 2	4 47	69			
	10	i ic	IC	IC	13	INPUT DMARQO	: DMA REQUEST CHO, CHI INPUTS
38	PTO			Tabo	16	DMARQ1	
39				Tx D 1	10	EA	ROM-LESS MODE SET_INPUT
40	PT 1			RzDO	14	HLDRO	: HOLD REQUEST INPUT
41	PT2			REDI	12	INTPO, INTP1	: INTERRUPT REQUEST INPUTS : INTERRUPT REQUEST INPUT
42	PT3			CTSD	-	INT POLL	: INTERRUPT REQUEST INPUT
43	PT4			CTSI	01.5	NMI	NON-MASKABLE INTERRUPT INPUT
45	PT 5					PTO - PT7	PORT D INPUTS
46	PT6			A3	63	READY	READY INPUT
	PT7					RESET	RESET INPUT
				MREQ	6 <u>2</u>	RXD0, RXD1	; SERIAL DATA INPUTS : REF. V FOR COMPARATOR INPUT
4B	VTH			MSTR	60	X1, X2	: CRYSTAL 1, 2
				IOSTB	61	7(1), P(E	, 0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
64	PO 0			R/W	59	OUTPUT	
65	PO 1			,		A0 - A19	: ADDRESS BUS OUTPUTS
66	P02			40	82	CLKOUT DMAAKD	: SYSTEM CLOCK OUTPUT : DMA ACKNOWLEDGE CHO, CHI OUTPUT
67				Al	83	DMAAK1	: HOLD ACKNOWLEDGE OUTPUT
68	P04			AZ	84	HLDAK	, NOED ACKNOWLEDGE CON CI
71	P05			43	85	INTAK	: INTERRUPT ACKNOWLEDGE OUTPUT
72					86	IOSTB	: I/O READ/WRITE STROBE OUTPUT
73	PD6			A 4	87	MREQ	: MEMORY REQUEST OUTPUT
	P07/C	LKOUT		A 5	88	MSTB REFRO	: MEMORY READ/WRITE STROBE OUTPU : REFRESH REQUEST OUTPUT
58	1			A 6	89	R/W	: READ AND WRITE CYCLE OUTPUT
_	REFRO			A 7	90	SCKO	SERIAL CLOCK OUTPUT
30				A 8	91	TCO, TC1	: DMA (CHO/CH1) ENDING OUTPUTS
31	P10/N			A 9	92	TOUT	: TIMER OUTPUT
35	P11/#			AIC	94	TXD0, TXD1	: SERIAL DATA OUTPUTS
33	P12/1			A11	1	INPUT/OUTPU	T .
34		NTP2/		A12	3	CTSO, CTS1	
		NT/PO	ī	A13		DO - D7	DATA BUS INPUTS/OUTPUTS
35 36	P15/T	OUT		A 14		P00 - P07	: PORT O INPUTS OUTPUTS
	P16/S			A15	5	P10 - P17 P20 - P27	: PORT 1 INPUTS/OUTPUTS : PORT 2 INPUTS/OUTPUTS
37	P17/R	EADY		416	_	P20 - F21	, FORT 2 INFOTS/ DDTFOTS
				A17	7		
17		MARGO)	A 18	8		
21		MAAK	5	A19	9		
2.3	P22/7	65					
23	P23/1	MARO		0.0	74		
26		MAAKI		D 1	75		
27	P29/T			D2	76		
28		LDAK		0.3	177		
29		LDRO		0.3	78		
				94	70		
53					BO		
54	x2			0.6			
			RESET	97			
			957		-		
			, -,				





.

SECTION 18 SPARE PARTS AND OPTIONAL FIXTURES

18-1. NOTES ON SPARE PARTS

(1) Safety Related Components Warning

Components marked with Λ on the schematic diagrams, exploded views and electrical spare parts list are critical to safe operation. Replace these components with Sony parts whose part numbers appear in this manual or in service bulletin and service manual supplements published by Sony.

(2) Standardization of Parts

Repair parts supplied from Sony Parts Center may not be always identical with the parts which actually in use due to "accommodating the improved parts and/or engineering changes" or "standardization of genuine parts".

This manual's exploded views and electrical spare parts list are indicating the part numbers of "the standardized genuine parts at present".

(3) Stock of Parts

Parts marked with "o" SP (Supply Code) column of the spare parts list are not normally required for routine service work. Orders for parts marked with "o" will be processed, but allow for additional delivery time.

(4) Units for Capacitors, Indictors and Resistors

The following units are assumed in schematic diagrams, electrical parts list and exploded views unless otherwise specified.

Capacitors : μF Inductors : μH Resistors : Ω

(5) Tension Spring

 $(\times \times T)$ after a tension spring is shown on the parts list in order to indicate the number of spring turns required for the use.

(Example) TENSION, SPRING (20 T):

This spring must be cut at its 20th turn for actual use.

18-1. 補修用部品注意事項

(1) 安全重要部品

回路図、分解図、電気部品表中、▲ 印の部品は安全性を維持するために重要な部品です。従ってこれらの部品を交換するときには必ず指定の部品と交換して下さい。

(2) 部品の共通化

ソニーから供給される部品は、セットに実装されているものと異なることがあります。これは部品の共通化、改良等によるものです。

分解図や電気部品表には現時点での共通化された部品が記載されています。

(3) 部品の在庫

部品表のSP (Supply code) 欄に"o"で示される部品は交換頻 度が低い部品ですので在庫していないことがあり、納期が 長くなることがあります。

(4) コンデンサー、インダクター、抵抗の単位

回路図、分解図、電気部品表中、特に明記したものを除 き、下記の単位は省略されています。

> コンデンサー : μ F インダクター : μ H 抵抗 : Ω

(5) 引張コイルバネ

部品表中の引張コイルバネの名称のあとの(×XT)は、使用時の巻数を示しています。

(例) TENSION、SPRING(20 T) 巻数が20になるように切断し、使用する。

18-2. EXPLODED VIEWS


Index of Main Mechanical Parts/Components


Mark	Item	Title	Page
① ②	Reel Table Block (T) RS Table (T) Block	REEL CHASSIS (1)	18-4
3 4 5	Loarding Ring Block Gear Box Block Cleaning Roller Block	LOARDING RING	18-6
6 7 8 9	MC Block Reel Table Block (S) RS Table (S) Block LS Motor Block	REEL CHASSIS (2)	18-8
(1) (1) (2)	Head Drum Tension Regulator Block Capstan Motor	DRUM & TENSION REGULATOR ASSEMBLY	18-10
13	DR-214 Board	DR-214 BOARD ASSEMBLY	18-12
(4) (6) (7) (8)	AT Head (R) Block Pinch Press Block FE Head Block CTL Head Block T Sensor Block	PRESS ASSY, PINCH	18-14
19	Cassette Compartment	CASSETTE COMPARTMENT ASSEMBLY	18-16
@	Upper Lid Bottom Plate Cabinet (right) Cabinet (left)	CHASSIS & ORNAMENTAL PANEL BLOCK	18-18
2)	Printed Circuit Boards	CARD RACK BLOCK (1)	18-20
22	Printed Circuit Boards	CARD RACK BLOCK (2)	18-22
23	SC Guide Block Indicator Tube Module, Fluoresce	CHASSIS BLOCK	18-24
24	Connector Panel	CONNECTOR PANEL BLOCK	18-26


18-2 UVW-1800/1600

MECHANICAL DECK

OVERALL BLOCK









No.	Part No.	SP	Description
1	A-8267-684-A	s	TABLE (T) ASSY, RS
2	A-8267-685-A	S	BRAKE ASSY
3	A-8267-690-B	5	TABLE ASSY, REEL
4	X-3167-230-2		
5	X-3167-231-1		
		-	
6	X-3717-202-3	0	ARM ASSY, CRANK
7	X-3717-204-1	0	ARM (B) ASSY, CRANK
8	1-454-417-41	S	SOLENOID, PLUNGER
9	1-648-923-11	٥	SE-207 BOARD
10	1-648-925-11	0	RM-127 BOARD
11 -	1-698-231-11	S	
12	3-180-745-01	0	
13	3-180-746-01	0	
14	3-182-279-01	0	RETAINER, DISK
15	3-182-280-01	0	DISK, REEL
16	3-182-281-01		SHEET METAL (T), RM FITTING
17	3-182-282-01		SHEET METAL, SENSOR FITTING
18	3-182-284-01		ARM, BRAKE RELEASE
19	3-182-285-01	S	SPACER
19	3-182-285-11	S	SPACER
20	3-182-286-01		SPRING, TENSION
21	3-182-295-01		SPRING, COMPRESSION (UVW-1800)
22	3-182-367-01		
23	3-182-368-01		COVER, REEL
24	3-182-369-01	S	WHEEL, WORM
25	3-182-375-01	0	DISK HUB, REEL
26	3-182-382-01	_	
27	3-182-402-01	_	
28	3-307-381-00	-	
29	3-491-247-00		
23	3-431-247-00	3	Si Mira, COMI MECCICIA
30	3-648-217-00	0	SPRING, TENSION
31	3-669-596-01		WASHER (2.3), STOPPER
32	3-701-439-01	S	
32	3-701-439-11		WASHER, POLY 3MM DIA 0.25T
32	3-701-439-21	S	
J.	5 . 01 1 00 21		
33	3-701-506-01	s	SET SCREW, DOUBLE POINT 3X4
34	3-717-223-01		
35	3-717-230-01		BRACKET, LIMITER
36	3-717-231-01	0	HOLDER, LIMITER
37	3-717-266-01	0	CAP (S), CG SHAFT


No.	Part No.	SP	Description
101 102 103	A-8267-681-A	0	BOX ASSY, GEAR RING ASSY, LOADING ROLLER ASSY, ADJUSTMENT RING
104 105	A-8267-699-A	0	ROLLER ASSY, CLEANING ROLLER ASSY, PRECEDING
106 107	X-3167-225-1 X-3167-226-1		ROLLER ASSY, GUIDE ARM ASSY, AT CLEANER
	X-3167-232-1	s	ROLLER ASSY, C ARM ASSY, C MAIN
110	X-3167-234-1		DECK ASSY, C
111 112 113	X-3167-236-1	٥	ARM ASSY, DRIVING ROLLER (B) ASSY, RING ARM ASSY, PINCH ROLLER
114 115		0	PTC-67 BOARD MOTOR, DC (SVD-1449)
116	3-171-423-02		JOINT, MOTOR
117 118	3-180-036-01 3-183-653-01	s	GEAR, LIMITER RUBBER, LIMITER
119 120	3-182-242-01 3-182-276-01		WHEEL, WORM SPRING, DRIVING
121 122	3-182-293-01 3-182-294-01		FLANGE, GUIDE GUIDE, TAPE
123 124	3-182-346-01 3-182-347-01	S	SPRING, PINCH ARM FLANGE, PRECEDING UPPER
125	3-182-349-01	-	RETAINER, SHAFT
127	3-182-350-02 3-182-389-02	S	SPRING, CLEANER ARM CLEANER, AT
128 129	3-182-390-01 3-182-453-01	0	GEAR, WORM GUIDE, P
130 131	3-533-373-00 3-549-887-00		SPRING, TENSION SPRING, COIL, COMPRISION
132 133	3-657-841-71 3-669-465-00	S	SPACER (2×6.5) WASHER (1.5), STOPPER
134 135	3-669-596-01 3-675-866-00	S	WASHER (2.3), STOPPER ROLLER, RING
136	3-680-812-00	_	FLANGE, LOWER
137 138	3-682-166-21 3-698-829-01	S	
139 140	3-701-439-21 3-721-333-01	S	WASHER POLY, 3MM DIA 0.5T SPRING, COMPRESSION
141 142			SPRING, TENSION PHOTO INTERR PTER GP1S54






No.	Part No.	SP	Description
201 202 203 204 205	A-8267-688-A A-8267-690-B A-8267-691-A	s s	BRAKE ASSY TABLE (S) ASSY, RS TABLE ASSY, REEL MC ASSY MOTOR ASSY, LS
206 207 208 209 210	X-3167-231-1 X-3717-202-3 X-3717-204-1	S D O	PLATE (S) ASSY, REEL MOTOR LINING ASSY ARM ASSY, CRANK ARM (B) ASSY, CRANK SOLENOID, PLUNGER
211 212 213 214 215	1-648-923-11 1-698-152-11 1-698-231-11	0 S S	RM-126 BOARD SE-207 BOARD MOTOR, DC (SVD-1449) MOTOR, DC (REEL) JOINT, MOTOR
216 217 218 219 220	3-180-745-01 3-180-746-01 3-182-266-01 3-182-277-01 3-182-279-01	0 0	
		0 0	SHEET METAL, SENSOR FITTING SHEET METAL, (S) RM FITTING ARM, BRAKE RELEASE
225 226 227 228 229	3-182-295-01	0	SPACER SPRING, TENSION RETAINER (ST), SHAFT SPRING, COMPRESSION (UVW-1800) RETAINER, SHAFT
230 231 232 233 234	3-182-368-01 3-182-369-01 3-182-372-01	5 0	
235 236 237 238	3-182-383-01 3-182-402-01 3-307-381-00 3-491-247-00	S	GEAR (S), CRANK GUIDE, PLATE SPRING, TENSION SPRING, COMPRESSION SPRING, COMPRESSION
240 241 242 242 242	3-669-596-01	s s	THE PARTY OF THE P
243 244 245 246 247	3-701-439-21 3-701-506-01 3-717-207-01 3-717-223-01 3-717-230-01	s s	COVER, M/C DETECTION HOLDER SHAFT, SLIDE
248 249 250	3-717-231-01 3-717-266-01 7-621-734-09	o	HOLDER, LIMITER CAP (S), CG SHAFT SET SCREW, DOUBLE POINT 2.6×3

No.	Part No.	SP	Description
301	A-8260-976-A A-8267-973-A A-8267-977-A	S	HEAD DRUM ASSY, DBH-39A-R (UVW-1800) HEAD DRUM ASSY, DBH-41A-R (UVW-1600) UPPER DRUM ASSY, DBR-39-R (UVW-1800) UPPER DRUM ASSY, DBR-41-R (UVW-1600) TENSION REGULATOR ASSY
304 305 306 307 308	X-3167-218-1 X-3167-219-1 X-3167-220-1	0	GROUND ASSY, SHAFT HOOK ASSY, TR BASE ASSY, TR HOOK PLATE, ADJUSTMENT ASSY, TR ARM ASSY, RETURN
309 310 311 312 313	1-648-921-11 1-648-927-11 1-698-179-11	0	ROLLER ASSY, TR TR-84 BOARD PTC-68 BOARD MOTOR, DC (CAPSTAN) SENSOR, DEW CONDENSATION
314 315 316 317 318	3-171-234-11 3-171-234-21	s s	SPRING SPACER, FLANGE 0.01T SPACER, FLANGE 0.03T SPACER, FLANGE 0.05T SPRING,LEAF, TENSION REGULATOR
319 320 321 322 323	3-182-257-01	0 S 0	BRACKET, GROUND BRACKET, TAPE HOLDER, DME PLATE, ADJUSTMENT, RETURN COVER, MAGNET
324 325 326 327 328	3-182-289-01 3-437-173-02 3-653-350-00	0 0 S	PROTECTOR BASE, TR SCREW, HEAD ADJUSTING SPRING, COMPRESSION WASHER (1.5), STOPPER
329 330 331 332 333	3-677-752-00 3-680-828-00	s s o	WASHER (2.3), STOPPER RETAINER, B NUT, ADJUSTMENT, T MAGNET SPRING, TENSION(POWER TENSION)
334 335 336 337 338	7-621-731-08 7-682-176-21	o s s	ROLLER SCREW (M2.6×8) SET SCREW, FLAT POINT 2×2.5 SET SCREW, SLOT CONE POINT 3×6 PHOTO REFLECTOR NJL5803K-F10
339	8-745-001-07	S	DM-230-1







No.	Part No.	SP	Description
401	A-8275-288-A	0	COMPLETE PCB, MS-39A (UVW-1600)
401	A-8275-291-A	0	COMPLETE PCB, MS-39 (UVW-1800)
402	A-8275-290-A	0	COMPLETE PCB, DR-214
403	1-558-261-31	s	WIRE, FLEXIBLE CARD
404	1-648-926-11	0	PTC-66 BOARD
405	1-751-633-11	s	WIRE, FLEXIBLE CARD
406	1-751-634-11	S	WIRE, FLEXIBLE CARD
407	3-182-357-01	0	HEAT SINK (L), DR
408	3-182-358-01	0	HEAT SINK (R), DR
409	3-182-400-01	0	SHEET, MS
410	3-182-401-01	D	HOLDER, FLAT CABLE
411	3-183-144-01		HEAT SINK (D), DR
412	4-911-232-01	_	SHEET INSULATING
413	8-719-939-05	_	PHOTO INTERRUPTER GP1S54
7:0	0 1 10 300 00	9	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,


No.	Part No.	SP	Description
501			BLADE ASSY (UVW-1600)
502 502	A-8267-677-A A-8267-682-A		HEAD (P) ASSY, AT (UVW-1600) HEAD (R) ASSY, AT (UVW-1800)
503			HEAD ASSY, CTL
504	A-8267-695-A	S	PRESS ASSY, PINCH
505			SENSOR ASSY, T
506 507			HEAD ASSY, FE (UVW-1800) SUPPORT (P) ASSY, AT (UVW-1600)
507			SUPPORT (R) ASSY, AT (UVW-1800)
508			PLATE, ADJUSTMENT ASSY, P (UVW-1600)
508			PLATE, ADJUSTMENT ASSY, RP (UVW-1800)
509			CLEANING BLADE ASSY (UVW-1600)
510 511	X-3167-221-1 X-3167-316-1	0	BRACKET ASSY, CTL HEAD HEAD (EF291-21) ASSY (UVW-1800)
			SOLENOID, PLUNGER
513 514	1-506-481-11		PIN, CONNECTOR 2P HEAD, SENSING (SMALL TYPE)
515			PIN, CONNECTOR 2P
516			PIN, CONNECTOR 6P
517	1-564-013-11	0	PIN, CONNECTOR 3P (UVW-1800)
518	1-622-596-11		PC BOARD, PD-35
519			RIVET, NYLON
520	3-182-244-01		LEVER, P PRESS
521 522			HOLDER, S SENSOR SPRING, CTL
523 524	3-182-256-01		DECK, CTL HEAD SHAFT, AT FIXED
525	3-182-376-01		CASE (1), AT SHIELD
526	3-182-377-01		CASE (2), AT SHIELD
527	3-182-388-02		BRACKET, RP
528	3-182-391-01		HOLDER, T SENSOR
529	3-537-674-03		SPRING, TENSION
530 531	3-642-719-01 3-653-382-01		SPACER (2.6×11) SPACER (4×25)
532	3-698-829-01		NUT (M2)
500			• •
533 534	3-701-441-21 3-717-247-01		WASHER, POLY 4MM DIA 0.5T LIMITER, P
535	3-717-248-01	-	SPRING
536	3-717-249-01	_	STOPPER, P
537	3-717-250-02	0	SHAFT, JOINT, P
538	3-738-730-01		SPRING, COMPRESSION
539	4-812-134-21		RIVET NYLON, 3.5
540 541	7-621-712-46		SET SCREW, SLOT FLAT POINT 2.6X5 SET SCREW, SLOT CONE POINT 2.6X6
542			HEAD, CTL PS244-21B
543 543	8-825-778-81	_	HEAD EPS244-2103H (UVW-1800)
543	8-825-778-91	5	HEAD PS244-2103G (UVW-1600)

UVW-1800/1600

PRESS ASSY, PINCH









No.	Part No. SP	Description
601 602 603 604 605	X-3166-062-1 o X-3166-063-2 o	CASSETTE COMPARTMENT ASSY SHAFT ASSY, PRESS ROLLER ARM ASSY, PRESS DECK (L) ASSY, PULLEY DECK (R) ASSY, PULLEY
606 607 608 609 610	X-3166-068-1 0 1-640-170-13 0 1-640-171-12 0	SLIDER (R) ASSY SLIDER (L) ASSY CL-25 BOARD PC-62 BOARD WIRE, FLEXIBLE CARD (5P)
611 612 613 614 615	2-621-007-01 ls 3-671-150-11 o	MOTOR, DC SVD-1499 BEARING, BALL, (B) (NO FRANGE) CLAMP SWITCH (R), IN SWITCH (L), IN
616 617 618 619 620	3-171-400-03 o 3-171-418-02 s 3-171-419-03 s	GUIDE (R), CASSETTE GUIDE (L), CASSETTE WORM WHEEL SHUTTER
621 622 623 624 625	3-171-422-01 o 3-171-423-02 o 3-171-424-01 o	SLIDER, DOOR SWITCHING LEVER, DOOR SWITCHING JOINT, MOTOR HOLDER, SENSER SHAFT, JOINT
626 627 628 629 630	3-171-459-01 s 3-171-460-01 s 3-171-461-01 o	BELT, TIMING ROLLER, GUIDE ROLLER, SLIDER SHAFT, RETAINER, L CASSETTE HOLDER, SHAFT
631 632 633 634 635	3-171-464-01 o 3-171-465-01 o 3-171-466-02 o	PLATE SPRING, LEAF GEAR, DRIVING GEAR, LIMITER WHEEL, WORM
636 637 638 639 640	3-171-479-01 o 3-171-480-01 o	RUBBER, LIMITER GEAR, MIDWAY SHAFT, WORM WHEEL DOOR, CASSETTE STOPPER
641 642 643 644 645	3-176-578-01 s 3-176-579-01 s	SPRING, C GUIDE SPRING, TENSION SPRING, TENSION PULLEY (A) PULLEY (B)
646 647 648 649 650	3-579-759-00 s	SPRING, TENSION SPRING, COMPRESSION SPRING
651 652 653 654 655	3-698-217-01 s 3-701-439-21 s	WASHER, 5 DIA.
656 657	3-717-369-03 o 4-858-799-00 s	STOPPER, DOOR SPRING, TENSION

CHASSIS & ORNAMENTAL PANEL BLOCK


No.	Part No.	SP	Description
701 702 702 703 704	A-6771-428-A A-8267-664-E A-8267-666-E A-8267-665-A A-8267-667-A	0	PANEL ASSY, FRONT (UVW-1600) PANEL ASSY, FRONT (UVW-1800)
705 706 707 708 709	A-8267-670-A A-8267-673-A X-3166-071-1 3-182-395-01 3-182-406-01	S	RETAINER (S) ASSY, PC BOARD KNOB ASSY (B), VOL GEAR, DAMPER
710 711 712 713 714	3-182-441-01 3-182-451-01 3-182-452-01 3-642-656-01 3-669-595-00	0 0 0	CABINET (LEFT)
715 716 717 718 719	3-688-102-01 3-701-438-21 3-712-786-01 3-717-306-01 3-717-377-01	s	SPACER, M4 WASHER DAMPER, OIL SPRING FRAME (SQUARE 17), ORNAMENTAL






No.	Part No. SF	Description
801 801 802 803 804	A-8275-281-A o A-8275-280-A o A-8275-282-A o	COMPLETE PCB, VP-43A (UVW-1600) COMPLETE PCB, VP-43 (UVW-1800) COMPLETE PCB, VRA-5 (UVW-1800) COMPLETE PCB, TBC-25 COMPLETE PCB, SS-53
805 806 807 808	3-179-085-01 s 3-182-386-01 o	LEVER, PC BOARD (R) LEVER, PC BOARD (L) PLATE, SHIELD (L), CARD GUIDE (L), PCB

No.	Part No.	SP	Description
901	A-8275-278-A	0	COMPLETE PCB, RP-70A (UVW-1600)
901	A-8275-285-A		COMPLETE PCB, RP-70 (UVW-1800)
902	A-8275-279-A		COMPLETE PCB, AP-31A (UVW-1600)
902	A-8275-286-A		COMPLETE PCB, AP-31 (UVW-1800)
903	A-8275-287-A		COMPLETE PCB, AR-14 (UVW-1800)
904	A-8276-730-A	0	MOUNTED PCB, MB-470A (UVW-1600)
904	A-8276-736-A		MOUNTED PCB, MB-470 (UVW-1800)
905	A-8276-731-A		MOUNTED PCB, MB-471A (UVW-1600)
905	A-8276-737-A		MOUNTED PCB, MB-471 (UVW-1800)
906	1-571-632-11		WIRE, FLEXIBLE CARD 34P
907 908 909 910 911	3-179-084-01 3-179-085-01 3-182-298-01 3-182-316-01 3-182-351-01	s 0	LEVER, PC BOARD (R) LEVER, PC BOARD (L) CASE, SHIELD (LID), AP2 CASE, SHIELD (LID), PR70V CASE, SHIELD, AP (2B)
912	3-182-385-01	0 0 0	PLATE, SHIELD (S), CARD
913	3-182-407-01		LID, AR CASE, SHIELD (UVW-1800)
914	3-182-439-01		GUIDE (S), PCB



CHASSIS BLOCK




No.	Part No.	SP	Description
1001	A-6751-377-A	0	GUIDE ASSY, SC
	A-8275-283-A		
	A-8275-289-A		
			INDICATION TUBE, FLUORESCENT
		_	SWITCH, SEESAW (AC POWER)
	10.011.01	•	01111011, 0220/111 (710 1 011211)
1005	1-575-733-11	s	WIRE, FLAT TYPE (17 CORE)
1006	1-648-916-11	0	VR-155 BOARD (UVW-1800)
	1-648-917-11		HP-61 BOARD (UVW-1800)
1007	1-648-917-21		HP-61A BOARD (UVW-1600)
	1-810-374-11		
		_	
1009	3-182-297-01	0	BRACKET, HP FIXED
1010	3-182-449-01	0	BRACKET, VR
1011			CLIP, CABLE
1012			COVER, SWITCH
1013			- · · · · - · ·
1010	0 011 100 00	•	1 (1), 01011211
1014	3-688-814-01	s	CAP, SWITCH
	3-701-441-21		WASHER
1016	3-717-614-01	0	LABEL, C-LOCK OUT
	3-717-615-01		SPRING
1018	3-717-616-01		SPRING
	0 / 11 010 01	•	
1019	3-717-617-01	0	SHAFT, SC GUIDE
1020	3-717-618-01		GUIDE (LEFT), SC
1021			GUIDE (RIGHT), SC
1022			PLATE, OUT, C-LOCK
1023			PLATE, INDICATION, SC GUIDE
	,		
1024	4-312-237-00	0	CLIP, CABLE

CONNECTOR PANEL BLOCK

No.	Part No. S	P	Description
1101 1101 1102 1102 1102	A-8276-732-A (A-8276-733-A (A-8276-739-A (A-8276-762-A (A-8276-A (A-8276-762-A (A-8276-A (A-	0	MOUNTED PCB, CP-225A (UVW-1600) MOUNTED PCB, CP-225 (UVW-1800) MOUNTED PCB, CP-226A (UVW-1600) MOUNTED PCB, CP-226 (UVW-1800) MOUNTED PCB, CP-226J (UVW-1800)
1102 1103 1103	A-8276-763-A (A-8276-734-A (A-8276-741-A (A-8276-741-A (A-8413-889-11)	0 0 0 0 5	MOUNTED PCB, CP-226AJ (UVW-1600) MOUNTED PCB, CP-237A (UVW-1600) MOUNTED PCB, CP-237 (UVW-1800) SWITCHING REGULATOR(SOPS-1045) SWITCH, SLIDE
1106 1107 1108 1109 1110	1-573-566-11 1-573-582-11 1-573-583-11	s s s	SWITCH, SLIDE (UVW-1800) CONNECTOR, D-SUB (ANGLE TYPE) 9P CONNECTOR, BNC (RECEPTACLE) CONNECTOR, BNC (RECEPTACLE) CONNECTOR, BNC (RECEPTACLE)
1111 1112 1113 1114 1115	1-573-589-11 1-573-590-12 1-573-592-11	s s s	CONNECTOR, BNC (RECEPTACLE) (UVW-1800) CONNECTOR (R-M) 12P (UVW-1800) CONNECTOR, (S) TERMINAL 4P CONNECTOR (R-F) 12P JACK, PIN 1P
1116 1117 1118 1119 1120	1-750-786-11 1-764-165-11 1-764-259-11	s s s	CONNECTOR (XLR TYPE) 3P CONNECTOR (XLR TYPE) 3P CONNECTOR, BNC (RECEPTACLE) CONNECTOR, D-SUB (ANGLE TYPE) 15P ADAPTOR, SW
1121 1121	3-182-459-02 3-182-459-12	0	CONNECTOR, PANEL (UVW-1800) CONNECTOR, PANEL (UVW-1600)

UVW-1800/1600

CONNECTOR PANEL BLOCK



. .

18-3. ELECTRICAL PARTS LISTS

	(an as passacium 1000))	
AP-31 BOARD(UVW-1800)	(AP-31 BOARD(UVW-1800))	
Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description	
AP-31 board is used for UVW-1800. 1pc	C63 1-126-926-11 S ELECT 1000uF 20% 10V C64 1-126-926-11 S ELECT 1000uF 20% 10V C65 1-164-004-11 S CERAMIC, CHIP 0.1uF 10% 25V	
1pc 3-179-084-01 s LEVER (R), PC BOARD 1pc 3-179-085-01 s LEVER (L), PC BOARD 1pc 3-182-298-01 o CASE, SHIELD (LID), AP (2) 1pc 3-182-351-01 o CASE, SHIELD, AP (2B)	C66 1-126-926-11 s ELECT 1000uF 20% 10V C67 1-126-947-11 s ELECT 47uF 20% 35V C68 1-124-903-11 s ELECT 1uF 20% 50V C69 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V	
C2 1-163-121-00 s CERAMIC, CHIP 150pf 5% 50V C3 1-163-243-11 s CERAMIC, CHIP 47pf 5% 50V C4 1-163-113-00 s CERAMIC, CHIP 68pf 5% 50V C5 1-126-964-11 s ELECT 10uf 20% 50V C6 1-163-127-00 s CERAMIC, CHIP 270pf 5% 50V	C70 1-126-947-11 s ELECT 47uF 20% 35V C71 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V C72 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V C73 1-130-491-00 s MYLAR 0.047uF 5% 50V C74 1-130-491-00 s MYLAR 0.047uF 5% 50V C75 1-130-491-00 s MYLAR 0.047uF 5% 50V	
C9 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V C10 1-126-964-11 s ELECT 10uF 20% 50V C11 1-124-916-11 s ELECT 22uF 20% 63V	C76	
C15 1-126-964-11 S ELECT 10uF 20% 50V C16 1-124-916-11 S ELECT 22uF 20% 63V C18 1-124-916-11 S ELECT 22uF 20% 63V C20 1-130-498-00 S MYLAR 0.18uF 5% 50V	C81 1-130-483-00 s MYLAR 0.01uF 5% 50V C82 1-126-926-11 s ELECT 1000uF 20% 10V C83 1-126-926-11 s ELECT 1000uF 20% 10V C84 1-124-925-11 s ELECT 2.2uF 20% 100V C85 1-131-352-00 s TANTALUM 6.8uF 10% 35V	
C27 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V C28 1-163-017-00 s CERAMIC, CHIP 0.0047uF 5% 50V C29 1-130-483-00 s MYLAR 0.01uF 5% 50V C30 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V	C87	
C31 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C32 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C33 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C34 1-130-483-00 s MYLAR 0.01uF 5% 50V C35 1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V	C205 1-126-964-11 s ELECT 10uF 20% 50V C206 1-163-127-00 s CERAMIC, CHIP 270pF 5% 50V C207 1-130-485-00 s MYLAR 0.015uF 5% 50V C208 1-126-933-11 s ELECT 100uF 20% 16V C209 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V	
C36 1_163_243_11 s CERAMIC, CHIP 4/DF 5% 5UV	C210 1-126-964-11 s ELECT 10uF 20% 50V C211 1-124-916-11 s ELECT 22uF 20% 63V C212 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V C215 1-126-964-11 s ELECT 10uF 20% 50V C216 1-124-916-11 s ELECT 22uF 20% 63V	
C41 1-107-498-91 s FILM, CHIP 0.0022uF 2% 50V C42 1-107-498-91 s FILM, CHIP 0.0022uF 2% 50V C43 1-107-499-91 s FILM, CHIP 0.0039uF 2% 16V C44 1-131-345-00 s TANTALUM 0.47uF 10% 35V C45 1-130-497-00 s MYLAR 0.15uF 5% 50V	C218	
C46 1-124-925-11 s ELECT 2.2uF 20% 100V C47 1-104-553-11 s FILM, CHIP 0.015uF 5% 16V C48 1-130-499-00 s MYLAR 0.22uF 5% 50V C49 1-164-344-11 s CERAMIC, CHIP 0.068uF 10% 25V C50 1-104-560-91 s FILM, CHIP 0.056uF 5% 16V	C229 1-130-483-00 s MYLAR 0.01uF 5% 50V C230 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C231 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C232 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C233 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V	
C51 1-124-925-11 s ELECT 2.2uF 20% 100V C52 1-107-553-91 s FILM, CHIP 0.0056uF 2% 16V C53 1-104-551-11 s FILM, CHIP 0.01uF 16V C54 1-130-478-00 s MYLAR 0.0039uF 5% 50V C55 1-130-478-00 s MYLAR 0.0039uF 5% 50V	C234 1-130-483-00 s MYLAR 0.01uF 5% 50V C235 1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V C236 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V C237 1-124-925-11 s ELECT 2.2uF 20% 100V C238 1-107-498-91 s FILM, CHIP 0.0022uF 2% 50V	
C56 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C57 1-126-947-11 s ELECT 47uF 20% 35V C58 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V C59 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V C60 1-126-964-11 s ELECT 10uF 20% 50V	C239 1-107-498-91 s FILM, CHIP 0.0022uF 2% 50V C240 1-107-499-91 s FILM, CHIP 0.0039uF 2% 16V C241 1-131-345-00 s TANTALUM 0.47uF 10% 35V C242 1-130-497-00 s MYLAR 0.15uF 5% 50V	

(AP-31 BOARD(UVW-1800))

Def No		Pof No
		Ref. No. or Q'ty Part No. SP Description
C243 C244 C245 C246 C247	1-124-925-11 s ELECT 2.2uF 20% 100V 1-104-553-11 s FILM, CHIP 0.015uF 5% 16V 1-130-499-00 s MYLAR 0.22uF 5% 50V 1-164-344-11 s CERAMIC, CHIP 0.068uF 10% 25V 1-104-560-91 s FILM, CHIP 0.056uF 5% 16V	C425 1-126-933-11 s ELECT 100uF 20% 16V C426 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C427 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C428 1-163-989-11 s CERAMIC, CHIP 0.033uF 10% 25V C429 1-161-021-11 s CERAMIC 0.047uF 10% 25V
C248 C249 C250	1-130-499-00 s MYLAR 0.22uF 5% 50V 1-164-344-11 s CERAMIC, CHIP 0.068uF 10% 25V 1-104-560-91 s FILM, CHIP 0.056uF 5% 16V 1-104-560-91 s FILM, CHIP 0.0056uF 5% 16V 1-107-553-91 s FILM, CHIP 0.0056uF 2% 16V 1-104-551-11 s FILM, CHIP 0.01uF 16V 1-130-478-00 s MYLAR 0.0039uF 5% 50V 1-130-478-00 s MYLAR 0.0039uF 5% 50V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V 1-126-964-11 s ELECT 10uF 20% 50V 1-126-964-11 s ELECT 10uF 20% 50V 1-126-926-11 s ELECT 1000uF 20% 10V 1-126-947-11 s ELECT 47uF 20% 35V 1-124-903-11 s ELECT 14F 20% 35V 1-124-903-11 s ELECT 14F 20% 35V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-126-947-11 s ELECT 10UF 20% 50V 1-126-964-11 s ELECT 10UF 20% 50V	C430 1-161-021-11 s CERAMIC 0.047uF 10% 25V C500 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V C501 1-102-114-00 s CERAMIC 470pF 10% 50V
C252	1-130-478-00 s MYLAR 0.0039uF 5% 50V	CN1 1-506-468-11 s CONNECTOR 3P, MALE CN2 1-564-002-41 s CONNECTOR 3P, MALE
C253 C254 C255	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V	CN3 1-506-468-11 S CONNECTOR 3P, MALE CN111 1-573-600-21 S CONNECTOR, PHEC 100P, MALE
C256 C257	1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V 1-126-964-11 s ELECT 10uF 20% 50V	D1 8-719-941-23 s DIODE DA204U D2 8-719-941-23 s DIODE DA204U D3 8-719-941-23 s DIODE DA204U
C258 C259	1-126-964-11 s ELECT 10uF 20% 50V 1-126-926-11 s ELECT 1000uF 20% 10V	D5 8-719-941-23 s DIODE DA204U D6 8-719-123-85 s DIODE 1SS304
C261 C262	1-120-926-11 s ELEC: 1000dr 20% 10V 1-126-926-11 s ELECT 1000uF 20% 10V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	D7 8-719-941-23 s DIODE DA204U D8 8-719-123-85 s DIODE 1\$\$304
C263 C264	1-126-926-11 s ELECT 1000uF 20% 10V 1-126-947-11 s ELECT 47uF 20% 35V	D11 8-719-123-85 s DIODE 155304 D12 8-719-123-85 s DIODE 155304
C265 C266 C267	1-124-903-11 s ELECT 1uF 20% 50V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-126-947-11 s ELECT 47uF 20% 35V	D13 · 8-719-123-85 s DIODE 1SS304 D15 8-719-123-85 s DIODE 1SS304
C268 C269	1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V	D16 8-719-123-85 \$ D100E 135304 D17 8-719-941-23 \$ D10DE DA204U D18 8-719-911-19 \$ D10DE 1SS119
C270 C271 C272	1-124-925-11 s ELECT 2.2uF 20% 100V 1-131-352-00 s TANTALUM 6.8uF 10% 35V 1-126-964-11 s ELECT 10uF 20% 50V	D201 8-719-941-23 s DIODE DA204U D202 8-719-941-23 s DIODE DA204U
C278 C279	1-126-964-11 s ELECT 10uF 20% 50V 1-126-964-11 s ELECT 10uF 20% 50V	D203 8-719-941-23 s D10DE DA204U D204 8-719-941-23 s D10DE DA204U D205 8-719-123-85 s D10DE 1SS304
C280 C281 C282	1-126-964-11 s ELECT 10uF 20% 50V 1-130-483-00 s MYLAR 0.01uF 5% 50V 1-126-926-11 s ELECT 1000uF 20% 10V	D206 8-719-941-23 s DIODE DA204U D207 8-719-123-85 s DIODE 1SS304
C283 C401	1-126-926-11 s ELECT 1000uF 20% 10V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	D209 8-719-123-85 s D10DE 155304 D210 8-719-941-23 s D10DE DA2049 D211 8-719-911-19 s D10DE 155119
C402 C403 C404	1-126-933-11 s ELECT 100uF 20% 16V 1-163-989-11 s CERAMIC, CHIP 0.033uF 10% 25V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	D401 8-719-941-23 s DIODE DA204U D403 8-719-941-23 s DIODE DA204U
C405 C406	1-164-232-11 S CERAMIC, CHIP 0.01uF 10% 100V 1-164-232-11 S CERAMIC, CHIP 0.01uF 10% 100V	IC2 8-759-701-25 s IC NJM2068D-D
C408 C409 C410	1-126-964-11 s ELECT 10uF 20% 50V 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	IC3 8-759-701-25 s IC NJM2068D-D IC4 8-759-701-25 s IC NJM2068D-D IC5 8-759-705-58 s IC NJM4558D-D
C411 C412	1-163-989-11 s CERAMIC, CHIP 0.033uF 10% 25V 1-126-964-11 s ELECT 10uF 20% 50V	IC6 8-759-705-58 s IC NJM4558D-D IC7 8-759-705-58 s IC NJM4558D-D IC8 8-752-018-80 s IC CX20188
C413 C414 C415	1-126-964-11 s ELECT 10uF 20% 50V 1-126-964-11 s ELECT 10uF 20% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	IC9 8-759-705-58 s IC NJM4558D-D IC10 8-759-705-58 s IC NJM4558D-D
C416 C417	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 15V	IC11 8-759-145-57 s IC UPC4557C IC12 8-759-917-18 s IC SN74HCU04AN IC13 8-759-917-18 s IC SN74HCU04AN
C418 C419 C420	1-126-933-11 s ELECT 100uF 20% 16V 1-126-964-11 s ELECT 10uF 20% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	IC14 8-759-145-57 s IC UPC4557C IC15 8-759-705-58 s IC NJM4558D-D
C421 C422 C423	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V	IC201 8-759-701-25 s IC NJM2068D-D IC202 8-759-701-25 s IC NJM2068D-D IC203 8-759-701-25 s IC NJM2068D-D
C424	1-126-933-11 s ELECT 100uF 20% 16V 1-126-933-11 s ELECT 100uF 20% 16V	IC204 8-759-701-25 s IC NJM2068D-D

8-729-118-56 s TRANSISTOR 2SK852-X2 8-729-209-06 s TRANSISTOR 2SC4213-A

8-729-209-06 s TRANSISTOR 2SC4213-A

8-729-140-63 s TRANSISTOR 2SA1611-M5M6

8-729-118-56 s TRANSISTOR 2SK852-X2 8-729-423-93 s TRANSISTOR 2SD2136-R(TA)

8-729-022-00 s TRANSISTOR 2SB1416-R(TA) 8-729-021-98 s TRANSISTOR 2SJ226-AZ

8-729-021-98 s TRANSISTOR 2SJ226-AZ 8-729-117-32 s TRANSISTOR 2SC4177

8-729-140-93 s TRANSISTOR 2SB733-34

8-729-209-06 s TRANSISTOR 2SC4213-A

8-729-209-06 s TRANSISTOR 2SC4213-A

8-729-804-09 s TRANSISTOR 2SA1319-T

8-729-804-09 s TRANSISTOR 2SA1319-T

8-729-140-93 s TRANSISTOR 2SB733-34

8-729-905-18 s TRANSISTOR DTC144EU

8-729-905-12 s TRANSISTOR DTA144EU

8-729-803-89 s TRANSISTOR 2SK852-X2 8-729-803-89 s TRANSISTOR 2SC4213-A 8-729-803-89 s TRANSISTOR 2SC3332-T 8-729-803-89 s TRANSISTOR 2SC3332-T

8-729-117-32 s TRANSISTOR 2SC4177

Q13

014

015

016

017 018

019 020

Q21

Q22

023

025

Q26

Q27

028

Q29

Q30

034

035

036

Q2**0**1

0202

0203

1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-009-00 s METAL, CHIP 22 5% 1/10W R12 R13 R14 R16 R17 1-216-073-00 s METAL. CHIP 10k 5% 1/10W R19-R23 1-216-073-00 s METAL. CHIP 10k 5% 1/10W R24 1-216-049-00 s METAL. CHIP 10k 5% 1/10W R25 1-216-073-00 s METAL. CHIP 10k 5% 1/10W R26 1-216-073-00 s METAL. CHIP 10k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-041-00 s METAL, CHIP 470 5% 1/10W R27 **R28** R30 R31 1-216-642-11 s METAL. CHIP 430 0.5% 1/10W R32 1-216-675-11 5 METAL, CHIP 10k 0.5% 1/10W 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W 1-215-473-00 s METAL 150k 1% 1/6W **R33** R34 R35 R36 **R37** 1-215-471-00 s METAL 120k 1% 1/6W R38 1-215-479-00 s METAL 270k 1% 1/6W 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R39 R40 R41

Ref. No.	Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R42 R43 R44 R45 R46	1-216-695-11 s METAL, CHIP 68k 0.5% 1/10W 1-215-469-00 s METAL 100k 1% 1/6W 1-215-473-00 s METAL 150k 1% 1/6W 1-215-461-00 s METAL 47k 1% 1/6W 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W	R102 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R103 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R104 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R105 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R106 1-216-069-00 s METAL, CHIP 6.8k 5% 1/10W
R47	1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W	R107 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R48	1-216-089-91 s METAL, CHIP 47k 5% 1/10W	R108 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W
R49	1-216-071-00 s METAL, CHIP 8.2k 5% 1/10W	R109 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W
R50	1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R110 1-216-650-11 s METAL, CHIP 910 0.5% 1/10W
R51	1-216-121-00 s METAL, CHIP 1M 5% 1/10W	R111 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W
R52	1-216-121-00 s METAL, CHIP 1M 5% 1/10W	R112 1-216-073-00 5 METAL, CHIP 10k 5% 1/10W
R53	1-216-121-00 s METAL, CHIP 1M 5% 1/10W	R113 1-216-667-11 5 METAL, CHIP 4.7k 0.5% 1/10W
R54	1-216-121-00 s METAL, CHIP 1M 5% 1/10W	R114 1-216-033-00 5 METAL, CHIP 220 5% 1/10W
R56	1-216-009-00 s METAL, CHIP 22 5% 1/10W	R115 1-216-067-00 5 METAL, CHIP 5.6k 5% 1/10W
R57	1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W	R116 1-216-067-00 5 METAL, CHIP 5.6k 5% 1/10W
R58 R59 R60 R61 R62	1-216-643-11 s METAL, CHIP 470 0.5% 1/10W 1-216-622-11 s METAL, CHIP 62 0.5% 1/10W 1-216-678-11 s METAL, CHIP 13k 0.5% 1/10W 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W 1-216-652-11 s METAL, CHIP 1.1k 0.5% 1/10W	R117
R63	1-216-622-11 s METAL, CHIP 62 0.5% 1/10W	R122 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R64	1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W	R123 1-249-389-11 s CARBON 4.7 5% 1/4W
R65	1-216-676-11 s METAL, CHIP 11k 0.5% 1/10W	R124 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R66	1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W	R125 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R67	1-216-654-11 s METAL, CHIP 1.3k 0.5% 1/10W	R126 1-216-075-00 s METAL, CHIP 12k 5% 1/10W
R68	1-215-493-00 s METAL 1M 1% 1/6W	R127 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R69	1-216-666-11 s METAL, CHIP 4.3k 0.5% 1/10W	R128 1-216-025-00 s METAL, CHIP 100 5% 1/10W
R70	1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W	R129 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R71	1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W	R130 1-216-033-00 s METAL, CHIP 220 5% 1/10W
R72	1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R131 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R73	1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R132 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R74	1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R133 1-216-095-00 s METAL, CHIP 82k 5% 1/10W
R75	1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R134 1-216-676-11 s METAL, CHIP 11k 0.5% 1/10W
R76	1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R135 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R77	1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W	R136 1-216-678-11 s METAL, CHIP 13k 0.5% 1/10W
R78	1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W	R137 1-216-025-00 s METAL, CHIP 100 5% 1/10W
R79	1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R138 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R80	1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R139 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R81	1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W	R140 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R82	1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W	R141 1-216-684-11 s METAL, CHIP 24k 0.5% 1/10W
R83 R84 R85 R86 R87	1-216-658-11 s METAL, CHIP 2k 0.5% 1/10W 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W 1-216-645-11 s METAL, CHIP 560 0.5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W	R142 1-216-025-00 s METAL, CHIP 100 5% 1/10W R143 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R144 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R145-154 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R155 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R88 R89 R90 R91 R92	1-216-672-11 s METAL, CHIP 7.5k 0.5% 1/10W 1-216-045-00 s METAL, CHIP 680 5% 1/10W 1-216-674-11 s METAL, CHIP 9.1k 0.5% 1/10W 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W 1-216-657-11 s METAL, CHIP 1.8k 0.5% 1/10W	R156 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R157 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R158 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R159 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R160 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R93 R94 R95 R96 R97	1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W	R161 1-216-063-00 s METAL, CHIP 3.9k 5% 1/10W R162 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R163 1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W R164 1-216-059-00 s METAL, CHIP 2.7k 5% 1/10W R165 1-216-071-00 s METAL, CHIP 8.2k 5% 1/10W
R98	1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W	R167 1-216-295-91 s RES, CHIP 0
R99	1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R168 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R100	1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R169 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R101	1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R170 1-216-063-00 s METAL, CHIP 3.9k 5% 1/10W

(AP-31 BOARD(UVW-1800))

Ref. No. or Q'ty Part No. SP Description	Ref. No. or O'ty Part No. SP Description
R171 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R172 1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W R173 1-216-059-00 s METAL, CHIP 2.7k 5% 1/10W R174 1-216-071-00 s METAL, CHIP 8.2k 5% 1/10W R175 1-216-121-00 s METAL, CHIP 1M 5% 1/10W	R250 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R251 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R252 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R253 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R254 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R176 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R177 1-216-025-00 s METAL, CHIP 100 5% 1/10W R178 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R179 1-216-664-11 s METAL, CHIP 3.6k 0.5% 1/10W R180 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R255 1-216-009-00 s METAL, CHIP 22 5% 1/10W R256 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R257 1-216-643-11 s METAL, CHIP 470 0.5% 1/10W R258 1-216-622-11 s METAL, CHIP 62 0.5% 1/10W R259 1-216-678-11 s METAL, CHIP 13k 0.5% 1/10W
R181 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R182 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W R183 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R184 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R186 1-216-095-00 s METAL, CHIP 82k 5% 1/10W	R260 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W R261 1-216-652-11 s METAL, CHIP 1.1k 0.5% 1/10W R262 1-216-622-11 s METAL, CHIP 62 0.5% 1/10W R263 1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W R264 1-216-676-11 s METAL, CHIP 11k 0.5% 1/10W
R187 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W R188 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R201 1-216-603-11 s METAL, CHIP 10 0.5% 1/10W R202 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R203 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R265 1-216-677-11 S METAL, CHIP 12k 0.5% 1/10W R266 1-216-654-11 S METAL, CHIP 1.3k 0.5% 1/10W R267 1-215-493-00 S METAL IM 1% 1/6W R268 1-216-666-11 S METAL, CHIP 4.3k 0.5% 1/10W R269 1-216-691-11 S METAL, CHIP 47k 0.5% 1/10W
R204 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R205 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R206 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R207 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R208 1-216-105-00 s METAL, CHIP 220k 5% 1/10W	R270 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R271 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R272 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R273 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R274 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R209 1-216-626-11 s METAL, CHIP 91 0.50% 1/10W R210 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R211 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R212 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R213 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W	R275 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R276 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R277 1-216-658-11 s METAL, CHIP 2k 0.5% 1/10W R278 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W R279 1-216-645-11 s METAL, CHIP 560 0.5% 1/10W
R214 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R216 1-216-009-00 s METAL, CHIP 22 5% 1/10W R217 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R219-223 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R224 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R280 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R281 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R282 1-216-672-11 s METAL, CHIP 7.5k 0.5% 1/10W R283 1-216-045-00 s METAL, CHIP 680 5% 1/10W R284 1-216-674-11 s METAL, CHIP 9.1k 0.5% 1/10W
R225 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R226 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R227 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R228 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R230 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W	R285 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W R286 1-216-657-11 s METAL, CHIP 1.8k 0.5% 1/10W R287 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R288 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R289 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W
R231 1-216-041-00 s METAL, CHIP 470 5% 1/10W R232 1-216-642-11 s METAL, CHIP 430 0.5% 1/10W R233 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R234 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R235 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W	R290 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R291 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R292 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R293 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R294 1-216-097-00 s METAL, CHIP 100k 5% 1/10W
R236 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R237 1-215-473-00 s METAL 150k 1% 1/6W R238 1-215-471-00 s METAL 120k 1% 1/6W R239 1-215-479-00 s METAL 270k 1% 1/6W R240 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W	R295 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R296 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R297 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R298 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R299 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R241 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R242 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W R243 1-215-479-00 s METAL 270k 1% 1/6W R244 1-215-460-00 s METAL 43k 1% 1/6W R245 1-215-460-00 s METAL 43k 1% 1/6W	R300 1-216-069-00 s METAL, CHIP 6.8k 5% 1/10W R301 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R302 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W R303 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W R304 1-216-650-11 s METAL, CHIP 910 0.5% 1/10W
R246 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W R247 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R248 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R249 1-216-071-00 s METAL, CHIP 8.2k 5% 1/10W	R305 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W R306 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R307 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R308 1-216-033-00 s METAL, CHIP 220 5% 1/10W

(AP-31 BOARD(UVW-1800))

```
or O'ty Part No.
                                         SP Description
                  1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W 1-247-807-31 s CARBON 100 5% 1/4W
R309
R310
R311
R312
               1-216-399-00 s WIREWOUND 6.8 10% 3W
R313
               1-216-399-00 s WIREWOUND 6.8 10% 3W
R314
                   1-247-807-31 s CARBON 100 5% 1/4W
R315
                   1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R316
                   1-249-389-11 s CARBON 4.7 5% 1/4W
R317
                   1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R318
                   1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-075-00 s METAL, CHIP 12k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R319
R320
R321
R322
R323
                   1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R324
R325
                   1-216-081-00 s METAL, CHIP 4.7k 5% 1/10W
1-216-095-00 s METAL, CHIP 22k 5% 1/10W
1-216-095-00 s METAL, CHIP 82k 5% 1/10W
1-216-676-11 s METAL, CHIP 11k 0.5% 1/10W
R326
R327
R328
                   1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-678-11 s METAL, CHIP 13k 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R329
R330
R331
R332
R333
                    1-216-G73-00 s METAL, CHIP 10k 5% 1/10W
1-216-684-11 s METAL, CHIP 24k 0.5% 1/10W
1-216-025-00 s METAL, CHIP 100 5% 1/10W
1-216-073-00 s METAL, CHIP 10k 5% 1/10W
1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R334
R335
R336
R337
R338
                    1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-095-00 s METAL, CHIP 82k 5% 1/10W
R339
R341
                    1-216-073-00 s METAL, CHIP 10k 5% 1/10W
1-216-295-91 s RES, CHIP 0
R342
R344
                    1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R345
                    1-216-121-00 s METAL, CHIP 1M 5% 1/10W
1-216-085-00 s METAL, CHIP 33k 5% 1/10W
1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W
1-216-603-11 s METAL, CHIP 10 0.5% 1/10W
R346
R347
R387
R400
R402
                    1-216-295-91 s RES, CHIP 0
                    1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R403
R404
R405
R406
R407
                    1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R408
R409
R410
R411
R412
R413
                     1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W
                    1-216-089-91 s METAL, CHIP 47k 5% 1/10W
R414
R415
                    1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
1-216-121-00 s METAL, CHIP 1M 5% 1/10W
 R416
 R417
                    1-216-049-00 s METAL, CHIP 1k 5% 1/10W
1-216-073-00 s METAL, CHIP 10k 5% 1/10W
1-216-113-00 s METAL, CHIP 470k 5% 1/10W
1-216-025-00 s METAL, CHIP 100 5% 1/10W
R418
R419
R420
R421
```

(AP-31 BOARD(UVW-1800))

Ref. No. or Q'ty	Part No. SP Description
R423 R424	1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R427 R428 R500 R501	1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-215-403-00 s METAL 180 1% 1/6W 1-215-403-00 s METAL 180 1% 1/6W
RV2 RV3 RV4	1-241-789-21 s RES, ADJ METAL 220k 1-241-784-11 s RES, ADJ METAL 4.7k 1-241-783-11 s RES, ADJ METAL 2.2k 1-241-785-11 s RES, ADJ METAL 10k 1-241-123-11 s RES, ADJ CARBON 47k
RV202 RV203 RV204 RV205	1-241-789-21 s RES, ADJ METAL 220k 1-241-784-11 s RES, ADJ METAL 4.7k 1-241-783-11 s RES, ADJ METAL 2.2k 1-241-785-11 s RES, ADJ METAL 10k 1-241-123-11 s RES, ADJ CARBON 47k
S1 S2 S201 S202	1-570-602-11 s SWITCH, DIP 2-CKT 1-570-602-11 s SWITCH, DIP 2-CKT 1-570-602-11 s SWITCH, DIP 2-CKT 1-570-602-11 s SWITCH, DIP 2-CKT
TH1 TH2	1-800-199-11 s THERMISTOR S-1250 1-800-199-11 s THERMISTOR S-1250

8-729-140-93 s TRANSISTOR 2SB733-34

D403

8-719-941-23 s DIODE DA204U

R133

R134

R135

R61

R62

R63

(AP-31A BOARD(UVW-1600))

Ref. No.	Ref. No.
or Q'ty Part No. SP Description	or Q'ty Part No. SP Description
R136 1-216-678-11 s METAL, CHIP 13k 0.5% 1/10W R137 1-216-025-00 s METAL, CHIP 100 5% 1/10W R138 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R139 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R140 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R258 1-216-622-11 s METAL, CHIP 62 0.5% 1/10W R259 1-216-678-11 s METAL, CHIP 13k 0.5% 1/10W R260 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W R261 1-216-652-11 s METAL, CHIP 1.1k 0.5% 1/10W R262 1-216-622-11 s METAL, CHIP 62 0.5% 1/10W
R141 1-216-684-11 s METAL, CHIP 24k 0.5% 1/10W R142 1-216-025-00 s METAL, CHIP 100 5% 1/10W R143 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R144 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R145-154 1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R263 1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W R264 1-216-676-11 s METAL, CHIP 11k 0.5% 1/10W R265 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W R266 1-216-654-11 s METAL, CHIP 1.3k 0.5% 1/10W R267 1-215-493-00 s METAL 1M 1% 1/6W
R166 1-216-295-91 s RES, CHIP 0 R178 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R179 1-216-664-11 s METAL, CHIP 3.6k 0.5% 1/10W R180 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R181 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R268 1-216-666-11 s METAL, CHIP 4.3k 0.5% 1/10W R269 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R270 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R271 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R272 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R182 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W R183 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R184 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R186 1-216-095-00 s METAL, CHIP 82k 5% 1/10W R187 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W	R273 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R274 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R276 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R277 1-216-658-11 s METAL, CHIP 2k 0.5% 1/10W R278 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W
R201 1-216-603-11 s METAL, CHIP 10 0.5% 1/10W R205 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R206 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R208 1-216-105-00 s METAL, CHIP 220k 5% 1/10W R209 1-216-626-11 s METAL, CHIP 91 0.5% 1/10W	R279 1-216-645-11 s METAL, CHIP 560 0.5% 1/10W R280 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R281 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R282 1-216-672-11 s METAL, CHIP 7.5k 0.5% 1/10W R283 1-216-045-00 s METAL, CHIP 680 5% 1/10W
R210 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R213 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R216 1-216-009-00 s METAL, CHIP 22 5% 1/10W R217 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R219 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R284 1-216-674-11 s METAL, CHIP 9.1k 0.5% 1/10W R285 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W R286 1-216-657-11 s METAL, CHIP 1.8k 0.5% 1/10W R287 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R300 1-216-069-00 s METAL, CHIP 6.8k 5% 1/10W
R220 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R223 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R224 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R225 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R226 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R301 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R302 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W R303 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W R304 1-216-650-11 s METAL, CHIP 910 0.5% 1/10W R305 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W
R227 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R228 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R230 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R231 1-216-041-00 s METAL, CHIP 470 5% 1/10W R232 1-216-642-11 s METAL, CHIP 430 0.5% 1/10W	R306 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R307 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R308 1-216-033-00 s METAL, CHIP 220 5% 1/10W R309 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W R310 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W
R233 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R234 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R235 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R236 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R237 1-215-473-00 s METAL 150k 1% 1/6W	R311 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R312 1-247-807-31 s CARBON 100 5% 1/4W R313 1-216-399-00 s WIREWOUND 6.8 10% 3W R314 1-216-399-00 s WIREWOUND 6.8 10% 3W R315 1-247-807-31 s CARBON 100 5% 1/4W
R238 1-215-471-00 s METAL 120k 1% 1/6W R239 1-215-479-00 s METAL 270k 1% 1/6W R240 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W R241 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R242 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W	R316 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R317 1-249-389-11 s CARBON 4.7 5% 1/4W R318 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R319 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R320 1-216-075-00 s METAL, CHIP 12k 5% 1/10W
R243 1-215-483-00 s METAL 390k 1% 1/6W R244 1-215-493-00 s METAL 1M 1% 1/6W R245 1-215-459-00 s METAL 39k 1% 1/6W R246 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W R247 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W	R321 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R322 1-216-025-00 s METAL, CHIP 100 5% 1/10W R323 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R324 1-216-033-00 s METAL, CHIP 220 5% 1/10W R325 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R251 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R255 1-216-009-00 s METAL, CHIP 22 5% 1/10W R256 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R257 1-216-643-11 s METAL, CHIP 470 0.5% 1/10W	R326 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R327 1-216-095-00 s METAL, CHIP 82k 5% 1/10W R328 1-216-676-11 s METAL, CHIP 11k 0.5% 1/10W R329 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W

```
or Q'ty Part No.
                                            SP Description
                     1-216-678-11 s METAL, CHIP 13k 0.5% 1/10W
R330
                    1-216-075-00 s METAL, CHIP 100 5% 1/10W

1-216-073-00 s METAL, CHIP 100 5% 1/10W

1-216-073-00 s METAL, CHIP 10k 5% 1/10W

1-216-073-00 s METAL, CHIP 10k 5% 1/10W

1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R331
R332
R333
R334
                     1-216-684-11 s METAL, CHIP 24k 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-095-00 s METAL, CHIP 82k 5% 1/10W
R335
R336
R337
R338
R341
                     1-216-073-00 s METAL, CHIP 10k 5% 1/10W
1-216-295-91 s RES, CHIP 0
1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W
1-216-603-11 s METAL, CHIP 10 0.5% 1/10W
1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R342
R343
R387
R400
                     1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W
R402
R403
R405
R406
                      1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R407
                     1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W 1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W
R408
R410
R412
R413
R414
                     1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R415
R416
R417
R418
R419
                      1-216-113-00 s METAL, CHIP 470k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W
R420
R421
R422
R423
                       1-216-073-00 s METAL, CHIP 10k 5% 1/10W
                      1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-215-403-00 s METAL 180 1% 1/6W
 R425
R426
 R427
 R428
 R500
 R501
                       1-215-403-00 s METAL 180 1% 1/6W
                      1-241-789-21 s RES, ADJ METAL 220k
1-241-784-11 s RES, ADJ METAL 4.7k
1-241-783-11 s RES, ADJ METAL 2.2k
1-241-785-11 s RES, ADJ METAL 10k
 RV1
 RV2
 RV3
 RV4
                        1-241-123-11 s RES, ADJ CARBON 47k
 RV5
                       1-241-789-21 s RES, ADJ METAL 220k
1-241-784-11 s RES, ADJ METAL 4.7k
 RV201
 RV202
                      1-241-783-11 s RES, ADJ METAL 2.2k
1-241-785-11 s RES, ADJ METAL 10k
1-241-123-11 s RES, ADJ CARBON 47k
 RV203
 RV204
 RV205
                        1-570-602-11 s SWITCH, DIP 2-CKT
1-570-602-11 s SWITCH, DIP 2-CKT
1-570-602-11 s SWITCH, DIP 2-CKT
 S1
 S2
 S201
                        1-570-602-11 & SWITCH, DIP 2-CKT
 S202
                        1-800-199-11 s THERMISTOR S-1250
 TH1
                        1-800-199-11 s THERMISTOR S-1250
  TH2
```

```
AR-14 BOARD(UVW-1800)
Ref. No.
or Q'ty Part No.
                                        SP Description
AR-14 board is used for UVW-1800.
                 A-8275-287-A o MOUNTED CIRCUIT BOARD, AR-14
3-179-084-01 s LEVER (R), PC BOARD
3-179-085-01 s LEVER (L), PC BOARD
1pc
1pc
1pc
                 1-163-137-00 s CERAMIC, CHIP 680pF 5% 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
1-163-137-00 s CERAMIC, CHIP 680pF 5% 50V
1-126-964-11 s ELECT 10uF 20% 50V
C1
C2
C3
                 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                 1-163-137-00 s CERAMIC, CHIP 680pF 5% 50V
1-126-964-11 s ELECT 10uF 20% 50V
1-126-964-11 s ELECT 10uF 20% 50V
1-126-964-11 s ELECT 10uF 20% 50V
C6
C7
83
C9
                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C10
                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C11
                 1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
C12
C13
C14
                  1-126-933-11 s ELECT 100uF 20% 16V
C15
C16-C20 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

C21 1-126-933-11 s ELECT 100uF 20% 16V

C22 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V

C23 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                  1-126-947-11 s ELECT 47uF 20% 35V
 C101
                 1-126-947-11 s ELECT 47uF 20% 35V
1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
1-126-940-11 s ELECT 330uF 20% 25V
1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V
1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V
 C102
 C103
 C104
 C105
 C106
                  1-163-113-00 s CERAMIC, CHIP 68pF 5% 50V
1-163-113-00 s CERAMIC, CHIP 68pF 5% 50V
 C107
 C108
                  1-126-947-11 s ELECT 47uF 20% 35V
1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
 C109
 C110
 C111
                  1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
 C112
 C113
                  1-130-365-00 s TANTALUM 10uF 10% 20V
1-130-475-00 s MYLAR 0.0022uF 5% 50V
1-130-471-00 s MYLAR 0.001uF 5% 50V
 C114
 C115
 C116
                  1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V
1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
1-130-489-00 s MYLAR 0.033uF 5% 50V
1-130-473-00 s MYLAR 0.0015uF 5% 50V
 C117
 C118
 C119
 C120
                   1-130-494-11 s MYLAR 0.082uF 5% 50V
 C121
                   1-126-964-11 s ELECT 10uF 20% 50V
 C122
                  1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
 C123
 C124
                  1-136-439-11 s FILM 330pF 5% 630V
1-136-439-11 s FILM 330pF 5% 630V
 C125
 C126
                  1-136-439-11 s FILM 330pF 5% 630V
1-136-439-11 s FILM 330pF 5% 630V
 C127
 C128
                   1-136-438-11 s FILM 270pF 5% 630V
1-126-964-11 s ELECT 10uF 20% 50V
 C129
 C130
                   1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V
 C131
```

1-130-485-00 s MYLAR 0.015uF 5% 50V 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V

1-130-475-00 s MYLAR 0.0022uF 5% 50V

C132 C133

C134

C135

(AR-14 BOARD(UVW-1800))

Ref. No. or Q'ty Part No. SP Description or O'ty Part No. SP Description 1-130-487-00 s MYLAR 0.022uF 5% 50V 1-126-964-11 s ELECT 10uF 20% 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-126-947-11 s ELECT 47uF 20% 35V 1-136-561-11 s FILM 0.0068uF 5% 630V C136 C346 C347 1-131-347-00 s TANTALUM 1uF 10% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-131-349-00 s TANTALUM 2.2uF 10% 35V C137 C201 C352 C202 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C353 1-126-940-11 s ELECT 330uF 20% 25V 1-126-947-11 s ELECT 47uF 20% 35V C354 1-120-947-11 \$ ELECT 47ur 20-33-5 C355 1-136-561-11 \$ FILM 0.0068uF 5% 630V C356 1-131-347-00 \$ TANTALUM 1uF 10% 35V 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V 1-163-113-00 s CERAMIC, CHIP 68pF 5% 50V 1-163-113-00 s CERAMIC, CHIP 68pF 5% 50V C205 C206 C207 CN1 1-506-474-11 s CONNECTOR 9P, MALE 1-573-600-21 s CONNECTOR, PHEC 100P, MALE C208 C209 1-126-947-11 s ELECT 47uF 20% 35V D1 D101 D102 D103 D201 1-120-947-11 S ELECT 474F 20% 35V 1-163-251-11 S CERAMIC, CHIP 100pF 5% 50V 1-163-251-11 S CERAMIC, CHIP 100pF 5% 50V 1-126-933-11 S ELECT 100uF 20% 16V 1-126-933-11 S ELECT 100uF 20% 16V 8-719-123-85 s DIODE 1SS304 8-719-941-23 s DIODE DA204U 8-719-941-23 s DIODE DA204U C210 C211 D102 C212 8-719-941-23 s DIODE DA204U 8-719-941-23 s DIODE DA204U 1-131-365-00 s TANTALUM 10uF 10% 20V 1-130-475-00 s MYLAR 0.0022uF 5% 50V C214 0202 8-719-941-23 s DIODE DA204U C215 1-130-471-00 s MYLAR 0.001uF 5% 50V 1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V D203 8-719-941-23 s DIODE DA204U 8-719-123-82 s DIODE 1SS303-T1 C216 C217 D301 8-719-123-82 s DIODE 1SS303-T1 8-719-123-82 s DIODE 1SS303-T1 D302 D303 1-130-489-00 s MYLAR 0.033uF 5% 50V 1-130-473-00 s MYLAR 0.0015uF 5% 50V 1-130-494-11 s MYLAR 0.082uF 5% 50V 1-126-964-11 s ELECT 10u 20% 50V C219 C220 D304 8-719-157-23 s DIODE RD4.7M-B 8-719-123-82 s DIODE 1SS303-T1 8-719-157-23 s DIODE RD4.7M-B D305 D306 D311 D312 C221 C222 8-719-123-82 s DIODE 1SS303-T1 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C223 8-719-157-23 s DIODE RD4.7M-B 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-136-439-11 s FILM 330pF 5% 630V 1-136-439-11 s FILM 330pF 5% 630V 1-136-439-11 s FILM 330pF 5% 630V D313 8-719-123-82 s DIODE 1SS303-T1
D314 8-719-123-82 s DIODE 1SS303-T1
D321 8-719-123-82 s DIODE 1SS303-T1 C225 C226 C227 1-136-439-11 s FILM 330pF 5% 630V 8-719-157-23 s DIODE RD4.7M-8 8-719-123-82 s DIODE 1SS303-T1 0322 D323 1-136-438-11 s FILM 270pF 5% 630V 1-126-964-11 s ELECT 10uF 20% 50V 8-719-123-82 s DIODE 1SS303-T1 D324 C230 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V 1-130-485-00 s MYLAR 0.015uF 5% 50V D331 D332 D334 8-719-123-82 s DIODE 1SS303-T1 8-719-157-23 s DIODE RD4.7M-8 C231 C232 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 8-719-123-82 s DIODE 1SS303-T1 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 1-130-475-00 s MYLAR 0.0022uF 5% 50V 1-130-487-00 s MYLAR 0.022uF 5% 50V 1-126-964-11 s ELECT 10uF 20% 50V 8-759-140-53 s IC UPD4053BC 8-759-705-58 s IC NJM4558D-D 8-759-917-18 s IC SN74HCU04AN 8-759-168-20 s IC TA78L09S 8-759-700-68 s IC NJM79L09A IC2 IC3 IC5 C235 C236 C237 1-163-235-11 s CERAMIC, CHIP 22pf 5% 50V C301 IC6 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V 1-163-257-11 s CERAMIC, CHIP 180pF 5% 50V 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V 1-131-347-00 s TANTALUM 1uF 10% 35V 1-131-347-00 s TANTALUM 1uF 10% 35V 8-759-168-20 s IC TA78L09S 8-759-705-58 s IC NJM4558D-D IC101 IC102 IC103 C303 8-759-705-58 s IC NJM4558D-D 8-759-705-58 s IC NJM4558D-D C305 C307 8-759-705-58 s IC NJM4558D-D C308 IC104 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-131-347-00 s TANTALUM 1uF 10% 35V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-131-347-00 s TANTALUM 1uF 10% 35V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 8-759-705-58 s IC NJM4558D-D 8-759-705-58 s IC NJM4558D-D C309 IC105 C312 IC201 8-759-705-58 s IC NJM4558D-D 8-759-705-58 s IC NJM4558D-D IC202 C313 C322 IC203 8-759-705-58 s IC NJM4558D-D IC204 C323 C332 8-759-705-58 s IC NJM4558D-D 1-131-349-00 s TANTALUM 2.2uF 10% 35V IC205 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-136-561-11 s FILM 0.0068uF 5% 630V 8-759-917-18 s IC SN74HCU04AN 8-759-917-37 s IC MC74HC4024N 8-759-000-01 s IC MC74HC4538N 8-759-916-16 s IC MC74HC08AN C333 IC301 C334 IC302 C335 IC303 1-131-347-00 s TANTALUM 1uF 10% 35V IC304 1C3 1C307 1C308 8-759-921-19 s IC SN74HC161N 8-759-916-29 s IC SN74HC74N 8-759-917-18 s IC SN74HCU04AN 8-759-916-16 s IC MC74HC08AN 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-131-349-00 s TANTALUM 2.2uF 10% 35V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-126-947-11 s ELECT 47uF 20% 35V C337 C342 C343

(AR-14 BOARD(UVW-1800))

Ref. No.	Ref. No. or Q'ty Part No. SP Description
or Q'ty Part No. SP Description	
IC309 8-759-135-80 s IC UPC358C IC310 8-759-135-80 s IC UPC358C IC311 8-759-916-12 s IC SN74HC00N IC312 8-759-917-18 s IC SN74HCU04AN IC313 8-759-135-80 s IC UPC358C	Q325 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q326 8-729-140-98 s TRANSISTOR 2SD773-3 Q327 8-729-140-98 s TRANSISTOR 2SD773-3 Q328 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q329 8-729-140-98 s TRANSISTOR 2SD773-3
IC314 8-759-916-12 s IC SN74HC00N IC315 8-759-705-58 s IC NJM4558D-D IC316 8-759-705-58 s IC NJM4558D-D	Q331 8-729-203-30 s TRANSISTOR 2SJ106Y Q332 8-729-140-93 s TRANSISTOR 2SB733-34 Q333 8-729-905-12 s TRANSISTOR DTA144EU Q334 8-729-140-63 s TRANSISTOR 2SA1611-M5M6
L1 1-410-470-11 s INDUCTOR 10uH L2 1-410-470-11 s INDUCTOR 10uH L101 1-410-478-11 s INDUCTOR 47uH	Q335 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q336 8-729-140-98 s TRANSISTOR 2SD773-3 Q337 8-729-140-98 s TRANSISTOR 2SD773-3
L102 1-407-499-00 s INDUCTOR 3.9mH L201 1-410-478-11 s INDUCTOR 47uH	Q339 8-729-140-98 s TRANSISTOR 2SD773-3
L202 1-407-499-00 s INDUCTOR 3.9mH L301 1-410-470-11 s INDUCTOR 10uH L311 1-410-470-11 s INDUCTOR 10uH L321 1-410-470-11 s INDUCTOR 10uH	R1 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W R2 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W R3 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R4 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R5 1-216-097-00 s METAL, CHIP 100k 5% 1/10W
LV101 1-410-853-21 s COIL, VAR 4.5uH LV201 1-410-853-21 s COIL, VAR 4.5uH LV301 1-414-007-11 s COIL, VAR 1.5uH LV311 1-414-007-11 s COIL, VAR 1.5uH LV321 1-414-007-11 s COIL, VAR 1.5uH	R6 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R7 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R8 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R9 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
PS1 <u>A</u> 1-532-727-11 s LINK, IC 0.25A	R10 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
PS2 <u>A</u> 1-532-727-11 s LINK, IC 0.25A	R11 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R12 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R13 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
02 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 03 8-729-905-12 s TRANSISTOR DTA144EU 04 8-729-905-12 s TRANSISTOR DTA144EU	R14 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R15 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
Q5 8-729-905-12 s TRANSISTOR DTA144EU	R17 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
Q101 8-729-209-06 s TRANSISTOR 2SC4213-A Q102 8-729-905-18 s TRANSISTOR DTC144EU Q103 8-729-905-12 s TRANSISTOR DTA144EU Q104 8-729-140-98 s TRANSISTOR 2SD773-3	R18-R25 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R26 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R27 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
Q105 8-729-140-98 s TRANSISTOR 2SD773-3 Q201 8-729-209-06 s TRANSISTOR 2SC4213-A	R103 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W R104 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W R105 1-216-642-11 s METAL, CHIP 430 0.5% 1/10W
Q2O2 8-729-905-18 \$ TRANSISTOR DTC144EU Q2O3 8-729-905-12 \$ TRANSISTOR DTA144EU Q2O4 8-729-140-98 \$ TRANSISTOR 2SD773-3	R106 1-216-641-11 s METAL, CHIP 390 0.5% 1/10W R107 1-216-633-11 s METAL, CHIP 180 0.5% 1/10W
Q205 8-729-140-98 s TRANSISTOR 2SD773-3 Q301 8-729-203-30 s TRANSISTOR 2SJ106Y	R108 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R109 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R110 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W
Q302 8-729-140-93 s TRANSISTOR 2SB733-34 Q303 8-729-203-30 s TRANSISTOR 2SJ106Y Q304 8-729-140-93 s TRANSISTOR 2SB733-34	R111 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W R112 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W
Q305 8-729-140-98 s TRANSISTOR 2SD773-3 Q306 8-729-140-98 s TRANSISTOR 2SD773-3	R113 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R114 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R115 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
0311 8-729-203-30 s TRANSISTOR 2SJ106Y 0312 8-729-140-93 s TRANSISTOR 2SB733-34 0313 8-729-905-12 s TRANSISTOR DTA144EU	R116 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R117 1-216-025-00 s METAL, CHIP 100 5% 1/10W
Q314 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q315 8-729-140-63 s TRANSISTOR 2SA1611-M5M6	R118 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R119 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R120 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
Q316 8-729-140-98 s TRANSISTOR 2SD773-3 Q317 8-729-140-98 s TRANSISTOR 2SD773-3 Q318 8-729-140-63 s TRANSISTOR 2SA1611-M5M6	R121 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R122 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R123 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
Q319 8-729-140-98 s TRANSISTOR 2SD773-3 Q321 8-729-203-30 s TRANSISTOR 2SJ106Y	R124 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R125 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
Q322 8-729-140-93 s TRANSISTOR 2SB733-34 Q323 8-729-905-12 s TRANSISTOR DTA144EU Q324 8-729-140-63 s TRANSISTOR 2SA1611-M5M6	R126 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R127 1-215-444-00 s METAL 9.1k 1% 1/6W

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R128 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R129 1-216-109-00 s METAL, CHIP 330k 5% 1/10W R130 1-216-095-00 s METAL, CHIP 82k 5% 1/10W R131 1-216-295-91 s RES, CHIP 0 R132 1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R238 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R239
R133 1-216-041-00 s METAL, CHIP 470 5% 1/10W R134 1-216-041-00 s METAL, CHIP 470 5% 1/10W R135 1-216-009-00 s METAL, CHIP 22 5% 1/10W R136 1-216-045-00 s METAL, CHIP 680 5% 1/10W R137 1-216-077-00 s METAL, CHIP 15k 5% 1/10W	R243 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R244 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R246 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R247 1-216-049-00 s METAL, CHIP 10k 5% 1/10W R248 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R138 1-216-089-91 s METAL, CHIP 47k 5% 1/10W A1-215-905-11 s METAL 10 5% 3W R140 A1-215-905-11 s METAL 10 5% 3W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R141 1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R249 1-216-117-00 s METAL, CHIP 680k 5% 1/10W R250 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R251-255 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R256 1-215-435-00 s METAL 3.9k 1% 1/6W R301 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R143 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R144 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R146 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R147 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R148 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R304 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R305 1-216-672-11 s METAL, CHIP 7.5k 0.5% 1/10W R306 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R149 1-216-117-00 s METAL, CHIP 680k 5% 1/10W R150 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R151-155 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R156 1-215-435-00 s METAL 3.9k 1% 1/6W R203 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W	R307 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R308 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R309 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R310 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R311 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R204 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W R205 1-216-642-11 s METAL, CHIP 430 0.5% 1/10W R206 1-216-641-11 s METAL, CHIP 390 0.5% 1/10W R207 1-216-633-11 s METAL, CHIP 180 0.5% 1/10W R208 1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R312 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R313 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R314 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R315 1-216-689-11 s METAL, CHIP 39k 0.5% 1/10W R316 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R209 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R210 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W R211 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W R212 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W R213 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R317 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W R318 1-216-077-00 s METAL, CHIP 15k 5% 1/10W R319 1-216-077-00 s METAL, CHIP 15k 5% 1/10W R320 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R321 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R214 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R215 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R216 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R217 1-216-025-00 s METAL, CHIP 100 5% 1/10W R218 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R322 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R323 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R324 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R325 1-216-689-11 s METAL, CHIP 39k 0.5% 1/10W R326 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R219 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R220 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R221 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R222 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R223 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R327 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W R328 1-216-077-00 s METAL, CHIP 15k 5% 1/10W R329 1-216-077-00 s METAL, CHIP 15k 5% 1/10W R330 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R331 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R224 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R225 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R226 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R227 1-215-444-00 s METAL 9.1k 1% 1/6W R228 1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R332 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R342 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R343 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R344 1-216-295-91 s RES, CHIP 0
R229 1-216-109-00 s METAL, CHIP 330k 5% 1/10W R230 1-216-095-00 s METAL, CHIP 82k 5% 1/10W R231 1-216-295-91 s RES, CHIP 0 R232 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R233 1-216-041-00 s METAL, CHIP 470 5% 1/10W	R345 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R346 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W R347 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R348 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R349 1-216-085-00 s METAL, CHIP 33k 5% 1/10W
R234 1-216-041-00 s METAL, CHIP 470 5% 1/10W R235 1-216-009-00 s METAL, CHIP 22 5% 1/10W R236 1-216-045-00 s METAL, CHIP 680 5% 1/10W R237 1-216-077-00 s METAL, CHIP 15k 5% 1/10W	R350 1-216-089-91 s METAL, CHIP-47k 5% 1/10W R351 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R352 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R353 1-216-073-00 s METAL, CHIP 10k 5% 1/10W

Ref. No. or Q'ty Part No. SP Description 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R354 **R355** R356 R357 R358 **1-216-397-11 s METAL 4.7 5% 3₩** R359 ▲1-216-397-11 s METAL 4.7 5% 3W R361 1-217-671-11 s METAL, CIHP 1 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R363 R364 R365 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R366 R371 R372 R373 1-216-295-91 s RES. CHIP 0 R374 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W 1-216-065-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R375 R376 R377 R378 R379 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R380 2381 0382 2323 R384 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-397-11 s METAL 4.7 5% 3W R385 R386 R387 R388 R389 **1-216-397-11** s METAL 4.7 5% 3₩ 2301 1-217-671-11 s METAL, CHIP 1 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W R393 R394 R395 R396 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-295-91 s RES, CHIP 0 R401 R402 R403 R404 1-216-669-11 s METAL, CHIP 5.6k 0.5% 1/10W R405 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R406 R407 R408 RANG R410 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R411 1-216-073-00 S METAL, CHIP 10k 5% 1/10W 1-216-073-00 S METAL, CHIP 10k 5% 1/10W 1-216-073-00 S METAL, CHIP 10k 5% 1/10W 1-216-057-00 S METAL, CHIP 2.2k 5% 1/10W R412 R413 R414 R415 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R416 R417 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-397-11 s METAL 4.7 5% 3W R418 R419 R421 ▲1-216-397-11 s METAL 4.7 5% 3W 1-217-671-11 s METAL, CHIP 1 5% 1/10W 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W

1-241-785-11 s RES, ADJ METAL 10k

R423 R426

RV106

(AR-14 BOARD(UVW-1800))

Ref. No. or Q'ty	Part No. SP Descript	ion
RV108	1-241-786-11 s RES, ADJ 1-241-785-11 s RES, ADJ 1-241-781-11 s RES, ADJ 1-241-761-11 s RES, ADJ 1-241-784-11 s RES, ADJ	METAL 10k METAL 470 METAL 1k
RV112 RV206 RV207 RV208 RV209	1-241-785-11 s RES, ADJ 1-241-786-11 s RES, ADJ 1-241-785-11 s RES, ADJ	METAL 10k METAL 22k METAL 10k
RV211 RV212	1-241-761-11 s RES, ADJ 1-241-784-11 s RES, ADJ 1-241-785-11 s RES, ADJ 1-241-765-11 s RES, ADJ 1-241-765-11 s RES, ADJ	METAL 4.7k METAL 10k METAL 22k
RY301 RY311		EED EED
S103 S203	1-570-602-11 s SWITCH, 1-570-602-11 s SWITCH,	
T201 T301	1-423-870-11 s TRANSFOR 1-423-870-11 s TRANSFOR 1-424-511-11 s TRANSFOR 1-424-511-11 s TRANSFOR 1-424-511-11 s TRANSFOR	MER, BIAS OSC MER, FE MER, FE
TH1 TH2	1-800-199-11 s THERMIST 1-800-199-11 s THERMIST	
X301	1-567-861-21 s CRYSTAL	4.194304MHz

CL-25 BOARD(UVW-1800/1600)

Ref. No.

or Q'ty Part No. SP Description

Two CL-25 boards are used in UVW-1800/1600. One board has the following parts.

```
1-640-170-13 o PRINTED CIRCUIT BOARD, CL-25
1pc
            3-171-424-01 o HOLDER, SENSOR
'C1
            1-161-051-00 s CERAMIC 0.01uF 10% 50V
           1-564-011-11 o CONNECTOR 12P, MALE
1-564-001-11 o CONNECTOR 2P, MALE
1-573-599-11 s CONNECTOR 5P, FEMALE
CN930
CN931
CN933
            1-564-001-11 D CONNECTOR 2P, MALE
CN935
           8-719-938-07 s LED GL480, INFRARED 8-719-938-07 s LED GL480, INFRARED
D1
D2
            8-729-903-81 s PHOTOTRANSISTOR PT480
            8-729-903-81 s PHOTOTRANSISTOR PT480
02
            1-249-414-11 s CARBON 560 5% 1/4W
            1-249-414-11 s CARBON 560 5% 1/4W
R2
```

CP-225 BOARD(UVW-1800)

Ref. No.

or Q'ty Part No. SP Description

CP-225 board is used for UVW-1800.

```
A-8276-738-A o MOUNTED CIRCUIT BOARD, CP-225
1pc
              1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
C1
C2
C3
               1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V
1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V
C5
C6
               1-163-809-11 s CERAMIC. CHIP 0.047uF 10% 25V
C7
               1-573-582-11 s CONNECTOR, BNC, FEMALE 1-573-582-11 s CONNECTOR, BNC, FEMALE
CN1
CN<sub>2</sub>
               1-573-590-12 s CONNECTOR, CIRCULAR 4P, FEMALE
1-573-584-11 s CONNECTOR, BNC, FEMALE
1-573-582-11 s CONNECTOR, BNC, FEMALE
CN3
CN4
CN5
               1-573-582-11 s CONNECTOR, BNC, FEMALE
CN<sub>6</sub>
              1-573-590-12 s CONNECTOR, CIRCULAR 4P, FEMALE
1-573-584-11 s CONNECTOR, BNC, FEMALE
1-691-273-11 s JACK, PIN 1P, FEMALE
CN7
CN8
CN9
CN10
               1-573-589-11 s CONNECTOR, CIRCULAR 12P, MALE
              1-573-592-11 s CONNECTOR, CIRCULAR 12P, FEMALE
1-564-014-11 s CONNECTOR 4P, MALE
1-506-486-11 s CONNECTOR 7P, MALE
1-506-485-11 s CONNECTOR 6P, MALE
CN11
CN651
CN652
CN653
               1-506-491-11 s CONNECTOR 12P, MALE
CN654
              1-506-493-11 s CONNECTOR 14P, MALE
1-564-001-11 c CONNECTOR 2P, MALE
CN655
CN656
               1-236-129-11 s ENCAPSULATED COMPONENTS, LC
FI 5
               1-236-129-11 s ENCAPSULATED COMPONENTS, LC
FL6
               1-236-129-11 s ENCAPSULATED COMPONENTS, LC
FI7
               1-236-129-11 s ENCAPSULATED COMPONENTS, LC
FL8
                1-236-129-11 s ENCAPSULATED COMPONENTS, LC
FL9
               1-236-129-11 s ENCAPSULATED COMPONENTS, LC
1-236-129-11 s ENCAPSULATED COMPONENTS, LC
1-236-129-11 s ENCAPSULATED COMPONENTS, LC
FL10
FL11
FL12
                8-729-117-32 s TRANSISTOR 2SC4177
01
               8-729-117-32 s TRANSISTOR 2SC4177
Q2
               1-216-009-00 s NETAL, CHIP 22 5% 1/10W 1-216-077-00 s NETAL, CHIP 15k 5% 1/10W
R2
               1-216-624-11 s METAL, CHIP 75 0.5% 1/10W
1-216-045-00 s METAL, CHIP 680 5% 1/10W
1-216-009-00 s METAL, CHIP 22 5% 1/10W
R3
R4
R5
               1-216-077-00 s METAL, CHIP 15k 5% 1/10W
1-216-624-11 s METAL, CHIP 75 0.5% 1/10W
1-216-045-00 s METAL, CHIP 680 5% 1/10W
R<sub>6</sub>
R7
R8
               1-216-009-00 s METAL, CHIP 22 5% 1/10W
1-216-009-00 s METAL, CHIP 22 5% 1/10W
R9
R11-R16 1-216-625-11 s METAL, CHIP 82 0.5% 1/10W
               1-570-157-51 s SWITCH, SLIDE
1-570-157-51 s SWITCH, SLIDE
S2
                1-570-756-11 s SWITCH, SLIDE
 S3
```

CP-225A BOARD(UVW-1600)

Ref. No. or Q'ty Part No. SP Description CP-225A board is used for UVW-1600. A-8276-732-A D MOUNTED CIRCUIT BOARD, CP-225A 1nc 1-126-933-11 s ELECT 100uF 20% 16V Cl 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V C5C6 **C7** 1-764-165-11 s CONNECTOR, 2-BNC, FEMALE CN1 1-573-583-11 s CONNECTOR, BNC, FEMALE 1-573-582-11 s CONNECTOR, BNC, FEMALE 1-573-590-12 s CONNECTOR, CIRCULAR 4P, FEMALE 1-573-584-11 s CONNECTOR, BNC, FEMALE CN₅ CN₆ CN7 CN8 1-691-273-11 s JACK, PIN 1P, FEMALE 1-573-592-11 s CONNECTOR, CIRCULAR 12P, FEMALE 1-564-014-11 s CONNECTOR 4P, MALE 1-506-486-11 s CONNECTOR 7P, MALE CNO CN11 CN651 CN652 1-506-485-11 s CONNECTOR 6P, MALE CN653 1-506-493-11 s CONNECTOR 14P, MALE 1-564-001-11 o CONNECTOR 2P, MALE CN655 CN656 1-236-129-11 s ENCAPSULATED COMPONENTS, LC 1-236-129-11 s ENCAPSULATED COMPONENTS, LC FL6 1-236-129-11 s ENCAPSULATED COMPONENTS, LC 1-236-129-11 s ENCAPSULATED COMPONENTS, LC FL7 FL8 1-236-129-11 s ENCAPSULATED COMPONENTS, LC 1-236-129-11 s ENCAPSULATED COMPONENTS, LC 1-236-129-11 s ENCAPSULATED COMPONENTS, LC **FL10** FL11 1-236-129-11 s ENCAPSULATED COMPONENTS. LC FL12 8-729-117-32 s TRANSISTOR 2SC4177 Q1 R1 1-216-009-00 s METAL, CHIP 22 5% 1/10W 1-216-077-00 s METAL, CHIP 15k 5% 1/10W 1-216-624-11 s METAL, CHIP 75 0.5% 1/10W 1-216-045-00 s METAL, CHIP 680 5% 1/10W 1-216-009-00 s METAL, CHIP 22 5% 1/10W R2 **R3** R4 R9

1-216-625-11 s METAL, CHIP 82 0.5% 1/10W

1-570-157-51 s SWITCH, SLIDE

R16

S1

CP-226 BOARD(UVW-1800(UC))

Ref. No.

or Q'ty Part No. SP Description CP-226 board is used for UVW-1800(UC). A-8276-739-A o MOUNTED CIRCUIT BOARD, CP-226 1pc 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V C1 C21 1-750-786-11 s CONNECTOR, XLR 3P, FEMALE 1-750-785-11 s CONNECTOR, XLR 3P, MALE 1-506-486-11 s CONNECTOR 7P, MALE 1-506-485-11 s CONNECTOR 6P, MALE 1-564-001-11 o CONNECTOR 2P, MALE CN101 CN102 CN274 CN275 CN276 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W 1-216-295-91 s RES, CHIP 0 R5 R6 1-216-025-00 s METAL, CHIP 100 5% 1/10W R7 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 RR R11 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 R12 R21 **R22** 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 **R25** R27 **R28 R31** 1-570-157-11 s SWITCH, SLIDE 1-570-157-11 s SWITCH, SLIDE 1-427-586-11 s TRANSFORMER, INPUT/OUTPUT T1 1-427-586-11 s TRANSFORMER, INPUT/OUTPUT T2

CP-226A BOARD(UVW-1600(UC))

Ref. No. or Q'ty Part No. SP Description

CP-226A board is used for UVW-1600(UC).

1pc	A-8276-733-A o MOUNTED CIRCUIT BOARD, CP-226
C1 C21	1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V
CN274	1-750-785-11 s CONNECTOR, XLR 3P, MALE 1-506-486-11 s CONNECTOR 7P, MALE 1-564-001-11 o CONNECTOR 2P, MALE
R11	1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0
,R28 R31	1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0
T1 T2	1-427-586-11 s TRANSFORMER, INPUT/OUTPUT 1-427-586-11 s TRANSFORMER. INPUT/OUTPUT

CP-226J BOARD(UVW-1800(J))

Ref. No. or Q'ty Part No. SP Description

CP-226J board is used for UVW-1800(J).

1pc	A-8276-762-A o MOUNTED CIRCUIT BOARD, CP-226J
C1 C21	1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V
	1-750-785-11 s CONNECTOR, XLR 3P, MALE 1-750-786-11 s CONNECTOR, XLR 3P, FEMALE 1-506-486-11 s CONNECTOR 7P, MALE 1-506-485-11 s CONNECTOR 6P, MALE 1-564-001-11 o CONNECTOR 2P, MALE
R5	1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W 1-216-295-91 s RES, CHIP 0 1-216-025-00 s METAL, CHIP 100 5% 1/10W
R12 R23	1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0
R27 R29	1-216-646-11 s METAL, CHIP 620 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-295-91 s RES, CHIP 0 1-216-295-91 s RES, CHIP 0
S1 S2	1-570-157-11 s SWITCH, SLIDE 1-570-157-11 s SWITCH, SLIDE
T1 T2	1-427-586-11 s TRANSFORMER, INPUT/OUTPUT 1-427-586-11 s TRANSFORMER, INPUT/OUTPUT

```
DR-214 BOARD(UVW-1800/1600)
CP-226AJ BOARD(UVW-1600(J))
                                                                                                 Ref. No.
Ref. No.
                                                                                                 or Q'ty Part No.
                                                                                                                                SP Description
or Q'ty Part No.
                              SP Description
                                                                                                              A-8275-290-A o MOUNTED CIRCUIT BOARD, DR-214
CP-226AJ board is used for UVW-1600(J).
                                                                                                 1pc
                                                                                                              1-532-679-00 s LINK, IC 0.6A
4-911-232-01 s SHEET, INSULATING
3-182-357-01 o HEAT SINK (L), DR
3-182-358-01 o HEAT SINK (R), DR
                                                                                                 1pc
             A-8276-763-A o MOUNTED CIRCUIT BOARD, CP-226AJ
                                                                                                 6pcs
                                                                                                 1pc
             1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V
C21
                                                                                                              7-682-548-04 s SCREW, +B3x8
9-911-841-XX s CUSHION (B)
                                                                                                 16pcs
             1-750-786-11 s CONNECTOR, XLR 3P, FEMALE 1-506-486-11 s CONNECTOR 7P, MALE
CN1 02
                                                                                                 1pc
CN274
                                                                                                               1-126-940-11 s ELECT 330uF 20% 25V
                                                                                                 C1
             1-564-001-11 o CONNECTOR 2P, MALE
CN276
                                                                                                              1-126-940-11 s ELECT 330uF 20% 25V
1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                 C2
C3
             1-216-025-00 s METAL, CHIP 100 5% 1/10W
             1-216-295-91 s RES, CHIP 0

1-216-295-91 s RES, CHIP 0

1-216-295-91 s RES, CHIP 0

1-216-025-00 s METAL, CHIP 100 5% 1/10W
                                                                                                 C4
R9
                                                                                                               1-124-589-11 s ELECT 47uF 20% 16V
                                                                                                 C5
RID
R12
                                                                                                               1-125-404-00 s DOUBLE LAYERS 0.47F 5.5V
                                                                                                 C6
R27
                                                                                                               1-131-347-00 s TANTALUM 1uF 10% 35V
                                                                                                 C7
                                                                                                               1-126-940-11 s ELECT 330uF 20% 25V
             1-216-295-91 s RES, CHIP 0
1-216-295-91 s RES, CHIP 0
                                                                                                 C8
R29
                                                                                                               1-164-095-11 s CERAMIC 0.01uF 10% 16V
1-164-095-11 s CERAMIC 0.01uF 10% 16V
                                                                                                  C51
R30
                                                                                                  C52
             1-427-586-11 s TRANSFORMER, INPUT/OUTPUT 1-427-586-11 s TRANSFORMER, INPUT/OUTPUT
T1
                                                                                                               1-164-095-11 s CERAMIC 0.01uF 10% 16V
1-164-095-11 s CERAMIC 0.01uF 10% 16V
                                                                                                  C53
                                                                                                  C54
                                                                                                               1-130-489-00 s MYLAR 0.033uF 5% 50V
1-130-489-00 s MYLAR 0.033uF 5% 50V
                                                                                                  C55
                                                                                                  C56
                                                                                                  C57
                                                                                                               1-130-489-00 s MYLAR 0.033uF 5% 50V
                                                                                                               1-126-096-11 s ELECT 10uF 20% 35V
1-126-096-11 s ELECT 10uF 20% 35V
1-126-096-11 s ELECT 10uF 20% 35V
                                                                                                  C58
                                                                                                 C59
CP-237 BOARD(UVW-1800)
                                                                                                  C60
                                                                                                               1-164-097-11 s CERAMIC 0.022uF 50V
1-164-097-11 s CERAMIC 0.022uF 50V
                                                                                                  C61
Ref. No.
or Q'ty Part No.
                               SP Description
                                                                                                               1-164-095-11 s CERAMIC 0.01uF 10% 16V
              A-8276-741-A o MOUNTED CIRCUIT BOARD, CP-237
                                                                                                  C101
                                                                                                               1-130-489-00 s MYLAR 0.033uF 5% 50V
                                                                                                  C102
                                                                                                 1-764-259-11 s CONNECTOR, D-SUB 15P, MALE
CN501
             1-573-566-11 s CONNECTOR, D-SUB 9P, FEMALE
1-563-462-11 p CONNECTOR, FPC 17P
CN502
CN532
                                                                                                               1-164-095-11 s CERAMIC 0.01uF 10% 16V
                                                                                                  C156
                                                                                                               1-124-248-00 s ELECT 22uF 20% 35V
1-124-248-00 s ELECT 22uF 20% 35V
1-124-248-00 s ELECT 22uF 20% 35V
1-124-248-00 s ELECT 22uF 20% 35V
                                                                                                  C201
                                                                                                  C202
                                                                                                  C203
                                                                                                  C204
CP-237A BOARD(UVW-1600)
                                                                                                               1-130-489-00 s MYLAR 0.033uF 5% 50V
1-130-489-00 s MYLAR 0.033uF 5% 50V
                                                                                                  C205
                                                                                                  C206
Ref. No.
                                                                                                               1-164-035-11 s CERAMIC 47pF 5% 50V
1-164-035-11 s CERAMIC 47pF 5% 50V
1-164-035-11 s CERAMIC 47pF 5% 50V
                                                                                                  C207
                                SP Description
or Q'ty Part No.
                                                                                                  C208
                                                                                                  C209
CP-237A board is used for UVW-1600.
                                                                                                               1-164-097-11 s CERAMIC 0.022uF 50V
                                                                                                  C210
              A-8276-734-A o MOUNTED CIRCUIT BOARD, CP-237A
1pc
                                                                                                               1-164-097-11 s CERAMIC 0.022uF 50V
1-164-035-11 s CERAMIC 47pF 5% 50V
                                                                                                  C211
C212
              1-764-259-11 s CONNECTOR, D-SUB 15P, MALE
CN501
                                                                                                               1-124-248-00 s ELECT 22uF 20% 35V
1-124-248-00 s ELECT 22uF 20% 35V
              1-573-566-11 s CONNECTOR, D-SUB 9P, FEMALE
1-563-462-11 o CONNECTOR, FPC 17P
                                                                                                  C251
CN502
                                                                                                  C252
CN532
                                                                                                               1-124-248-00 s ELECT 22uF 20% 35V 1-124-248-00 s ELECT 22uF 20% 35V
                                                                                                  C253
                                                                                                  C254
                                                                                                  C255
                                                                                                               1-130-489-00 s MYLAR 0.033uF 5% 50V
                                                                                                               1-130-489-00 s MYLAR 0.033uF 5% 50V
                                                                                                  C256
                                                                                                                1-164-097-11 s CERAMIC 0.022uF 50V
                                                                                                  C257
                                                                                                               1-164-097-11 s CERAMIC 0.022uF 50V
1-164-035-11 s CERAMIC 47pF 5% 50V
                                                                                                  C258
                                                                                                  C259
                                                                                                  C260
                                                                                                  C261
                                                                                                  C264
                                                                                                               1-124-248-00 s ELECT 22uF 20% 35V
                                                                                                  C301
```

8-759-729-03 s IC NJM2903D 8-759-106-41 s IC UPC4570C

10303 IC304

1-216-365-00 s METAL 0.47 5% 2W

R270

HP-61 BOARD(UVW-1800)

Ref. No. or Q'ty Part No. SP Description

1pc 1-648-917-11 p PRINTED CIRCUIT BOARD, HP-61

CN401 1-506-475-11 s CONNECTOR 10P, MALE CN403 1-564-002-41 s CONNECTOR 3P, MALE

J1 1-507-863-51 s JACK, PHONE J2 1-507-743-21 s JACK, MINI STEREO

RV1 1-241-577-11 s RES, VAR CARBON 20k/20k

HP-61A BOARD(UVW-1600)

Ref. No.
or Q'ty Part No. SP Description

1pc 1-648-917-21 o PRINTED CIRCUIT BOARD, HP-61A

CN401 1-506-475-11 s CONNECTOR 10P, MALE
CN403 1-564-002-41 s CONNECTOR 3P, MALE

J1 1-507-863-51 s JACK, PHONE
J2 1-507-743-21 s JACK, MINI STEREO

RV1 1-241-577-11 s RES, VAR CARBON 20k/20k

```
KY-249 BOARD(UVW-1800)
Ref. No.
or Q'ty Part No.
                                        SP Description
KY-249 board is used for UVW-1800.
                 A-8275-289-A o MOUNTED CIRCUIT BOARD, KY-249
1pc
                 3-182-359-02 o HOLDER, VFD
1pc
                 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-394-11 s ELECT, CHIP 10uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
C1
C3
C4
C5
C6
               1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-400-11 s ELECT, CHIP 22uF 20% 35V
1-126-400-11 s ELECT, CHIP 22uF 20% 35V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C7
CR
C14
C15
C16-C20
                 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
C22
C25
C26
                 1-506-494-11 s CONNECTOR 15P, MALE
1-563-003-21 o CONNECTOR, FPC 20P
1-564-014-11 s CONNECTOR 4P, MALE
CN590
CN591
CN592
CN593
                 1-563-003-21 o CONNECTOR, FPC 20P
                  8-719-123-85 s DIODE 1SS304
                 8-719-123-82 s DIODE 1SS303-T1
D2-D11
                 8-759-505-99 s IC MSC7128-04GS-V1K
8-759-150-61 s IC UPC78L05T
8-759-194-79 s IC UPD75028GC-542-AB8
IC1
IC2
IC3
IC6
                 8-759-925-74 s IC TC74HC04NS
                 1-517-246-11 s UNIT, FLD
ND1
01 - 08
                 8-729-924-19 s TRANSISTOR DTA123JU
                 8-729-905-12 s TRANSISTOR DTA144EU
8-729-924-19 s TRANSISTOR DTA123JU
Q9-Q33
Q34
                 8-729-924-19 s TRANSISTOR DTA123JU
035
036-041 8-729-905-12 s TRANSISTOR DTA144EU
                 8-729-924-19 s TRANSISTOR DTA123JU
042
                 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
1-216-089-91 s METAL, CHIP 47k 5% 1/10W
1-216-081-00 s METAL, CHIP 22k 5% 1/10W
1-216-089-91 s METAL, CHIP 47k 5% 1/10W
1-216-089-91 s METAL, CHIP 47k 5% 1/10W
R1
R3
R4
R5
R6
                 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
1-216-011-00 s METAL 27 5% 1/10W
1-216-011-00 s METAL 27 5% 1/10W
R7-R19
R22
R23
                 1-216-011-00 s METAL 27 5% 1/10W
1-216-011-00 s METAL 27 5% 1/10W
R25
R26
                1-216-011-00 s METAL 27 5% 1/10W
1-216-019-00 s METAL, CHIP 56 5% 1/10W
1-216-103-00 s METAL, CHIP 180k 5% 1/10W
1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W
1-216-083-00 s METAL, CHIP 27k 5% 1/10W
R27
R28
R29-R63
R76
R77-R82
                 1-216-103-00 s METAL, CHIP 180k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R83
R84
                 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R85
R1021
R1022
                 1-237-695-11 s RES, VAR CARBON 5k
RV1
```

(KY-249 BOARD(UVW-1800))

```
Ref. No.
                         SP Description
or Q'ty Part No.
          1-237-695-11 s RES, VAR CARBON 5k
          1-692-609-11 s SWITCH, PUSH
S2
S3
S4
          1-692-609-21 s SWITCH, PUSH
          1-692-612-41 s SWITCH, PUSH
          1-692-612-31 s SWITCH, PUSH
          1-692-612-21 s SWITCH, PUSH
22
          1-692-611-21 s SWITCH, PUSH
S7
S8
          1-571-787-11 s SWITCH, PUSH
59
          1-571-787-11 s SWITCH, PUSH
          1-571-787-11 s SWITCH, PUSH
S10
          1-571-787-11 s SWITCH, PUSH
S11
          1-571-787-11 s SWITCH, PUSH
1-571-787-11 s SWITCH, PUSH
S12
S13
          1-571-787-11 s SWITCH, PUSH
S14
          1-571-787-11 s SWITCH, PUSH
S15
          1-572-992-11 s SWITCH, SLIDE
S16
          1-572-992-11 s SWITCH, SLIDE
1-571-787-11 s SWITCH, PUSH
1-571-640-21 s SWITCH, SLIDE
1-571-640-21 s SWITCH, SLIDE
S17
S18
S19
520
           1-571-640-21 s SWITCH, SLIDE
S21
           1-577-101-11 s RESONATOR CERAMIC 4.19MHz
X1
```

```
KY-249A BOARD(UVW-1600)
Ref No
                                             SP Description
or Q'ty Part No.
KY-249A board is used for UVW-1600.
                    A-8275-283-A o MOUNTED CIRCUIT BOARD, KY-249A
1nc
                    3-182-359-02 o HOLDER, VFD
1pc
                   1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-394-11 s ELECT, CHIP 10uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
C1
C3
C4
C5
C6
C7 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C8 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C14 1-126-400-11 s ELECT, CHIP 22uF 20% 35V C15 1-126-400-11 s ELECT, CHIP 22uF 20% 35V C16-C20 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                    1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
C22
 C25
 C26
                    1-506-494-11 s CONNECTOR 15P, MALE
1-563-003-21 o CONNECTOR, FPC 20P
1-564-014-11 s CONNECTOR 4P, MALE
 CN590
 CN591
 CN592
                    1-563-003-21 o CONNECTOR, FPC 20P
 CN593
                    8-719-123-85 s DIODE 1SS304
 DI
                    8-719-123-82 s DIODE 1SS303-T1
 D2-D11
                    8-759-505-99 s IC MSC7128-04GS-V1K
8-759-150-61 s IC UPC78L05T
8-759-194-79 s IC UPC75028GC-542-AB8
 IC1
 IC2
  IC3
                    8-759-925-74 s IC TC74HC04NS
                    1-517-246-11 s UNIT, FLD
 ND1
                    8-729-924-19 s TRANSISTOR DTA123JU
 01_08
 09-Q33 8-729-905-12 s TRANSISTOR DTA144EU
034 8-729-924-19 s TRANSISTOR DTA123JU
035 8-729-924-19 s TRANSISTOR DTA123JU
036-Q40 8-729-905-12 s TRANSISTOR DTA124EU
                     8-729-924-19 s TRANSISTOR DTA123JU
  042
                     1-216-049-00 s METAL, CHIP 1k 5% 1/10W
 R1
                    1-216-089-91 s METAL, CHIP 47k 5% 1/10W
1-216-081-00 s METAL, CHIP 22k 5% 1/10W
1-216-089-91 s METAL, CHIP 47k 5% 1/10W
1-216-089-91 s METAL, CHIP 47k 5% 1/10W
 23
  R4
  R5
 R7 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R10-R19 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R22 1-216-011-00 s METAL 27 5% 1/10W R23 1-216-011-00 s METAL 27 5% 1/10W R25 1-216-011-00 s METAL 27 5% 1/10W
                     1-216-011-00 s METAL 27 5% 1/10W
  R26
                    1-216-011-00 S METAL 27 5% 1/10W

1-216-103-91 S METAL, CHIP 180k 5% 1/10W

1-216-691-11 S METAL, CHIP 47k 0.5% 1/10W

1-216-083-00 S METAL, CHIP 27k 5% 1/10W
  R27
  R29-R63
  R76
  R77-R81
                     1-216-103-91 s METAL, CHIP 180k 5% 1/10W
1-216-049-00 s METAL, CHIP 1k 5% 1/10W
1-216-049-00 s METAL, CHIP 1k 5% 1/10W
1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
  R83
  R84
  R85
  R1021
  R1022
                     1-237-695-11 s RES, VAR CARBON 5k
```

RV1

(KY-249A BOARD(UVW-1600))

```
Ref. No.
or Q'ty Part No. SP Description
            1-237-695-11 s RES, VAR CARBON 5k
RV2
            1-692-609-11 s SWITCH, PUSH
1-692-609-21 s SWITCH, PUSH
51
52
            1-692-612-41 s SWITCH, PUSH
53
S4
            1-692-612-31 s SWITCH, PUSH
            1-692-612-21 s SWITCH, PUSH
S5
            1-571-787-11 s SWITCH, PUSH
1-571-787-11 s SWITCH, PUSH
1-571-787-11 s SWITCH, PUSH
1-571-787-11 s SWITCH, PUSH
59
S10
$11
            1-571-787-11 s SWITCH, PUSH
S12
S13
            1-571-787-11 5 SWITCH, PUSH
            1-571-787-11 s SWITCH, PUSH
1-572-992-11 s SWITCH, SLIDE
1-571-787-11 s SWITCH, PUSH
S15
S16
S18
S20
            1-571-640-21 s SWITCH, SLIDE
S21
            1-571-640-21 s SWITCH, SLIDE
X1
            1-577-101-11 s RESONATOR CERAMIC 4.19MHz
```

MB-470 BOARD(UVW-1800)

```
Ref. No.
or Q'ty Part No.
                                         SP Description
MB-470 board is used for UVW-1800.
                 A-8276-736-A o MOUNTED CIRCUIT BOARD, MB-470
1nc
                 3-683-631-01 o CLAMP
1pc
                 1-126-964-11 s ELECT 10uF 20% 50V
C1
                 1-126-964-11 s ELECT 10uF 20% 50V
C2
                 1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
CN101
CN102
CN103
CN104
CN105
                 1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
CN106
                 1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-564-905-11 o CONNECTOR, VH 9P, MALE
CN107
CN108
CN109
CN200
                 1-564-512-11 o CONNECTOR 9P, MALE
1-506-491-11 s CONNECTOR 12P, MALE
1-580-195-21 s CONNECTOR, PHEC 100P, FEMALE
1-563-018-11 o CONNECTOR, FPC 34P
1-563-462-11 o CONNECTOR, FPC 17P
CN201
CN211
CN214
CN231
CN232
                 1-564-013-41 s CONNECTOR 3P, MALE
1-506-494-11 s CONNECTOR 15P, MALE
1-506-469-11 s CONNECTOR 4P, MALE
1-506-472-11 s CONNECTOR 7P, MALE
1-506-479-11 s CONNECTOR 14P MALE
CN235
CN262
CN266
CN267
CN268
                 1-564-005-11 o CONNECTOR 6P, MALE
1-564-011-11 o CONNECTOR 12P, MALE
CN269
CN271
              ↑1-532-777-21 s FUSE 1.25A 125V
↑1-532-777-21 s FUSE 1.25A 125V
↑1-532-777-21 s FUSE 1.25A 125V
F2
F3
TC1
                 8-759-701-59 s IC NJM78M09FA
                 8-759-982-54 s IC RC79M09FA
```

MB-470A BOARD(UVW-1600)

Ref. No.

or Q'ty Part No. SP Description

MB-470A board is used for UVW-1600.

```
A-8276-730-A o MOUNTED CIRCUIT BOARD, MB-470A
                  3-683-631-01 D CLAMP
1pc
C1
                  1-126-964-11 s ELECT 10uF 20% 50V
                  1-126-964-11 s ELECT 10uF 20% 50V
C2
                 1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
CN103
CN104
CN105
CN106
CN107
                 1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-573-784-71 o CONNECTOR, DIN 60P, FEMALE
1-564-905-11 o CONNECTOR, VH 9P, MALE
1-564-512-11 o CONNECTOR 9P, MALE
1-506-491-11 s CONNECTOR 12P, MALE
CN108
CN109
CN200
CN201
CN211
                  1-580-195-21 s CONNECTOR, PHEC 100P, FEMALE 1-563-018-11 o CONNECTOR, FPC 34P
CN214
CN231
                  1-563-462-11 o CONNECTOR, FPC 17P
1-564-013-41 s CONNECTOR 3P, MALE
1-506-494-11 s CONNECTOR 15P, MALE
CN232
CN235
CN262
                 1-506-469-11 s CONNECTOR 4P, MALE
1-506-472-11 s CONNECTOR 7P, MALE
1-506-479-11 s CONNECTOR 14P MALE
1-564-005-11 o CONNECTOR 6P, MALE
CN266
CN267
CN268
CN269
               A1-532-777-21 s FUSE 1.25A 125V
A1-532-777-21 s FUSE 1.25A 125V
A1-532-777-21 s FUSE 1.25A 125V
F1
F2
F3
                   8-759-701-59 s IC NJM78M09FA
IC1
                   8-759-982-54 s IC RC79M09FA
```

MB-471 BOARD(UVW-1800)

Ref. No.

or Q'ty Part No. SP Description

MB-471 board is used for UVW-1800.

1pc	A-8276-737-A o MOUNTED CIRCUIT BOARD, MB-471
CN111 CN112 CN251	1-573-598-11 s CONNECTOR, PHEC 100P, FEMALE 1-573-598-11 s CONNECTOR, PHEC 100P, FEMALE 1-573-598-11 s CONNECTOR, PHEC 100P, FEMALE 1-564-524-11 s CONNECTOR 9P, MALE 1-506-491-11 s CONNECTOR 12P, MALE
CN263 CN264 CN265 CN274 CN275	1-506-481-11 s CONNECTOR 2P, MALE 1-506-486-11 s CONNECTOR 7P, MALE 1-564-013-11 o CONNECTOR 3P, MALE 1-506-486-11 s CONNECTOR 7P, MALE 1-506-485-11 s CONNECTOR 6P, MALE
CN277 CN278	1-506-485-11 s CONNECTOR 6P, MALE 1-564-014-11 s CONNECTOR 4P, MALE 1-506-489-11 o CONNECTOR 10P, MALE 1-563-018-11 o CONNECTOR, FPC 34P

MB-471A BOARD(UVW-1600)

Ref. No.

or Q'ty Part No. SP Description

MB-471A board is used for UVW-1600.

1pc A-8276-731-A o MOUNTED CIRCUIT BOARD, MB-471A

CN110 1-573-598-11 s CONNECTOR, PHEC 100P, FEMALE
CN111 1-573-598-11 s CONNECTOR, PHEC 100P, FEMALE
CN251 1-564-524-11 s CONNECTOR 9P, MALE
CN261 1-506-491-11 s CONNECTOR 12P, MALE
CN263 1-506-481-11 s CONNECTOR 2P, MALE

CN274 1-506-486-11 s CONNECTOR 7P, MALE
CN277 1-564-014-11 s CONNECTOR 4P, MALE
CN278 1-506-489-11 o CONNECTOR 10P, MALE
CN281 1-563-018-11 o CONNECTOR, FPC 34P

MS-39 BOARD(UVW-1800) Ref. No. or Q'ty Part No. SP Description MS-39 board is used for UVW-1800. A-8275-291-A D MOUNTED CIRCUIT BOARD, MS-39 1nc 3-182-355-01 o COVER, MC SENSOR 1pc 3-180-854-02 o COVER, MR SENSOR 2pcs C3 1-164-097-11 s CERAMIC 0.022uF 50V C5 1-126-933-11 s ELECT 100uF 20% 16V C6 1-164-097-11 s CERAMIC 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-126-947-11 s ELECT 47uF 20% 35V C11 C12 C13 1-164-097-11 s CERAMIC 0.022uF 50V 1-130-728-00 s FILM 0.0022uF 1% 100V 1-130-728-00 s FILM 0.0022uF 1% 100V C14 C15 C16 1-164-097-11 s CERAMIC 0.022uF 50V 1-564-011-11 o CONNECTOR 12P, MALE 1-506-469-11 s CONNECTOR 4P, MALE 1-564-001-11 o CONNECTOR 2P, MALE 1-506-472-11 s CONNECTOR 7P, MALE 1-506-480-11 s CONNECTOR 15P, MALE CN350 CN351 'CN352 CN353 CN354 CN355 1-564-007-11 o CONNECTOR 8P, MALE 1-562-708-11 o CONNECTOR, FPC 13P 1-562-708-11 o CONNECTOR, FPC 13P 1-564-005-11 o CONNECTOR 6P, MALE 1-506-469-11 s CONNECTOR 4P, MALE CN356 **CN357** CN358 CN359 1-506-469-11 s CONNECTOR 4P, MALE 1-506-468-11 s CONNECTOR 3P, MALE 1-562-993-11 o CONNECTOR, FPC 30P 1-562-993-11 o CONNECTOR, FPC 30P 1-562-993-11 o CONNECTOR, FPC 30P CN360 CN361 CN362 CN363 **CN364** 8-719-938-07 s LED GL480, INFRARED 8-719-938-07 s LED GL480, INFRARED 8-719-938-07 s LED GL480, INFRARED D1 112 D3**D4** 8-719-938-07 s LED GL480, INFRARED D7 8-719-933-30 s DIODE DA210S **D8** 8-719-933-30 s DIODE DA210S 8-719-933-30 s DIODE DA210S 8-719-933-30 s DIODE DA210S D9 D10 8-759-196-00 s IC UPD75048CW-018 8-759-600-34 s IC M54532P 8-759-645-23 s IC M54523P 8-759-189-43 s IC AN77L05-TA 8-759-507-17 s IC PQ30RV1 IC1 IC2 IC3 IC7 IC8 8-729-903-81 s PHOTOTRANSISTOR PT480 8-729-903-81 s PHOTOTRANSISTOR PT480 8-729-903-81 s PHOTOTRANSISTOR PT480 02 Õ3 8-729-903-81 s PHOTOTRANSISTOR PT480 Q4 R2 1-249-437-11 s CARBON 47k 5% 1/4W R3 1-249-429-11 s CARBON 10k 5% 1/4W

1-249-437-11 s CARBON 47k 5% 1/4W 1-249-429-11 s CARBON 10k 5% 1/4W 1-249-409-11 s CARBON 220 5% 1/4W

1-249-437-11 s CARBON 47k 5% 1/4W 1-249-429-11 s CARBON 10k 5% 1/4W

1-249-409-11 s CARBON 220 5% 1/4W

1-249-437-11 s CARBON 47k 5% 1/4W

1-249-429-11 s CARBON 10k 5% 1/4W

1-249-409-11 s CARBON 220 5% 1/4W 1-249-437-11 s CARBON 47k 5% 1/4W

R5

R6 R7 R8

R9 R10

R11

R12

R13 R14

(MS-39 BOARD(UVW-1800))

Ref. No.	
or O'ty	Part No. SP Description
R15	1-249-429-11 s CARBON 10k 5% 1/4W 1-249-409-11 s CARBON 220 5% 1/4W
R16	1-249-409-11 s CARBON 220 5% 1/4W
R17	1-249-43/-11 s CARBON 4/k 5% 1/4W
R18	1-249-429-11 s CARBON 10k 5% 1/4W
R19_R24	1-249-437-11 s CARBON 47k 5% 1/4W
KLD KLI	2 2 13 107 22 3 44 45 41 11 11 11 11 11 11
R25-R30	1-249-429-11 5 CARBON 10k 5% 1/4W
R31	
R32	1-249-437-11 s CARBON 47k 5% 1/4W
R34	1-249-417-11 s CARBON 1k 5% 1/4W
R35	1-249-417-11 s CARBON 1k 5% 1/4W
1/22	1-6-13
R36	1_249_417_11 s CARRON 1k 5% 1/4W
R37	1-249-417-11 s CARBON 1k 5% 1/4W 1-249-417-11 s CARBON 1k 5% 1/4W
D38	1-249-437-11 s CARBON 47k 5% 1/4W
D42	1-249-429-11 s CARBON 10k 5% 1/4W
R43	
K43	1-243-423-11 3 CANDON TON 34 1/48
DAA	1-247-895-00 s CARBON 470k 5% 1/4W
DAG	1-249-437-11 s CARBON 47k 5% 1/4W
D47	1-249-429-11 s CARBON 10k 5% 1/4W
DAQ	1-249-437-11 s CARBON 47k 5% 1/4W
R50	
K30	1-243-423-11 2 WANDON TOK 34 1/48
D51	1-249-429-11 s CARBON 10k 5% 1/4W
D62	1-249-429-11 s CARBON 10k 5% 1/4W
DE3	1-249-429-11 s CARBON 10k 5% 1/4W
D63	1-249-429-11 s CARBON 10k 5% 1/4W
R64	
NU4	1-510-405-00 2 UFINE OF 14 1/04
R65	1-215-411-00 s METAL 390 1% 1/6W
X1	1-579-232-11 s RESONATOR CERAMIC 2.50MHz

```
(MS-39A BOARD(UVW-1600))
MS-39A BOARD(UVW-1600)
                                                                                          Ref. No.
Ref. No.
                                                                                          or Q'ty Part No.
                                                                                                                       SP Description
                            SP Description
or Q'ty Part No.
                                                                                                       1-249-437-11 s CARBON 47k 5% 1/4W
MS-39A board is used for UVW-1600.
                                                                                                       1-249-437-11 s CARBON 47k 5% 1/4W
                                                                                          R32
                                                                                                       1-249-417-11 s CARBON 1k 5% 1/4W
            A-8275-288-A D MOUNTED CIRCUIT BOARD, MS-39A
                                                                                          R34
1 DC
                                                                                                       1-249-417-11 s CARBON 1k 5% 1/4W
                                                                                          R35
            3-182-355-01 D COVER, MC SENSOR
1pc
                                                                                                       1-249-417-11 s CARBON 1k 5% 1/4W
                                                                                          R36
            1-164-097-11 s CERAMIC 0.022uF 50V
C3
                                                                                                      1-249-417-11 s CARBON 1k 5% 1/4W
1-249-437-11 s CARBON 47k 5% 1/4W
1-249-429-11 s CARBON 10k 5% 1/4W
1-249-429-11 s CARBON 10k 5% 1/4W
            1-126-933-11 s ELECT 100uF 20% 16V
1-164-097-11 s CERAMIC 0.022uF 50V
                                                                                          R37
C5
                                                                                          R38
C6
            1-126-947-11 s ELECT 47uF 20% 35V
1-126-947-11 s ELECT 47uF 20% 35V
                                                                                          R42
C11
                                                                                          R43
                                                                                                       1-247-895-00 s CARBON 470k 5% 1/4W
                                                                                          R44
            1-164-097-11 s CERAMIC 0.022uF 50V
C13
                                                                                                       1-249-437-11 s CARBON 47k 5% 1/4W
            1-130-728-00 s FILM 0.0022uF 1% 100V
1-130-728-00 s FILM 0.0022uF 1% 100V
1-164-097-11 s CERAMIC 0.022uF 50V
                                                                                          R46
C14
                                                                                                       1-249-429-11 s CARBON 10k 5% 1/4W
                                                                                          R47
C15
                                                                                                       1-249-437-11 s CARBON 47k 5% 1/4W
1-249-429-11 s CARBON 10k 5% 1/4W
                                                                                          R49
C16
                                                                                          R50
                                                                                                       1-249-429-11 s CARBON 10k 5% 1/4W
            1-564-011-11 o CONNECTOR 12P, MALE
                                                                                           R51
CN350
            1-506-469-11 s CONNECTOR 4P, MALE
1-564-001-11 o CONNECTOR 2P, MALE
CN351
                                                                                                       1-249-429-11 s CARBON 10k 5% 1/4W
                                                                                          R52
CN352
                                                                                                       1-249-429-11 s CARBON 10k 5% 1/4W
            1-506-472-11 s CONNECTOR 7P, MALE
                                                                                          R53
CN353
                                                                                                       1-249-429-11 s CARBON 10k 5% 1/4W
1-215-432-00 s METAL 3k 1% 1/6W
1-215-411-00 s METAL 390 1% 1/6W
            1-506-480-11 s CONNECTOR 15P. MALE
                                                                                           R63
CN354
                                                                                           R64
            1-564-007-11 o CONNECTOR 8P, MALE
1-562-708-11 o CONNECTOR, FPC 13P
1-562-708-11 o CONNECTOR, FPC 13P
1-564-005-11 o CONNECTOR 6P, MALE
1-506-469-11 s CONNECTOR 4P, MALE
                                                                                           R65
CN355
CN356
                                                                                                       1-579-232-11 s RESONATOR CERAMIC 2.50MHz
                                                                                           X1
CN357
CN358
CN359
            1-506-469-11 s CONNECTOR 4P, MALE
CN360
            1-506-468-11 s CONNECTOR 3P, MALE
1-562-993-11 o CONNECTOR, FPC 30P
1-562-993-11 o CONNECTOR, FPC 30P
1-562-993-11 o CONNECTOR, FPC 30P
CN361
CN362
                                                                                           PC-62 BOARD(UVW-1800/1600)
CN363
CN364
                                                                                           Ref. No.
                                                                                           or Q'ty Part No.
                                                                                                                        SP Description
             8-719-938-07 s LED GL480, INFRARED
D1
             8-719-938-07 s LED GL480, INFRARED
D2
                                                                                           Two PC-62 boards are used in UVW-1800/1600.
D7
             8-719-933-30 s DIODE DA210S
                                                                                           One board has the following parts.
             8-719-933-30 s DIODE DA210S
D8
             8-719-933-30 s DIODE DA210S
09
                                                                                                       1-640-171-12 o PRINTED CIRCUIT BOARD, PC-62
3-176-598-02 o SPRING, GROUND
             8-719-933-30 s DIODE DA210S
                                                                                           1pc
D10
             8-759-196-00 s IC UPD75048CW-018
8-759-600-34 s IC M54532P
                                                                                                        1-565-038-11 s CONNECTOR, FPC 5P
                                                                                           CN934
 IC2
                                                                                                        8-719-939-05 s PHOTOINTERRUPTER GP-1S54
             8-759-645-23 s IC M54523P
                                                                                           PH1
 IC3
                                                                                                        8-719-939-05 s PHOTOINTERRUPTER GP-1S54
                                                                                           PH<sub>2</sub>
 IC7
             8-759-189-43 s IC AN77L05-TA
                                                                                                        8-719-939-05 & PHOTOINTERRUPTER GP-1S54
             8-759-507-17 s IC P030RV1
                                                                                           DHS
 108
                                                                                                       1-249-414-11 s CARBON 560 5% 1/4W
1-249-414-11 s CARBON 560 5% 1/4W
1-249-414-11 s CARBON 560 5% 1/4W
             8-729-903-81 s PHOTOTRANSISTOR PT480
 Q1
             8-729-903-81 s PHOTOTRANSISTOR PT480
                                                                                           R2
 Q2
             1-249-437-11 s CARBON 47k 5% 1/4W
             1-249-429-11 s CARBON 10k 5% 1/4W
 R3
             1-249-437-11 s CARBON 47k 5% 1/4W
 R5
             1-249-429-11 s CARBON 10k 5% 1/4W
 R6
             1-249-409-11 s CARBON 220 5% 1/4W
 R7
             1-249-437-11 s CARBON 47k 5% 1/4W
1-249-429-11 s CARBON 10k 5% 1/4W
1-249-409-11 s CARBON 220 5% 1/4W
1-249-437-11 s CARBON 47k 5% 1/4W
1-249-429-11 s CARBON 10k 5% 1/4W
                                                                                           PD-35 BOARD(UVW-1800/1600)
 R8
 R9
                                                                                           Ref. No.
 R10
                                                                                           or Q'ty Part No.
                                                                                                                        SP Description
 R11
 R12
                                                                                                        1-622-596-11 o PRINTED CIRCUIT BOARD, PD-35
                                                                                            1pc
             1-249-437-11 s CARBON 47k 5% 1/4W
 R14
R15 1-249-429-11 s CARBON 10k 5% 1/4W R17 1-249-437-11 s CARBON 47k 5% 1/4W R18 1-249-429-11 s CARBON 10k 5% 1/4W R19-R24 1-249-437-11 s CARBON 47k 5% 1/4W
                                                                                                        1-564-001-11 o CONNECTOR 2P, MALE
                                                                                           CN85
                                                                                                        1-564-005-11 o CONNECTOR 6P, MALE
                                                                                            CN854
```

R25-R30 1-249-429-11 s CARBON 10k 5% 1/4W

PTC-66 BOARD(UVW-1800/1600)

Ref. No.

or Q'ty Part No. SP Description

1-648-926-11 o PRINTED CIRCUIT BOARD, PTC-66 1pc

1-564-014-11 5 CONNECTOR 4P, MALE CN944

PH1 8-719-939-05 s PHOTOINTERRUPTER GP-1S54 PH2 8-719-939-05 s PHOTOINTERRUPTER GP-1S54

1-249-409-11 s CARBON 220 5% 1/4W 1-249-409-11 s CARBON 220 5% 1/4W R1 R2

PTC-67 BOARD(UVW-1800/1600)

Ref. No.

or Q'ty Part No. SP Description

1-648-922-11 o PRINTED CIRCUIT BOARD, PTC-67 1pc

1-164-096-11 5 CERAMIC 0.01uF 50V C1

CN941 1-506-472-11 s CONNECTOR 7P, MALE

1-564-001-11 o CONNECTOR 2P, MALE 1-506-481-11 s CONNECTOR 2P, MALE CN942 CN943

PH1 8-719-939-05 s PHOTOINTERRUPTER GP-1S54

R1 1-249-408-11 s CARBON 180 5% 1/4W

PTC-68 BOARD(UVW-1800/1600)

Ref. No.

or Q'ty Part No. SP Description

1-648-927-11 o PRINTED CIRCUIT BOARD, PTC-68 1pc

CN940 1-506-469-11 s CONNECTOR 4P, MALE

PH1 8-719-939-05 s PHOTOINTERRUPTER GP-1S54 8-719-939-05 s PHOTOINTERRUPTER GP-1S54 PH₂

1-249-409-11 s CARBON 220 5% 1/4W R1 1-249-409-11 s CARBON 220 5% 1/4W R2

RM-126 BOARD(UVW-1800/1600)

Ref. No.

or Q'ty Part No. SP Description

1-648-924-11 o PRINTED CIRCUIT BOARD, RM-126 1pc

1-563-233-11 p CONNECTOR, FPC 13P 1-564-014-11 s CONNECTOR 4P, MALE 1-564-718-11 p CONNECTOR 2P, MALE 1-564-013-11 p CONNECTOR 3P, MALE CN946 CN947 CN948

CN949

RM-127 BOARD(UVW-1800/1600)

Ref. No.

or Q'ty Part No. SP Description

1-648-925-11 o PRINTED CIRCUIT BOARD, RM-127 1pc

1-563-233-11 o CONNECTOR, FPC 13P CN951 1-564-014-11 s CONNECTOR 4P, MALE 1-564-718-11 o CONNECTOR 2P, MALE 1-564-013-11 o CONNECTOR 3P, MALE CN952 CN953 CN954

```
(RP-70 BOARD(UVW-1800))
RP-70 BOARD(UVW-1800)
_____
                                                                                                                               Ref No.
Ref. No.
                                                                                                                                or Q'ty Part No.
                                                                                                                                                                        SP Description
or Q'ty Part No.
                                        SP Description
                                                                                                                                                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
RP-70 board is used for UVW-1800.
                                                                                                                                                 1-163-033-00 s CERAMIC, CHIP 0.022ur 50V

1-126-933-11 s ELECT 100uF 20% 16V

1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V

1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                                                                                                                                C218
                A-8275-285-A o MOUNTED CIRCUIT BOARD, RP-70
3-182-385-01 p PLATE, SHIELD (S), CARD
7-621-759-45 s SCREW, +PSW2.6x6
8-769-401-59 s TRANSISTOR 2SK613-3
                                                                                                                                C219
                                                                                                                                C220
1pc
                                                                                                                                C221
1pc
1pc
                                                                                                                                                  1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                C223
                 3-179-084-01 s LEVER (R), PC BOARD
1pc
                                                                                                                                C303
                                                                                                                                                 1-120-933-11 $ CERAMIC, CHIP 0.022uF 50V
1-164-004-11 $ CERAMIC, CHIP 0.1uF 10% 25V
1-126-933-11 $ ELECT 100uF 20% 16V
                                                                                                                                C304
                 3-179-085-01 s LEVER (L), PC BOARD
1pc
                                                                                                                                C305
                 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                 1-126-933-11 s ELECT 100uF 20% 16V
C3
                                                                                                                                                 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
                 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                                                                                                                                C307
                                                                                                                                C308
C5
                 1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                C311
                                                                                                                                C312
                 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                C313
C7
C8
                                                                                                                                                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                C314
C11
                                                                                                                                                 1-126-933-11 s ELECT 100uF 20% 16V

1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                C315
                 1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                C316
                                                                                                                                 C317
                 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                C318
C14
C15
                 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                  1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                                                                                                                                 C319
C16
                                                                                                                                C320
C17
                                                                                                                                C321
C18
                                                                                                                                                   1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                C323
                 1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                C501-507 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C20
                                                                                                                                                  1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-130-477-00 s MYLAR 0.0033uF 5% 50V
1-130-487-00 s MYLAR 0.022uF 5% 50V
1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V
                                                                                                                                C601
C21
                                                                                                                                 C602
C23
                                                                                                                                 C603
C103
                                                                                                                                 C604
                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                                                                                                                                 C605
C104
C105
                                                                                                                                                  1-137-361-91 s FILM 330pF 5% 50V
1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V
1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C606
 C106
                                                                                                                                 C607
 C107
                                                                                                                                 C609
 C108
                                                                                                                                 C610
                                                                                                                                                   1-126-933-11 s ELECT 100uF 20% 16V
                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C611
 C111
 C112
                  1-103-033-00 S CERAMIC, CHIP 0.0220F 50V

1-126-933-11 S ELECT 100uF 20% 16V

1-163-033-00 S CERAMIC, CHIP 0.022uF 50V

1-126-933-11 S ELECT 100uF 20% 16V
                                                                                                                                                   1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                 C612
 C113
                                                                                                                                                  1-120-933-11 S ELECT 1000F 20% 16V

1-163-033-00 S CERAMIC, CHIP 0.022uF 50V

1-130-477-00 S MYLAR 0.0033uF 5% 50V

1-130-487-00 S MYLAR 0.022uF 5% 50V

1-163-121-00 S CERAMIC, CHIP 150pF 5% 50V
                                                                                                                                 C613
C114
                                                                                                                                 C614
 C115
                                                                                                                                 C615
                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C616
 C116
C117
                                                                                                                                                  1-137-361-91 s FILM 330pF 5% 50V
1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V
1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                  1-126-933-11 s ELECT 100uF 20% 16V
1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C617
 C118
                                                                                                                                 C618
C119
                                                                                                                                 C620
 C120
                                                                                                                                 C621
                  1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                                                                                                                                                   1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                 C622
                  1-126-933-11 s ELECT 100uF 20% 16V
 C123
                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C623
                                                                                                                                                   1-126-933-11 s ELECT 100uF 20% 16V
 C202
                                                                                                                                                   1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                  1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C624
 C203
                                                                                                                                                   1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                 C625
 C204
                                                                                                                                 C626
                  1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C627
 C205
 C206
                                                                                                                                                   1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                 C628
 C207
                                                                                                                                                   1-163-017-00 s CERAMIC, CHIP 0.0047uF 5% 50V

1-163-017-00 s CERAMIC, CHIP 0.0047uF 5% 50V

1-164-232-11 s CERAMIC 0.01uF 10% 100V

1-164-182-11 s CERAMIC CHIP 3300pF 10% 100V
                                                                                                                                 C629
 C208
                                                                                                                                 C630
                                                                                                                                 C631
                   1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C632
 C212
                   1-126-933-11 s ELECT 100uF 20% 16V
 C213
                  1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                   1-136-562-11 s FILM 0.0082uF 5% 630V
                                                                                                                                 C635
 C214
                                                                                                                                                   1-131-368-00 s TANTALUM 3.3uf 10% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                 C636
 C215
                   1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                 C701
 C216
                                                                                                                                 C702
```

R22

IC707

1-423-659-11 s TRANSFORMER, RF OUTPUT 1-423-658-11 s TRANSFORMER, RF INPUT

T2

R514

R515

(RP-70 BOARD(UVW-1800))

```
or Q'ty Part No.
                                SP Description
              1-423-659-11 s TRANSFORMER, RF OUTPUT
1-423-658-11 s TRANSFORMER, RF INPUT
T101
T102
              1-423-659-11 s TRANSFORMER, RF OUTPUT
1-423-657-11 s TRANSFORMER, RF INPUT
T201
T202
              1-423-659-11 s TRANSFORMER, RF OUTPUT
T301
              1-423-657-11 s TRANSFORMER, RF INPUT
1-423-656-11 s TRANSFORMER, ROTARY ERASE
1-423-656-11 s TRANSFORMER, ROTARY ERASE
T302
T601
T602
              1-424-511-11 s TRANSFORMER. FE
T603
```

```
RP-70A BOARD(UVW-1600)
Ref. No.
or Q'ty Part No.
                                    SP Description
RP-70A board is used for UVW-1600.
               A-8275-278-A @ MOUNTED CIRCUIT BOARD, RP-70A
3-182-385-01 o PLATE, SHIELD (S), CARD
7-621-759-45 s SCREW, +PSW2.6x6
8-769-401-59 s TRANSISTOR 2SK613-3
1pc
1pc
1pc
1pc
                3-179-084-01 s LEVER (R), PC BOARD
                3-179-085-01 s LEVER (L), PC BOARD
1pc
                1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C17
                1-126-933-11 s ELECT 100uF 20% 16V
C18
               1-120-933-11 S ELECT 1000F 20% 16V

1-163-227-11 S CERAMIC, CHIP 10PF 5% 50V

1-164-004-11 S CERAMIC, CHIP 0.1uF 10% 25V

1-126-933-11 S ELECT 100uF 20% 16V
C19
C21
C23
               1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
C117
C118
C119
C121
                1-126-933-11 s ELECT 100uF 20% 16V
C123
                1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C217
                1-103-033-00 S CERAMIC, CHIP 0.0220F 50V
1-126-933-11 S ELECT 1000F 20% 16V
1-163-227-11 S CERAMIC, CHIP 10PF 5% 50V
1-164-004-11 S CERAMIC, CHIP 0.10F 10% 25V
C218
 C219
 C221
                1-126-933-11 s ELECT 100uF 20% 16V
                1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
 C317
                1-126-933-11 s ELECT 100uF 20% 16V
 C318
                1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
1-126-933-11 s ELECT 100uF 20% 16V
 C319
 C321
 C323
                1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

1-126-933-11 s ELECT 100uF 20% 16V

1-126-933-11 s ELECT 100uF 20% 16V

1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
 C709
 C710
 C711
 C712
 C713
                1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
 C714
 C715
                1-506-468-11 o CONNECTOR 3P, MALE
1-506-468-11 o CONNECTOR 3P, MALE
 CN101
                1-573-600-21 s CONNECTOR, PHEC 100P, MALE
1-506-468-11 o CONNECTOR 3P, MALE
1-506-468-11 o CONNECTOR 3P, MALE
 CN110
 CN201
 CN301
                 8-719-123-82 s DIODE 1SS303-T1
 D702
                 1-810-335-11 s HIC BP-024
 TC2
 IC102
                 1-810-335-11 s HIC BP-024
                 1-810-335-11 s HIC BP-024
 IC202
                 1-810-335-11 s HIC BP-024
 IC302
                 8-759-168-20 s IC TA78L09S
 TC703
                 8-759-168-20 s IC TA78L09S
 IC704
 L702
                 1-412-533-21 s INDUCTOR 47uH
                 1-216-295-91 s RES, CHIP 0
 R17
                 1-216-293-91 S RES, CHIP 0

1-216-001-00 S METAL, CHIP 10 5% 1/10W

1-216-687-11 S METAL, CHIP 33k 0.5% 1/10W

1-216-691-11 S METAL, CHIP 47k 0.5% 1/10W

1-216-625-11 S METAL, CHIP 82 0.5% 1/10W
 R18
 R19
 R21
 R22
                 1-216-295-91 s RES, CHIP 0
 R117
                 1-216-001-00 s METAL, CHIP 10 5% 1/10W
 R118
```

```
(RP-70A BOARD(UVW-1600))
```

```
SP Description
or Q'ty Part No.
                  1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-625-11 s METAL, CHIP 82 0.5% 1/10W 1-216-295-91 s RES, CHIP 0 1-216-001-00 s METAL, CHIP 10 5% 1/10W
R119
R121
R122
P217
R218
                  1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-689-11 s METAL, CHIP 39k 0.5% 1/10W 1-216-625-11 s METAL, CHIP 82 0.5% 1/10W
R219
R221
R222
                   1-216-295-91 s RES, CHIP 0
R317
                   1-216-001-00 s METAL, CHIP 10 5% 1/10W
R318
R319 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W
R321 1-216-689-11 s METAL, CHIP 39k 0.5% 1/10W
R322 1-216-625-11 s METAL, CHIP 82 0.5% 1/10W
R651-658 1-216-295-91 s RES, CHIP 0
                    1-423-658-11 s TRANSFORMER, RF INPUT
                   1-423-658-11 s TRANSFORMER, RF INPUT
1-423-657-11 s TRANSFORMER, RF INPUT
1-423-657-11 s TRANSFORMER, RF INPUT
T102
 T202
 T302
```

SE-207 BOARD(UVW-1800/1600)

1

```
Ref. No. or Q'ty Part No. SP Description
```

Two SE-207 boards are used in UVW-1800/1600. One board has the following parts.

```
1pc 1-648-923-11 o PRINTED CIRCUIT BOARD, SE-207
CN950 1-565-876-11 o CONNECTOR 4P, MALE
PH1 8-749-924-54 s PHOTO-INTERRUPTER GP1A3OR
R1 1-249-408-11 s CARBON 180 5% 1/4W
```

SS-53 BOARD(UVW-1800/1600) -----Ref. No. or O'ty Part No. SP Descripti

```
SP Description
or Q'ty Part No.
                         A-8275-284-A o MOUNTED CIRCUIT BOARD, SS-53
1pc
                         3-179-084-01 s LEVER (R), PC BOARD
3-179-085-01 s LEVER (L), PC BOARD
1pc
1pc
                        1-135-076-21 s TANTALUM, CHIP 1uF 10% 35V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C2
C5-C16
C19
C20
                         1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C22
C23
                         1-126-924-11 s ELECT 330uF 20% 10V
1-126-964-11 s ELECT 10uF 20% 50V
 C24
C100
                          1-126-964-11 s ELECT 10uF 20% 50V
C101
                         1-163-275-11 S CERAMIC, CHIP 0.001uF 5% 50V

1-163-033-00 S CERAMIC, CHIP 0.022uF 50V

1-163-033-00 S CERAMIC, CHIP 0.022uF 50V

1-163-037-11 S CERAMIC, CHIP 0.022uF 10% 25V
C102
C103
C104
 C106
                         1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V

1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V

1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

1-164-232-11 s CERAMIC 0.01uF 10% 100V

1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
 C109
 C110
 C111
 C112
 C113
                          1-126-924-11 s ELECT 330uF 20% 10V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-135-076-21 s TANTALUM, CHIP 1uF 10% 35V
 C114
 C115
 C116
 C117
  C200
 C201 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V C202-209 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V C210 1-163-237-11 s CERAMIC, CHIP 27pF 5% 50V C211 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C212 1-163-102-00 s CERAMIC, CHIP 24pF 5% 50V
 C213 1-126-924-11 s ELECT 330uF 20% 10V

C214 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V

C215-230 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

C232 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

C233 1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V
                          1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V
1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V
1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V
1-164-232-11 s CERAMIC 0.01uF 10% 100V
1-164-232-11 s CERAMIC 0.01uF 10% 100V
  C234
  C235
  C236
  C237
   C238
                          1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V

 C239
  C240
  C241
   C242
   C243
                          1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V
1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V
1-164-161-11 s CERAMIC, CHIP 0.0022uF 10% 100V
1-164-161-11 s CERAMIC, CHIP 0.0022uF 10% 100V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
   C245
   C246
   C247
   C248
   C249
   C251-269 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
   C270-275 1-126-947-11 s ELECT 47uF 20% 35V
                           1-163-989-11 s CERAMIC, CHIP 0.033uF 10% 25V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
   C276
   C277
```

(SS-53 BOARD(UVW-1800/1600))

Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
C279 C400 C401 C402 C403	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	IC210 8-759-925-76 s IC SN74HC08NS IC211 8-759-938-68 s IC CXD1095Q IC212 8-759-252-01 p IC C020-UVW1000SV-V100, EPROM IC213 8-759-507-51 s IC MS6264CLL-10FC-EF IC214 8-759-300-71 s IC HD14053BFP
C404 C405 C406 C407 C408	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	IC215 8-759-300-71 s IC HD14053BFP IC216 8-759-925-05 s IC LM2903PS IC217 8-759-925-97 s IC SN74HC86ANS IC219 8-752-343-05 s IC CXD2202Q IC220 8-759-100-95 s IC UPC324G2
C409 C410 C411 C412	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V	IC221 8-759-300-71 s IC HD14053BFP IC222 8-759-100-95 s IC UPC324G2 IC223 8-759-106-02 s IC UPC4570G2 IC224 8-759-141-05 s IC UPC4574G2 IC225 8-759-106-02 s IC UPC457GG2
CN1 CN2 CN3 CN107 CN108	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V 1-506-484-11 s CONNECTOR 5P, MALE 1-506-481-11 s CONNECTOR 2P, MALE 1-560-369-00 o CONNECTOR, ILG 8P, MALE 1-573-782-21 o CONNECTOR, PHEC 60P, MALE 1-573-782-21 o CONNECTOR, PHEC 60P, MALE	IC226 8-759-938-68 s IC CXD1095Q IC227 8-759-913-99 s IC MB88201-173N IC228 8-759-927-29 s IC SN74HCU04NS IC229 8-759-977-80 s IC MB88342PF IC230 8-759-925-05 s IC LM2903PS
CN109	1-573-782-21 o CONNECTOR, PHEC 60P, MALE	IC231 8-759-106-02 s IC UPC4570G2
CNI4 CNI212	1-573-782-21 o CONNECTOR, PHEC 60P, MALE 1-251-102-11 o SOCKET, IC 32P 1-251-102-11 o SOCKET, IC 32P	IC232 8-759-925-05 s IC LM2903PS IC233 8-759-106-02 s IC UPC4570G2
CV1	1-141-389-11 s CAP, TRIMMER 50pF	L1 1-408-411-00 s INDUCTOR 15uH
D100-105 D200-208 D210 D211 D213	1-141-389-11 s CAP, TRIMMER 50pF 8-719-941-23 s DIODE DA204U 8-719-941-23 s DIODE DA204U 8-719-938-72 s DIODE SB01-05CP 8-719-941-23 s DIODE DA204U 8-719-941-23 s DIODE DA204U 8-719-941-23 s DIODE DA204U 8-719-941-23 s DIODE DA204U 8-759-151-97 s IC UPD70320GJ-8-5BG 8-759-043-34 s IC CXD8310M	1-412-535-21 \$ INDUCTOR 474H L201 1-412-533-21 \$ INDUCTOR 474H PS1 A1-532-637-00 \$ LINK, IC 1.0A PS2 A1-532-637-00 \$ LINK, IC 1.0A
D214 D215	8-719-941-23 s DIODE DA204U 8-719-941-23 s DIODE DA204U	Q105 8-729-905-12 s TRANSISTOR DTA144EU Q106 8-729-118-56 s TRANSISTOR 25K852-X2 Q107 8-729-905-12 s TRANSISTOR DTA144EU
IC1 IC2 IC3 IC4 IC5	8-759-507-51 s IC MS6264CLL-10FC-EF 8-759-252-00 m IC C010-UVW1000SY-V100, EPROM	Q210 8-729-209-06 s TRANSISTOR 2SC4213-A Q211 8-729-209-06 s TRANSISTOR 2SC4213-A
IC6 IC7 IC8 IC9 IC10	8-759-054-54 s IC SRM2016M10 8-759-632-39 s IC M51958A 8-759-061-67 s IC MC34051M 8-759-926-77 s IC SN74HC541NS 8-759-925-74 s IC TC74HC04NS	R5 1-216-097-00 s METAL, CHIP 100k 5% 1/10W
IC11 IC12 IC15 IC100 IC101	8-759-925-85 s IC SN74HC32NS 8-759-925-90 s IC SN74HC74NS 8-759-192-25 s IC UPD6453GT-635-E2 8-759-175-77 s IC CXD8384Q 8-759-100-96 s IC UPC4558G2	R6 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R7 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R9 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R11 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R12 1-216-097-00 s METAL, CHIP 100k 5% 1/10W
IC102 IC103 IC200 IC201 IC202	8-759-925-05 s IC LM2903PS 8-759-700-45 s IC NJM4556M-A 8-759-300-71 s IC HD14053BFP 8-759-100-94 s IC UPC358G2 8-759-192-26 s IC HD6435348RA00F	R14 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R24 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R26 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W R27 1-216-680-11 s METAL, CHIP 16k 0.5% 1/10W R31 1-216-089-91 s METAL, CHIP 47k 5% 1/10W
IC203 IC204 IC206 IC207 IC208	8-759-925-76 s IC SN74HC08NS 8-759-925-74 s IC TC74HC04NS 8-759-925-83 s IC SN74HC27ANS 8-759-925-79 s IC SN74HC11ANS 8-759-926-11 s IC SN74HC138NS	R33 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R35 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R36-R41 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R43 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R45 1-216-089-91 s METAL, CHIP 47k 5% 1/10W
IC209	8-759-925-85 s IC SN74HC32NS	R47 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R49 1-216-089-91 s METAL, CHIP 47k 5% 1/10W

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R51 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R55 1-216-025-00 s METAL, CHIP 100 5% 1/10W R56 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R57 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R61 1-216-089-91 s METAL, CHIP 47k 5% 1/10W	R222 1-216-648-11 s METAL, CHIP 750 0.5% 1/10W R223 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W R224 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R225 1-218-764-11 s METAL, CHIP 330k 0.5% 1/10W R227 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R62 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R63 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R64 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R65 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R66 1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R228 1-216-049-00 5 METAL, CHIP 1k 5% 1/10W R229 1-216-025-00 5 METAL, CHIP 100 5% 1/10W R231 1-216-049-00 5 METAL, CHIP 1k 5% 1/10W R232 1-216-049-00 5 METAL, CHIP 1k 5% 1/10W R233 1-216-049-00 5 METAL, CHIP 1k 5% 1/10W
R67 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R68 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R69 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R100 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W R101 1-216-648-11 s METAL, CHIP 750 0.5% 1/10W	R234 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R235 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R236 1-216-025-00 s METAL, CHIP 100 5% 1/10W R237 1-216-025-00 s METAL, CHIP 100 5% 1/10W R238 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R102 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R103 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R104 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R105 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R106 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W	R239 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R240 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R241 1-216-025-00 s METAL, CHIP 100 5% 1/10W R242 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R243 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R107 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W	R244 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R245 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R254 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R255 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R256 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W
R112 1-216-025-00 s METAL, CHIP 100 5% 1/10W R128 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R129 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R130 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R131 1-216-037-00 s METAL, CHIP 330 5% 1/10W	R257 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R258 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R260 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R261 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R262 1-216-089-91 s METAL, CHIP 47k 5% 1/10W
R132 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R133 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R134 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R135 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R136 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R263 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R264 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R265 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R268 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R269 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R137 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R138 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R139 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W R140 1-216-071-00 s METAL, CHIP 8.2k 5% 1/10W R141 1-216-624-11 s METAL, CHIP 75 0.5% 1/10W	R275 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R276 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R277 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R281 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R282 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R142 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R145 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R146 1-216-025-00 s METAL, CHIP 100 5% 1/10W R149 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R150 1-216-121-00 s METAL, CHIP 1M 5% 1/10W	R283 1-220-221-11 s METAL, CHIP 100 5% 1/2W R284 1-216-025-00 s METAL, CHIP 100 5% 1/10W R285 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R286 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R287 1-216-025-00 s METAL, CHIP 100 5% 1/10W
R151 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R200 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W R201 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W R202 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W R203 1-218-764-11 s METAL 330k 0.5% 1/10W	R288 1-216-025-00 s METAL, CHIP 100 5% 1/10W R289 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R290 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R291 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R292 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R204-213 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R214 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R215 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R216 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R217 1-216-089-91 s METAL, CHIP 47k 5% 1/10W	R294 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R295 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R297 1-216-025-00 s METAL, CHIP 100 5% 1/10W R298 1-216-109-00 s METAL, CHIP 330k 5% 1/10W R299 1-216-109-00 s METAL, CHIP 330k 5% 1/10W
R218 1-216-089-91 S METAL, CHIP 47k 5% 1/10W R219 1-216-057-00 S METAL, CHIP 2.2k 5% 1/10W R220 1-216-686-11 S METAL, CHIP 30k 0.5% 1/10W R221 1-216-665-11 S METAL, CHIP 3.9k 0.5% 1/10W	R300 1-216-025-00 s METAL, CHIP 100 5% 1/10W R302 1-216-025-00 s METAL, CHIP 100 5% 1/10W R303 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R304 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W

(SS-53 BOARD(UVW-1800/1600))

Ref. No. or Q'ty Part No. SP Description 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R306 R307 R309 R310 R311 R312 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R313 R314 R315 R316 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R317 R318 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R319 R320 R321 R322 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R323 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R324 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R325 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R326-331 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R332 R333 R334 R335 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R336 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W R337 R338 R339 R340 R341 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W R342 R343 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R344 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R345 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R346-350 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-039-00 s METAL, CHIP 390 5% 1/10W R351 R352 R353-381 1-216-049-00 s METAL, CHIP 1k 5* 1/10W R382 1-216-073-00 s METAL, CHIP 10k 5* 1/10W R383 1-216-073-00 s METAL, CHIP 10k 5* 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R385 R386 R387 R388 R389 R390 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R391 R392 R393 R394 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R395 R396 1-216-073-00 \$ METAL, CHIP 2.2K 5% 1/10W 1-216-073-00 \$ METAL, CHIP 10k 5% 1/10W 1-216-097-00 \$ METAL, CHIP 10k 5% 1/10W 1-216-097-00 \$ METAL, CHIP 100k 5% 1/10W R397 R398 R399 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R400 R401 R402 R403

(SS-53 BOARD(UVW-1800/1600))

Ref. No. or Q'ty	Part No. SP Description
R404	1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W
R405	1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W
R406	1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R407	1-216-695-11 s METAL, CHIP 68k 0.5% 1/10W
R408	1-216-695-11 s METAL, CHIP 68k 0.5% 1/10W
R409	1-216-699-11 s METAL. CHIP 100k 0.5% 1/10W
R410	
R410	
	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R412	1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R413	1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R414	1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R415	1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W
R416	1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W
R417	1-216-695-11 s METAL, CHIP 68k 0.5% 1/10W
R418	1-216-695-11 s METAL, CHIP 68k 0.5% 1/10W

R419	1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W
R420	1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R421	1-216-687-11 s METAL. CHIP 33k 0.5% 1/10W
R422	1-216-699-11 s METAL. CHIP 100k 0.5% 1/10W
R423	1-216-057-00 s METAL. CHIP 2.2k 5% 1/10W
RB1	1-239-464-11 s RESISTOR BLOCK, CHIP 2.2kx8
RB2	1-239-308-11 s RESISTOR BLOCK, CHIP 47kx8
RB201	1-239-464-11 s RESISTOR BLOCK, CHIP 2.2kx8
RB202	1-239-309-11 s RESISTOR BLOCK, CHIP 100kx8
RB203	1-239-306-11 s RESISTOR BLOCK, CHIP 10kx8
S1	1-692-535-11 s SWITCH, DIP 4-CKT
S201	1-692-536-11 s SWITCH, DIP 8-CKT
V1	1 570 020 12 a DECONATOR CEDAMIC 15 00MIL
X1	1-579-930-12 s RESONATOR CERAMIC 16.00MHz
X101	1-579-993-21 s CRYSTAL 13.50MHz
X200	1-579-996-11 s RESONATOR CERAMIC 20.00MHz

100 10 00.00 (000. 0000)			(TBC-25 BOARD(UVW-1800/1600))	
Ref No	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description	
1pc 1pc 1pc 1pc 1pc	A-8275-282-A O MOUNTED CIRCUIT BOARD, TBC-25 3-182-386-01 O PLATE, SHIELD (L), CARD 7-621-759-45 s SCREW, +PSW2.6x6 3-179-084-01 s LEVER (R), PC BOARD 3-179-085-01 s LEVER (L), PC BOARD	C216 C218 C300 C301 C302	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V 1-126-947-11 s ELECT 47uF 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V	
2pcs	1-750-484-11 s BUS-BAR	C303 C305	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C1 C2 C3 C4	1-750-484-11 s BUS-BAR 1-126-933-11 s ELECT 100uF 20% 16V 1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V	C306 C307 C308	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V	
C5 C6 C7 C8 C9	1-126-933-11 s ELECT 100uF 20% 16V 1-126-933-11 s ELECT 100uF 20% 16V 1-126-933-11 s ELECT 100uF 20% 16V 1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V	C310 C311 C312-316 C317	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-963-11 s ELECT 4.7uF 20% 50V	
C10	1-126-933-11 s ELECT 100uF 20% 16V	C318 C319	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C11 C12 C13 C14	1-126-933-11 S ELECT 100uF 20% 16V 1-126-933-11 S ELECT 100uF 20% 16V	C320 C321 C322	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C15	1-103-033-00 S CERAMIC, CHIP U.UZZUF 50V	C325	1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-164-232-11 s CERAMIC 0.01uF 10% 100V	
C22 C100	1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V	C327 C328		
C102	1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V	C329 C330	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	
C103 C104 C105 C106	1-126-947-11 s ELECT 47uF 20% 35V 1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 15pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V		1-124-903-11 s ELECT 1uF 20% 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V	
C107	1-126-947-11 s ELECT 47uF 20% 35V	C334 C335	1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C108 C109 C110 C111	1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V 1-124-903-11 s ELECT 1uF 20% 50V 1-126-964-11 s ELECT 10uF 20% 50V 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V	C337 C338	1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V 1-164-232-11 s CERAMIC 0.01uF 10% 100V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
	1-104-004-11 S CERAMIC, CHIP 0.10- 10- 259	C339 C340	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C113 C114 C115 C116	1-126-934-11 s ELECT 220uf 20% 16V 1-126-947-11 s ELECT 47uf 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uf 50V 1-163-033-00 s CERAMIC, CHIP 0.022uf 50V	C341 C342 C344	1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V	
C117	1-126-947-11 s ELECT 47uF 20% 35V	C345 C347	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	
C118 C200 C201 C202	1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V	C350 C351 C352	1-126-933-11 s ELECT 100uF 20% 16V 1-164-222-11 s CERAMIC 0.722uF 25V 1-124-925-11 s ELECT 2.2uF 20% 100V	
C203	1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V	C353 C355	1-124-925-11 s ELECT 2.2uF 20% 100V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V	
C204 C205 C206 C207	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V	C356 C357 C359	1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C208	1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V	C360 C361	1-126-947-11 s ELECT 47uF 20% 35V 1-126-947-11 s ELECT 47uF 20% 35V	
C209 C210 C211 C212	1-124-903-11 s ELECT 1uF 20% 50V 1-126-964-11 s ELECT 10uF 20% 50V 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	C362 C363 C364	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C213	1-126-934-11 s ELECT 220uF 20% 16V	C400 C401	1-126-947-11 s ELECT 47uF 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C214 C215	1-126-947-11 s ELECT 47uF 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C402 C404	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	

(TBC-25 BOARD(UVW-1800/1600))

Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
C405 C406 C407 C408 C409	1-126-947-11 s ELECT 47uF 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-222-11 s CERAMIC, CHIP 5pF 50V 1-163-102-00 s CERAMIC, CHIP 24pF 5% 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V	C510 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C511 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C512 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V C513 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C514 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
C410 C411 C412 C413 C414-419	1-126-947-11 s ELECT 47uF 20% 35V 1-163-106-00 s CERAMIC 36pF 5% 50V 1-163-120-00 s CERAMIC 130pF 5% 50V 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C515-523 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C524 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C525 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C526 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C527 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C420 C421 C422 C423 C424	1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	C528 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C529 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C530 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C531 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C532 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
C425 C426 C427 C428 C429	1-164-232-11 s CERAMIC 0.01uF 10% 100V 1-124-903-11 s ELECT 1uF 20% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-124-903-11 s ELECT 1uF 20% 50V	
C430 C431 C432 C433 C434	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-164-232-11 s CERAMIC 0.01uF 10% 100V 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V	C538 1-126-947-11 s ELECT 47uF 20% 35V C539 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C540 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C541 1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V C542 1-126-947-11 s ELECT 47uF 20% 35V
C435 C436 C437 C438 C439	1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V 1-164-232-11 s CERAMIC 0.01uF 10% 100V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	
C440 C441 C443 C444 C445	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V	
C446 C447 C448 C449 C450	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-126-933-11 s ELECT 100uF 20% 16V 1-164-222-11 s CERAMIC 0.22uF 25V 1-124-925-11 s ELECT 2.2uF 20% 100V	C705 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V C706 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C707 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C708 1-126-947-11 s ELECT 47uF 20% 35V C709-715 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C451 C452 C454 C455 C456	1-124-925-11 s ELECT 2.2uF 20% 100V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-126-947-11 s ELECT 47uF 20% 35V	C716 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V C717 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C718 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C719 1-126-947-11 s ELECT 47uF 20% 35V C720 1-130-489-00 s MYLAR 0.033uF 5% 50V
C457 C458 C459 C461 C462	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-102-00 s CERAMIC, CHIP 24pF 5% 50V	C721 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C722 1-126-947-11 s ELECT 47uF 20% 35V C723-728 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C729 1-126-947-11 s ELECT 47uF 20% 35V C730 1-126-947-11 s ELECT 47uF 20% 35V
C501 C502 C503 C504 C505	1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C731 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C732 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C733 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C734 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C735 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
C506 C507 C508 C509	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-947-11 s ELECT 47uF 20% 35V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C736 1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V C737 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V C738 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C739 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

8-729-140-63 s TRANSISTOR 2SA1611-M5M6

0303

8-759-196-23 s IC MC68HC705C8FU

IC714

R360

(TBC-25 BOARD(UVW-1800/1600))

Ref. No.	Part No. SP Description	Ref. No. or Q'ty Pan	rt No. S	SP Descript	ion
R361 R363 R367 R369 R371	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-017-00 s METAL, CHIP 47 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-041-00 s METAL, CHIP 470 5% 1/10W	R448 1-2 R449 1-3 R450 1-2 R451 1-2 R452 1-3	216-097-00 216-057-00 216-057-00	s METAL, C s METAL, C s METAL, C	HIP 2.2k 5% 1/10W HIP 100k 5% 1/10W HIP 2.2k 5% 1/10W HIP 2.2k 5% 1/10W HIP 3.3k 5% 1/10W
R372 R373 R374 R375 R376	1-216-041-00 s METAL, CHIP 470 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-017-00 s METAL, CHIP 47 5% 1/10W	R453 1-7 R454 1-7 R455 1-7 R456 1-7 R457 1-7	216-057-00 216-017-00 216-073-00	s METAL, C s METAL, C s METAL, C	HIP 330k 5% 1/10W HIP 2.2k 5% 1/10W HIP 47 5% 1/10W HIP 10k 5% 1/10W HIP 1k 5% 1/10W
R380 R400 R401 R402 R403	1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W	R459 1- R460 1- R461 1-	216-041-00 216-041-00 216-085-00	S METAL, C S METAL, C S METAL, C	HIP 47k 0.5% 1/10W HIP 470 5% 1/10W HIP 470 5% 1/10W HIP 33k 5% 1/10W HIP 33k 5% 1/10W
R404 R405 R406 R407 R408	1-216-017-00 S METAL, CHIP 47 5% 1/10W 1-216-049-00 S METAL, CHIP 1k 5% 1/10W 1-216-065-00 S METAL, CHIP 4.7k 5% 1/10W 1-216-049-00 S METAL, CHIP 1k 5% 1/10W 1-216-025-00 S METAL, CHIP 100 5% 1/10W	R464 1-2 R468 1-2 R469 1-3 R500-506 1-3	-216-017-00 -216-634-11 -216-669-11 -216-057-00	s METAL, C s METAL, C s METAL, C s METAL, C	HIP 33k 5% 1/10W HIP 47 5% 1/10W HIP 200 0.5% 1/10W HIP 5.6k 0.5% 1/10W HIP 2.2k 5% 1/10W
R409 'R410 R411 R412 R413	1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-059-00 s METAL, CHIP 2.7k 5% 1/10W	R507 1-1 R508-512 1-2 R513 1-3 R514 1-3 R515 1-3	-216-041-00 -216-057-00 -216-097-00 -216-057-00 -216-057-00	s METAL, C s METAL, C s METAL, C s METAL, C s METAL, C	HIP 470 5% 1/10W HIP 2.2k 5% 1/10W HIP 100k 5% 1/10W HIP 2.2k 5% 1/10W HIP 2.2k 5% 1/10W
R414 R415 R416 R417 R418	1-216-059-00 s METAL, CHIP 2.7k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-041-00 s METAL, CHIP 470 5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W	R516 1-7 R540 1-7 R541 1-7 R542 1-7 R543 1-7	-216-097-00 -216-089-91 -216-057-00	S METAL, C S METAL, C S METAL, C	HIP 2.2k 5% 1/10W HIP 100k 5% 1/10W HIP 47k 5% 1/10W HIP 2.2k 5% 1/10W HIP 2.2k 5% 1/10W
R419 R420 R421 R422 R423	1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-037-00 s METAL, CHIP 330 5% 1/10W 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W	R545 1- R546 1- R547 1- R548 1- R549 1-	-216-678-11 -216-659-11 -216-659-11	S METAL, C S METAL, C S METAL, C	HIP 13k 0.5% 1/10W HIP 13k 0.5% 1/10W HIP 2.2k 0.5% 1/10W HIP 2.2k 0.5% 1/10W HIP 2.7k 0.5% 1/10W
R424 R425 R426 R427 R428	1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-117-00 s METAL, CHIP 680k 5% 1/10W 1-216-645-11 s METAL, CHIP 560 0.5% 1/10W 1-216-623-11 s METAL, CHIP 68 0.5% 1/10W	R553 1-3	-216-675-11 -216-675-11 -216-679-11	S METAL, C S METAL, C S METAL, C	HIP 2.7k 0.5% 1/10W HIP 10k 0.5% 1/10W HIP 10k 0.5% 1/10W HIP 15k 0.5% 1/10W HIP 13k 0.5% 1/10W
R429 R430 R431 R432 R433	1-216-655-11 s METAL, CHIP 1.5k 0.5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W	R556 1- R557 1- R558 1-	-216-671-11 -216-665-11 -216-679-11	S METAL, C S METAL, C S METAL, C	HIP 15k 0.5% 1/10W HIP 6.8k 0.5% 1/10W HIP 3.9k 0.5% 1/10W HIP 15k 0.5% 1/10W HIP 6.8k 0.5% 1/10W
R434 R435 R436 R437 R438	1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W	R561 1- R562 1- R563 1-	-216-679-11 -216-679-11 -216-677-11	S METAL, C S METAL, C S METAL, C	HIP 8.2k 0.5% 1/10W HIP 15k 0.5% 1/10W HIP 15k 0.5% 1/10W HIP 12k 0.5% 1/10W HIP 2.2k 0.5% 1/10W
R439 R440 R441 R442 R443	1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W	R566 1- R567 1- R568 1-	-216-661-11 -216-683-11 -216-681-11	S METAL, C S METAL, C S METAL, C	HIP 22k 0.5% 1/10W HIP 2.7k 0.5% 1/10W HIP 22k 0.5% 1/10W HIP 18k 0.5% 1/10W HIP 47k 0.5% 1/10W
R444 R445 R446 R447	1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W 1-216-658-11 s METAL, CHIP 2k 0.5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-037-00 s METAL, CHIP 330 5% 1/10W	R571 1-1 R572 1-1	-216-691-11 -216-665-11	s METAL, C s METAL, C	HIP 4.7k 0.5% 1/10W HIP 47k 0.5% 1/10W HIP 3.9k 0.5% 1/10W HIP 47k 0.5% 1/10W

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R574 1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W R575 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R576 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R577 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R578 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W	R736 1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W 1-216-017-00 s METAL, CHIP 47 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R579 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R580 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R581 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R582 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R583 1-216-645-11 s METAL, CHIP 560 0.5% 1/10W	R741 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R742 1-216-017-00 s METAL, CHIP 47 5% 1/10W R743 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R744 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R745 1-216-017-00 s METAL, CHIP 47 5% 1/10W
R584 1-216-041-00 s METAL, CHIP 470 5% 1/10W R585 1-216-619-11 s METAL, CHIP 47 0.5% 1/10W R586 1-216-619-11 s METAL, CHIP 47 0.5% 1/10W R587 1-216-041-00 s METAL, CHIP 470 5% 1/10W R588 1-216-619-11 s METAL, CHIP 47 0.5% 1/10W	R746 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R747 1-216-041-00 s METAL, CHIP 470 5% 1/10W R748 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W R750 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R751 1-216-097-00 s METAL, CHIP 100k 5% 1/10W
R589 1-216-041-00 s METAL, CHIP 470 5% 1/10W R590 1-216-017-00 s METAL, CHIP 47 5% 1/10W R591 1-216-017-00 s METAL, CHIP 47 5% 1/10W R592 1-216-017-00 s METAL, CHIP 47 5% 1/10W R593 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W	R753 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R755 1-216-017-00 s METAL, CHIP 47 5% 1/10W R756 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R757 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R758 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R595 1-216-113-00 s METAL, CHIP 470k 5% 1/10W R596 1-216-113-00 s METAL, CHIP 470k 5% 1/10W R598 1-216-113-00 s METAL, CHIP 470k 5% 1/10W R700 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R701 1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R759 1-216-295-91 s RES, CHIP 0 R760 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R761 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R762 1-216-017-00 s METAL, CHIP 47 5% 1/10W R763 1-216-085-00 s METAL, CHIP 33k 5% 1/10W
R702 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R703 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R704 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R705 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W R706 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W	R764 1-216-658-11 s METAL, CHIP 2k 0.5% 1/10W R765 1-216-051-00 s METAL, CHIP 1.2k 5% 1/10W R766 1-216-658-11 s METAL, CHIP 2k 0.5% 1/10W R767 1-216-051-00 s METAL, CHIP 1.2k 5% 1/10W R768 1-216-648-11 s METAL, CHIP 750 0.5% 1/10W
R707 1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W R708 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R709 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W R710 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R711 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W	R769 1-216-037-00 s METAL, CHIP 330 5% 1/10W R770 1-216-648-11 s METAL, CHIP 750 0.5% 1/10W R771 1-216-037-00 s METAL, CHIP 330 5% 1/10W R772 1-216-069-00 s METAL, CHIP 330 5% 1/10W R773 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W
R712 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R713 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R714 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W R715 1-216-059-00 s METAL, CHIP 2.7k 5% 1/10W R716 1-216-041-00 s METAL, CHIP 470 5% 1/10W	R774 1-216-069-00 s METAL, CHIP 6.8k 5% 1/10W R775 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W R776 1-216-041-00 s METAL, CHIP 470 5% 1/10W R777 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R778 1-216-017-00 s METAL, CHIP 47 5% 1/10W
R717 1-216-037-00 s METAL, CHIP 330 5% 1/10W R718 1-216-059-00 s METAL, CHIP 2.7k 5% 1/10W R719 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R720 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R721 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W	R780 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R781 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R782 1-216-017-00 s METAL, CHIP 47 5% 1/10W R783 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R784 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W
R722 1-216-069-00 s METAL, CHIP 6.8k 5% 1/10W R723 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R724 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R725 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W R726 1-216-041-00 s METAL, CHIP 470 5% 1/10W	R785 1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W R786 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W R787 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W R788 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W R789 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W
R727 1-216-669-11 s METAL, CHIP 5.6k 0.5% 1/10W R728 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W R729 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R730 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R731 1-216-093-00 s METAL, CHIP 68k 5% 1/10W	R790 1-216-677-11 s METAL, CHLP 12k 0.5% 1/10W R791 1-216-041-00 s METAL, CHLP 470 5% 1/10W R792 1-216-041-00 s METAL, CHLP 470 5% 1/10W R793 1-216-619-11 s METAL, CHLP 47 0.5% 1/10W R794 1-216-619-11 s METAL, CHLP 47 0.5% 1/10W
R732 1-216-025-00 s METAL, CHIP 100 5% 1/10W R733 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R734 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R735 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W	R795-799 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R800 1-216-017-00 s METAL, CHIP 47 5% 1/10W R801 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R802-807 1-216-041-00 s METAL, CHIP 470 5% 1/10W

(TBC-25 BOARD(UVW-1800/1600))

Ref. No.

or Q'ty Part No. SP Description R808 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R810 R811 R812 R813 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R814 R815 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R816 R817 R818 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-059-00 s METAL, CHIP 2.7k 5% 1/10W 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R819 R820 R821 R822 R823 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-051-00 s METAL, CHIP 1.2k 5% 1/10W 1-216-648-11 s METAL, CHIP 750 0.5% 1/10W R824 R825 R826 **RR27** 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W R828 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W 1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R829 R830 R831 R832 R833 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R834 R835 R836 R837 R838 **RV100** 1-241-758-21 s RES, ADJ METAL 100 1-241-758-21 s RES, ADJ METAL 100 1-241-768-11 s RES, ADJ METAL 22k 1-241-763-11 s RES, ADJ METAL 4.7k **RV200 RV300** RV301 **RV400** 1-241-786-11 s RES, ADJ METAL 22k 1-241-763-11 s RES, ADJ METAL 4.7k 1-241-784-11 s RES, ADJ METAL 4.7k RV401 **RV500** 1-241-784-11 s RES, ADJ METAL 4.7k 1-241-785-11 s RES, ADJ METAL 10k 1-241-785-11 s RES, ADJ METAL 10k RV501 RV502 **RV700** RV701 1-241-785-11 s RES, ADJ METAL 10k 1-241-786-11 s RES, ADJ METAL 22k 1-241-784-11 s RES, ADJ METAL 4.7k **RV702 RV703** S500 1-692-535-11 s SWITCH, DIP 4-CKT TH400 1-807-972-11 s THERMISTOR SV-1715 1.25k X700 1-527-722-00 s CRYSTAL 14.31818MHz 1-579-459-11 s CRYSTAL 13.5MHz X701

TR-84 BOARD(UVW-1800/1600)

Ref. No. or Q'ty Part No. SP Description

1pc 1-648-921-11 o PRINTED CIRCUIT BOARD, TR-84 1pc 3-182-257-01 s HOLDER, DME

CN945 1-565-876-11 o CONNECTOR 4P, MALE

IC1 8-745-001-07 s DME DM-230-1

```
(VP-43 BOARD(UVW-1800))
 VP-43 BOARD(UVW-1800)
                                                                                                                                                                                                  Ref. No.
Ref. No.
                                                                                                                                                                                                  or Q'ty Part No.
                                                                                                                                                                                                                                                          SP Description
or Q'ty Part No. SP Description
                                                                                                                                                                                                                            1-107-552-21 s MICA, CHIP 150pF 1% 50V
1-126-933-11 s ELECT 100uF 20% 16V
VP-43 board is used for UVW-1800.
                                                                                                                                                                                                  C235
                                                                                                                                                                                                                            1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-963-11 s ELECT 4.7uF 20% 50V
                          A-8275-281-A o MOUNTED CIRCUIT BOARD, VP-43
                                                                                                                                                                                                  C236
                         3-182-386-01 o PLATE, SHIELD (L), CARD
7-621-759-45 s SCREW, +PSW2.6x6
3-179-084-01 s LEVER (R), PC BOARD
3-179-085-01 s LEVER (L), PC BOARD
                                                                                                                                                                                                  C237
 1pc
                                                                                                                                                                                                                             1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V
 1pc
                                                                                                                                                                                                  C238
 1pc
                                                                                                                                                                                                                            1-163-114-00 s CERAMIC, CHIP 75pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                  C239
 1pc
                                                                                                                                                                                                  C240
                          1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                  C241
 C101
                                                                                                                                                                                                  C242
 C102
                                                                                                                                                                                                  C243
 C103
 C104
                                                                                                                                                                                                                            1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-925-11 s ELECT 470uF 20% 10V
1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                  C244
 C105
                                                                                                                                                                                                  C245
                           1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                                                                  C246
 C106
                          1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-108-00 s CERAMIC, CHIP 43pF 5% 50V
1-163-115-00 s CERAMIC, CHIP 82pF 5% 50V
                                                                                                                                                                                                  C247
 C107
                                                                                                                                                                                                  C248
 C108
 C109
                                                                                                                                                                                                  C249
                                                                                                                                                                                                                             1-126-933-11 s ELECT 100uF 20% 16V
 C110
                                                                                                                                                                                                                            1-126-933-11 $ ELECT 100uF 20% 16V

1-126-933-11 $ ELECT 100uF 20% 16V

1-126-964-11 $ ELECT 10uF 20% 50V

1-163-033-00 $ CERAMIC, CHIP 0.022uF 50V

1-163-033-00 $ CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                  C250
                          1-163-108-00 s CERAMIC, CHIP 43pF 5% 50V
1-124-903-11 s ELECT 1uF 20% 50V
1-124-903-11 s ELECT 1uF 20% 50V
1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                   C251
 C111
                                                                                                                                                                                                   C301
 C112
                                                                                                                                                                                                   C302
 C113
 C114
                                                                                                                                                                                                                             1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                   C303
 C115
                                                                                                                                                                                                  C304
                                                                                                                                                                                                                             1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
 C305
                                                                                                                                                                                                   C306
                                                                                                                                                                                                  C307
                                                                                                                                                                                                                             1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-110-00 s CERAMIC, CHIP 51pF 5% 50V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-163-110-00 s CERAMIC, CHIP 51pF 5% 50V 1-124-903-11 s ELECT 1uF 20% 50V
                                                                                                                                                                                                  C308
                                                                                                                                                                                                   C309
                          1-163-133-00 s CERAMIC, CHIP 470pf 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                   C310
 C128
                                                                                                                                                                                                   C311
 C129
 C130
                                                                                                                                                                                                   C312
 C131
                                                                                                                                                                                                   C313
                                                                                                                                                                                                                             1-124-903-11 s ELECT 1uF 20% 50V
 C132
                                                                                                                                                                                                                             1-124-903-11 s ELECT 1UF 20% 50V

1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V

1-163-135-00 s CERAMIC, CHIP 560pF 5% 50V

1-163-257-11 s CERAMIC, CHIP 180pF 5% 50V

1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                  C314
 C315
                                                                                                                                                                                                   C316
                          1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                                                                   C317
 C143
 C144
                                                                                                                                                                                                                             1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V
                            1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                                                                   C318
                                                                                                                                                                                                   C319
                          1-126-933-11 s ELECT 100uF 20% 16V
1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V
1-163-241-11 s CERAMIC, CHIP 39pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                   C320
 C146
 C147
                                                                                                                                                                                                   C321
                                                                                                                                                                                                   C322
 C148
 C149
                                                                                                                                                                                                                             1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
                            1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                                                                   C323
 C150
                                                                                                                                                                                                   C324
  C201-212 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                   C325
                          1-163-222-01 $ CERAMIC, CHIP 50F 50V
1-163-222-11 $ CERAMIC, CHIP 50F 50V
1-126-925-11 $ ELECT 470uF 20% 10V
                                                                                                                                                                                                   C326
 C213
                                                                                                                                                                                                   C327
  C214
  C215
                                                                                                                                                                                                                             1-163-033-00 s CERAMIC, CHIP 0.022uF 50V                                                                                                                                                                                                    C328
                             1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
  C216
                                                                                                                                                                                                   C329
                           1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V
1-164-161-11 s CERAMIC, CHIP 0.0022uF 10% 100V
1-163-091-00 s CERAMIC, CHIP 8pF 50V
                                                                                                                                                                                                   C330
 C217
                                                                                                                                                                                                   C331
 C218
                                                                                                                                                                                                                              1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                                                                   C332
  C219
  C220
                                                                                                                                                                                                   C333 1-163-033-00 5 CERAMIC, CHIP 0.022uF 50V C334 1-163-253-11 5 CERAMIC, CHIP 120pF 5% 50V C335-339 1-163-033-00 5 CERAMIC, CHIP 0.022uF 50V C340 1-163-033-11 5 CERAMIC, CHIP 0.022uF 50V C341 1-163-033-11 5 CERAMIC CHIP 0.022uF 50V C341 1-163-030-11 1-163-030-11 1-163-030-11 1-163-030-11 1-163-030-11 1-163-030-11 1-163-030-11 1-163-
  C221
                            1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-925-11 s ELECT 470uF 20% 10V
1-126-925-11 s ELECT 470uF 20% 10V
  C223
                                                                                                                                                                                                                              1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
  C224
                                                                                                                                                                                                   C341
  C225
  C226-230 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                   C342
                                                                                                                                                                                                                              1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                                             1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                   C343
                                                                                                                                                                                                   C344
                             1-126-925-11 s ELECT 470uF 20% 10V
  C231
                             1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                                                   C345
  C232
```

C524

C525-529 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description
C646 C647 C648	1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V	FL201 FL401 FL601	1-239-770-11 s FILTER, LOW-PASS 4MHz 1-239-772-11 s FILTER, LOW-PASS 3MHz 1-239-771-21 s FILTER, LOW-PASS 6MHz
C649 C650	1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	IC101	8-752-052-75 s IC CXA1479Q 8-759-300-71 s IC HD14053BFP
C651 C652 C653	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V 1-163-237-11 s CERAMIC, CHIP 27pF 5% 50V 1-163-237-11 s CERAMIC, CHIP 27pF 5% 50V	IC103 IC104 IC201	8-759-908-92 s IC TL084CNS 8-759-702-08 s IC NJM360M 8-759-908-17 s IC TL082CPS
C654 C655	1-163-237-11 s CERAMIC, CHIP 27pF 5% 50V 1-163-237-11 s CERAMIC, CHIP 27pF 5% 50V	IC202 IC203	8-752-052-48 s IC CXA1370Q 8-759-700-65 s IC NJM79L05A
C656 C657		IC204 IC205 IC301	1-810-333-11 s HIC BP-022 8-759-189-43 s IC AN77L05-TA 8-752-052-75 s IC CXA14790
C658 C659 C660	1-163-245-11 s CERAMIC, CHIP 56pF 5% 50V 1-163-245-11 s CERAMIC, CHIP 56pF 5% 50V 1-163-237-11 s CERAMIC, CHIP 27pF 5% 50V	IC302	8-759-300-71 s IC HD14053BFP
C661 C662		IC401 IC402	8-759-908-92 s IC TL084CNS 8-752-052-48 s IC CXA1370Q 8-759-700-65 s IC NJM79L05A
C663 C664 C665	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-224-11 s CERAMIC, CHIP 7pF 50V	IC403 IC404	1-810-333-11 s HIC BP-022 8-759-189-43 s IC AN77L05-TA
C667 C668		TOFO.	8-759-927-46 s IC SN74HC00NS 8-759-908-92 s IC TL084CNS 8-759-300-71 s IC HD14053BFP
C669 C670 C671	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	IC504	8-759-168-20 s IC TA78L09S 8-759-700-65 s IC NJM79L05A
C701	1-126-933-11 s ELECT 100uF 20% 16V	IC506 IC507	8-759-908-92 s IC TL084CNS 8-752-052-73 s IC CXA1451M 8-752-052-73 s IC CXA1451M
C702 C703 C704	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V 1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-037-00 s CERAMIC, CHIP 15pF 5% 50V	IC509	8-752-052-73 s IC CXA1451M
C705 C706	1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V 1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V	IC510 IC511 IC512	8-752-052-73 s IC CXA1451M 8-759-182-84 s IC PQ055Z5U 8-759-822-95 s IC L79M05T-FA
C707 C708 C709	1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V 1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V 1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V	1C601 1C602	8-759-907-81 s IC SN74LS221NS 8-759-927-46 s IC SN74HC00NS
C710 C711		IC605	8-759-908-92 s IC TL084CNS 8-759-300-71 s IC HD14053BFP 8-759-908-92 s IC TL084CNS
C714-71	9 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	1C606 1C607	8-752-068-20 s IC CXA1521M-TH 8-752-068-20 s IC CXA1521M-TH
C720-724	4 1-126-933-11 s ELECT 100uF 20% 16V 1-131-365-00 s TANTALUM 10uF 10% 20V	IC608 IC609 IC610	8-759-168-20 s IC TA78L09S 8-759-906-59 s IC CX22017 8-759-700-65 s IC NJM79L05A
C726 C727	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-130-475-00 s MYLAR 0.0022uF 5% 50V	IC611 IC612	8-752-052-73 s IC CXA1451M 8-759-057-43 s IC MC14576BF
CN103 CN104 CN105	1-573-782-21 o CONNECTOR, PHEC 60P, MALE 1-573-782-21 o CONNECTOR, PHEC 60P, MALE 1-506-491-11 s CONNECTOR 12P, MALE	IC701 IC702 IC703	8-752-052-73 s IC CXA1451M 8-752-052-73 s IC CXA1451M 8-759-927-46 s IC SN74HC00NS
D201 D401	8-719-123-82 s DIODE 1SS303-T1 8-719-123-82 s DIODE 1SS303-T1	IC704 IC705	8-759-925-74 s IC TC74HC04NS 8-759-925-85 s IC SN74HC32NS
D501 D502 D503	8-719-123-82 s DIODE 1SS303-T1 8-719-941-04 s DIODE SB007-03CP 8-719-021-31 s DIODE UZM5.1B	L101 L102 L103	1-410-482-31 s INDUCTOR 100uH 1-408-406-00 s INDUCTOR 5.6uH 1-408-406-00 s INDUCTOR 5.6uH
D504 D6G1	8-719-123-82 s DIODE 1SS303-T1 8-719-941-04 s DIODE SB007-03CP	L104 L105	1-410-466-41 s INDUCTOR 4.7uH 1-410-482-31 s INDUCTOR 100uH
D602 D701	8-719-123-85 s DIODE 1SS304 8-719-123-85 s DIODE 1SS304	L106 L107 L108	1-410-462-11 s INDUCTOR 2.2uH 1-410-482-31 s INDUCTOR 100uH 1-410-482-31 s INDUCTOR 100uH
DL101 DL301	1-415-154-00 s DELAY LINE 35nS 1-415-546-11 s DELAY LINE 50nS	L109 L110	1-408-427-00 s INDUCTOR 330uH 1-410-482-31 s INDUCTOR 100uH

Ref. No.	D. J. H. CD Description	Ref. No.	Part No. SP Description
or Q'ty	Part No. SP Description		
L201 L202	1-410-471-11 s INDUCTOR 12uH 1-410-482-31 s INDUCTOR 100uH	Q203 Q204	8-729-117-72 5 TRANSISTOR 2SC4178 8-729-117-72 S TRANSISTOR 2SC4178
L203	1-410-468-11 s INDUCTOR 6.8uH	Q205	8-729-143-07 s TRANSISTOR 2SA1610-YY33
L204 L205	1-410-478-11 s INDUCTOR 47uH 1-410-482-31 s INDUCTOR 100uH	Q206 Q207	8-729-143-07 s TRANSISTOR 2SA1610-YY33 8-729-117-72 s TRANSISTOR 2SC4178
		·	
L206 L207	1-410-482-31 s INDUCTOR 100uH 1-410-482-31 s INDUCTOR 100uH	Q208 Q209	8-729-143-07 s TRANSISTOR 2SA1610-YY33 8-729-143-07 s TRANSISTOR 2SA1610-YY33
L301	1-410-482-31 s INDUCTOR 100uH	Q210	8-729-117-72 s TRANSISTOR 2SC4178
L302 L303	1-410-468-11 s INDUCTOR 6.8uH 1-410-468-11 s INDUCTOR 6.8uH	Q211 Q212	8-729-117-72 s TRANSISTOR 2SC4178 8-729-117-72 s TRANSISTOR 2SC4178
			0 700 442 07 - TRANSISTOR 2041610 W22
L304 L305	1-408-429-00 s INDUCTOR 470uH 1-408-429-00 s INDUCTOR 470uH	Q213 Q214	8-729-143-07 s TRANSISTOR 2SA1610-YY33 8-729-143-07 s TRANSISTOR 2SA1610-YY33
L306	1-408-406-00 s INDUCTOR 5.6uH	Q215	8-729-117-72 s TRANSISTOR 2SC4178
L307	1-410-482-31 s INDUCTOR 100uH	Q216 Q217	8-729-905-12 s TRANSISTOR DTA144EU 8-729-117-72 s TRANSISTOR 2SC4178
L308	1-410-462-11's INDUCTOR 2.2uH	•	
L309	1-408-427-00 s INDUCTOR 330uH	Q218 Q219	8-729-143-07 s TRANSISTOR 2SA1610-YY33 8-729-117-72 s TRANSISTOR 2SC4178
L310 L311	1-410-482-31 s INDUCTOR 100uH 1-410-482-31 s INDUCTOR 100uH	Q219 Q220	8-729-143-07 s TRANSISTOR 2SA1610-YY33
L312	1-410-482-31 s INDUCTOR 100uH	Q301	8-729-117-32 s TRANSISTOR 2SC4177
L401	1-410-471-11 s INDUCTOR 12uH	Q302	8-729-117-72 s TRANSISTOR 2SC4178
L402	1-410-482-31 s INDUCTOR 100uH	Q303	8-729-117-72 s TRANSISTOR 2SC4178
L403	1-408-408-00 s INDUCTOR 8.2uH 1-410-482-31 s INDUCTOR 100uH	Q304 Q305	8-729-143-07 s TRANSISTOR 2SA1610-YY33 8-729-117-72 s TRANSISTOR 2SC4178
L404 L405	1-410-482-31 S INDUCTOR 1004H	0306	8-729-143-07 s TRANSISTOR 2SA1610-YY33
L406	1-410-482-31 s INDUCTOR 100uH	Q307-311	8-729-117-72 s TRANSISTOR 2SC4178
L501	1-410-482-31 s INDUCTOR 100uH	Q401	8-729-117-72 s TRANSISTOR 2SC4178
L502	1-410-482-31 \$ INDUCTOR 100uH	Q402 0403	8-729-143-07 s TRANSISTOR 2SA1610-YY33 8-729-117-72 s TRANSISTOR 2SC4178
L503 L505	1-410-482-31 s INDUCTOR 100uH 1-410-482-31 s INDUCTOR 100uH	0404	8-729-117-72 s TRANSISTOR 2SC4178
L506	1-410-482-31 s INDUCTOR 100uH	Q405	8-729-143-07 s TRANSISTOR 2SA1610-YY33
L507	1-408-419-00 s INDUCTOR 68uH	Q406	8-729-143-07 s TRANSISTOR 2SA1610-YY33
L508	1-410-478-11 s INDUCTOR 47uH	0407	8-729-117-72 s TRANSISTOR 2SC4178
L509	1-410-476-11 s INDUCTOR 33uH 1-410-482-31 s INDUCTOR 100uH	Q408 0409	8-729-117-72 s TRANSISTOR 2SC4178 8-729-117-72 s TRANSISTOR 2SC4178
L610	1-408-419-00 s INDUCTOR 68uH 1-410-478-11 s INDUCTOR 47uH 1-410-476-11 s INDUCTOR 33uH 1-410-482-31 s INDUCTOR 100uH 1-410-478-11 s INDUCTOR 47uH	Q410	8-729-117-72 s TRANSISTOR 2SC4178
L611	1-410-478-11 s INDUCTOR 47uH	Q411	8-729-143-07 s TRANSISTOR 2SA1610-YY33
L612	1-410-478-11 s INDUCTOR 47uH	Q412	8-729-143-07 s TRANSISTOR 2SA1610-YY33
L613	1-410-478-11 s INDUCTOR 47uH	Q413 Q414	8-729-117-72 s TRANSISTOR 2SC4178 8-729-143-07 s TRANSISTOR 2SA1610-YY33
L614 L701	1-408-413-00 s INDUCTOR 22uH 1-410-482-31 s INDUCTOR 100uH	Q414 Q415	8-729-143-07 s TRANSISTOR 2SA1610-YY33
		Q416	8-729-905-12 s TRANSISTOR DTA144EU
L702 L703	1-410-482-31 s INDUCTOR 100uH 1-410-476-11 s INDUCTOR 33uH	Q415 Q417	8-729-117-72 s TRANSISTOR 2SC4178
L704	1-410-476-11 s INDUCTOR 33uH	Q418	8-729-143-07 s TRANSISTOR 2SA1610-YY33
L705	1-410-482-31 s INDUCTOR 100uH	Q501 Q502	8-729-117-32 s TRANSISTOR 2SC4177 8-729-923-06 s TRANSISTOR FMW8
L706	1-412-533-21 s INDUCTOR 47uH	•	
L707	1-412-533-21 s INDUCTOR 47uH	Q503 Q504	8-729-904-04 s TRANSISTOR FMS2 8-729-903-82 s TRANSISTOR FMW2
L708 L709	1-412-533-21 s INDUCTOR 47uH 1-412-533-21 s INDUCTOR 47uH	Q505	8-729-143-14 s TRANSISTOR 2SC4176-B35
L710	1-412-533-21 s INDUCTOR 47uH	Q506	8-729-140-63 s TRANSISTOR 2SA1611-M5M6
Q 101	8-729-117-32 s TRANSISTOR 2SC4177	Q507	8-729-931-46 s TRANSISTOR FMW7
0102	8-729-117-72 s TRANSISTOR 2SC4178	Q508	8-729-907-26 s TRANSISTOR IMX1
Q103	8-729-143-07 s TRANSISTOR 2SA1610-YY33	Q509	8-729-117-32 s TRANSISTOR 2SC4177
0104 0105	8-729-117-72 s TRANSISTOR 2SC4178 8-729-117-72 s TRANSISTOR 2SC4178	Q510 Q511	8-729-140-63 s TRANSISTOR 2SA1611-M5M6 8-729-117-32 s TRANSISTOR 2SC4177
		Q512	8-729-117-32 s TRANSISTOR 2SC4177
Q106 0107_111	8-729-143-07 s TRANSISTOR 2SA1610-YY33 8-729-117-72 s TRANSISTOR 2SC4178	0513	8-729-117-32 s TRANSISTOR 2SC4177
Q107-111 Q112	8-729-905-18 s TRANSISTOR DTC144EU	Q514	8-729-904-41 s TRANSISTOR FMY3
Q201	8-729-117-72 s TRANSISTOR 2SC4178	Q515	8-729-143-14 s TRANSISTOR 2SC4176-B35
Q202	8-729-143-07 s TRANSISTOR 2SA1610-YY33	Q516	8-729-117-32 s TRANSISTOR 2SC4177

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
0517 8-729-904-41 s TRANSISTOR FMY3 0601 8-729-117-32 s TRANSISTOR 2SC4177 0602 8-729-117-32 s TRANSISTOR 2SC4177 0603 8-729-923-06 s TRANSISTOR FMM8 0604 8-729-923-06 s TRANSISTOR FMM8 0605 8-729-904-04 s TRANSISTOR FMS2 0606 8-729-904-04 s TRANSISTOR FMS2 0607 8-729-903-82 s TRANSISTOR FMS2 0608 8-729-903-82 s TRANSISTOR FMW2 0609 8-729-907-26 s TRANSISTOR IMX1	R126 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W
Q605 8-729-904-04 s TRANSISTOR FMS2 Q606 8-729-904-04 s TRANSISTOR FMS2 Q607 8-729-903-82 s TRANSISTOR FMW2 Q608 8-729-903-82 s TRANSISTOR FMW2 Q609 8-729-907-26 s TRANSISTOR IMX1	R131 1-216-644-11 s METAL, CHIP 510 0.5% 1/10W R132 1-216-643-11 s METAL, CHIP 470 0.5% 1/10W R133 1-216-041-00 s METAL, CHIP 470 5% 1/10W R134 1-216-643-11 s METAL, CHIP 470 0.5% 1/10W R135 1-216-025-00 s METAL, CHIP 100 5% 1/10W
Q610 8-729-907-26 s TRANSISTOR IMX1 Q611 8-729-931-46 s TRANSISTOR FMW7 Q612 8-729-931-46 s TRANSISTOR FMW7 Q613 8-729-143-14 s TRANSISTOR 2SC4176-B35 Q614 8-729-140-63 s TRANSISTOR 2SA1611-M5M6	R136 1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W R137 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R138 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R139 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R140 1-216-025-00 s METAL, CHIP 100 5% 1/10W
Q615 8-729-117-32 \$ TRANSISTOR 2SC4177 Q616 8-729-140-63 \$ TRANSISTOR 2SA1611-M5M6 Q617-626 8-729-117-32 \$ TRANSISTOR 2SC4177 Q627 8-729-143-14 \$ TRANSISTOR 2SC4176-B35 Q628 8-729-117-32 \$ TRANSISTOR 2SC4177	R141 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R142 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R143 1-216-041-00 s METAL, CHIP 470 5% 1/10W R144 1-216-635-11 s METAL, CHIP 220 0.5% 1/10W R145 1-216-037-00 s METAL, CHIP 330 5% 1/10W
0701 8-729-117-32 s TRANSISTOR 2SC4177 0702 8-729-117-32 s TRANSISTOR 2SC4177 0703 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 0704 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 0705 8-729-117-32 s TRANSISTOR 2SC4177	
Q706 8-729-117-32 s TRANSISTOR 2SC4177 Q707 8-729-117-32 s TRANSISTOR 2SC4177 Q708 8-729-117-32 s TRANSISTOR 2SC4177 Q709 8-729-118-56 s TRANSISTOR 2SC852-X2 Q710 8-729-118-56 s TRANSISTOR 2SK852-X2	
0711 8-729-118-56 s TRANSISTOR 2SK852-X2 0712 8-729-118-56 s TRANSISTOR 2SK852-X2 0713 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 0714 8-729-140-63 s TRANSISTOR 2SA1611-M5M6	R156 1-216-035-00 s METAL, CHIP 270 5% 1/10W R157 1-216-037-00 s METAL, CHIP 330 5% 1/10W R158 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R159 1-216-077-00 s METAL, CHIP 15k 5% 1/10W R160 1-216-085-00 s METAL, CHIP 33k 5% 1/10W
R101 1-216-295-91 s RES, CHIP 0 R102 1-216-295-91 s RES, CHIP 0 R103 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W R104 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W R105 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R161 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R162 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R163 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R164 1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W R165 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R106 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R107 1-216-295-91 s RES, CHIP 0 R108 1-216-025-00 s METAL, CHIP 100 5% 1/10W R109 1-216-025-00 s METAL, CHIP 100 5% 1/10W R110 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R166 1-216-037-00 s METAL, CHIP 330 5% 1/10W R168 1-216-295-91 s RES, CHIP 0 R169 1-216-295-91 s RES, CHIP 0 R170 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R201 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R111 1-216-025-00 s METAL, CHIP 100 5% 1/10W R112 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R113 1-216-025-00 s METAL, CHIP 100 5% 1/10W R114 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R115 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R202 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R203 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R204 1-216-692-11 s METAL, CHIP 51k 0.5% 1/10W R205 1-216-650-11 s METAL, CHIP 910 0.5% 1/10W R206 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R116 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R117 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R118 1-216-025-00 s METAL, CHIP 100 5% 1/10W R119 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R120 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W	R207 1-216-025-00 s METAL, CHIP 100 5% 1/10W R208 1-216-025-00 s METAL, CHIP 100 5% 1/10W R209 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R210 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R211 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W
R121 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R122 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W R123 1-216-025-00 s METAL, CHIP 100 5% 1/10W R124 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R125 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W	R212 1-216-025-00 s METAL, CHIP 100 5% 1/10W R213 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R214 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R215 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W

Ref. No.	Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R216 R217 R218 R219 R220	1-216-673-11 s METAL. CHIP 8.2k 0.5% 1/10W 1-216-653-11 s METAL. CHIP 1.2k 0.5% 1/10W 1-216-073-00 s METAL. CHIP 10k 5% 1/10W 1-216-073-00 s METAL. CHIP 10k 5% 1/10W 1-216-025-00 s METAL. CHIP 100 5% 1/10W	R302 1-216-629-11 s METAL, CHIP 120 0.5% 1/10W R303 1-216-633-11 s METAL, CHIP 180 0.5% 1/10W R304 1-216-633-11 s METAL, CHIP 180 0.5% 1/10W R305 1-216-025-00 s METAL, CHIP 100 5% 1/10W R306 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R221 R222 R223 R224 R225	1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R307 1-216-025-00 s METAL, CHIP 100 5% 1/10W R308 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R309 1-216-025-00 s METAL, CHIP 100 5% 1/10W R310 1-216-025-00 s METAL, CHIP 100 5% 1/10W R311 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R226 R227 R228 R229 R230	1-216-063-00 s METAL, CHIP 3.9k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-055-00 s METAL, CHIP 1.8k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R312 1-216-025-00 s METAL, CHIP 100 5% 1/10W R313 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R314 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R315 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W R316 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R231 R232 R233 R234 R235	1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-055-00 s METAL, CHIP 1.8k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R317 1-216-025-00 s METAL, CHIP 100 5% 1/10W R318 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W R319 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R320 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R321 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R236 R237 R238 R239 R240	1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-655-11 s METAL, CHIP 1.5k 0.5% 1/10W	R322 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R323 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R324 1-216-025-00 s METAL, CHIP 100 5% 1/10W R325 1-216-644-11 s METAL, CHIP 510 0.5% 1/10W R326 1-216-643-11 s METAL, CHIP 470 0.5% 1/10W
R241 R242 R243 R244 R245	1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-063-00 s METAL, CHIP 3.9k 5% 1/10W 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W	R327 1-216-041-00 s METAL, CHIP 470 5% 1/10W R328 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R329 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R330 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R331 1-216-025-00 s METAL, CHIP 100 5% 1/10W
R246 R247 R248 R249 R250	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-113-00 s METAL, CHIP 470k 5% 1/10W	R332 1-216-065-00 s METAL. CHIP 4.7k 5% 1/10W R333 1-216-073-00 s METAL. CHIP 10k 5% 1/10W R334 1-216-025-00 s METAL. CHIP 100 5% 1/10W R335 1-216-073-00 s METAL. CHIP 10k 5% 1/10W R336 1-216-635-11 s METAL. CHIP 220 0.5% 1/10W
R251 R253 R255 R256 R257	1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W 1-216-652-11 s METAL, CHIP 1.1k 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W	R337 1-216-041-00 s METAL, CHIP 470 5% 1/10W R338 1-216-037-00 s METAL, CHIP 330 5% 1/10W R339 1-216-037-00 s METAL, CHIP 330 5% 1/10W R340 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R341 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R258 R259 R260 R262 R263	1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W 1-216-685-11 s METAL, CHIP 27k 0.5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R342 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R343 1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W R344 1-216-037-00 s METAL, CHIP 330 5% 1/10W R345 1-216-041-00 s METAL, CHIP 470 5% 1/10W R346 1-216-037-00 s METAL, CHIP 330 5% 1/10W
R264 R265 R266 R267 R268	1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-041-00 s METAL, CHIP 470 5% 1/10W 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W 1-216-037-00 s METAL, CHIP 330 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R347 1-216-619-11 s METAL, CHIP 47 0.5% 1/10W R348 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R349 1-216-025-00 s METAL, CHIP 100 5% 1/10W R350 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R351 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R269 R270 R271 R272 R273	1-216-041-00 s METAL, CHIP 470 5% 1/10W 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-620-11 s METAL, CHIP 51 0.5% 1/10W 1-216-037-00 s METAL, CHIP 330 5% 1/10W	R352 1-216-077-00 s METAL, CHIP 15k 5% 1/10W R353 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R354 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R355 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R356 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W
R274 R275 R276 R301	1-216-295-91 s RES, CHIP 0 1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-629-11 s METAL, CHIP 120 0.5% 1/10W	R357 1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W R358 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R359 1-216-037-00 s METAL, CHIP 330 5% 1/10W R401 1-216-025-00 s METAL, CHIP 100 5% 1/10W

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R402 1-216-025-00 s METAL, CHIP 100 5% 1/10W R403 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R404 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R405 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R406 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R461 1-216-620-11 s METAL, CHIP 51 0.5% 1/10W R462 1-216-037-00 s METAL, CHIP 330 5% 1/10W R463 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R501 1-216-081-00 s METAL, CHIP 47k 5% 1/10W R501 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R407 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W	R502 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R408 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R503 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R409 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W	R504 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R410 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W	R505 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R411 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R506 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R412 1-216-055-00 s METAL, CHIP 1.8k 5% 1/10W	R507 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R413 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R508 1-216-121-00 s METAL, CHIP 1M 5% 1/10W
R414 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W	R509 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R415 1-216-643-11 s METAL, CHIP 470 0.5% 1/10W	R510 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R416 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R511 1-216-033-00 s METAL, CHIP 220 5% 1/10W
R417 1-216-055-00 s METAL, CHIP 1.8k 5% 1/10W R418 1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W R419 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R420 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R421 1-216-649-11 s METAL, CHIP 820 0.5% 1/10W	R512 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R513 1-216-045-00 s METAL, CHIP 680 5% 1/10W R514 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R515 1-216-077-00 s METAL, CHIP 15k 5% 1/10W R516 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R422 1-216-664-11 s METAL, CHIP 3.6k 0.5% 1/10W	R517 1-216-033-00 s METAL, CHIP 220 5% 1/10W
R423 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R518 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R424 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R519 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R425 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R520 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R426 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W	R521 1-216-017-00 s METAL, CHIP 47 5% 1/10W
R427 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W	R522 1-216-027-00 s METAL, CHIP 120 5% 1/10W
R428 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R523 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R429 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R524 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R430 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R525 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R431 1-216-063-00 s METAL, CHIP 3.9k 5% 1/10W	R526 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R432 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R527 1-216-647-11 s METAL, CHIP 680 0.5% 1/10W
R433 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R528 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R434 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R529 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W
R435 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R530 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W
R436 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R531 1-216-025-00 s METAL, CHIP 100 5% 1/10W
R437 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W	R532 1-216-041-00 s METAL, CHIP 470 5% 1/10W
R438 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R533 1-216-025-00 s METAL, CHIP 100 5% 1/10W
R439 1-216-063-00 s METAL, CHIP 3.9k 5% 1/10W	R534 1-216-041-00 s METAL, CHIP 470 5% 1/10W
R440 1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W	R535 1-216-041-00 s METAL, CHIP 470 5% 1/10W
R441 1-216-670-11 s METAL, CHIP 6.2k 0.5% 1/10W	R536 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R442 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R537 1-216-041-00 s METAL, CHIP 470 5% 1/10W
R443 1-216-113-00 s METAL, CHIP 470k 5% 1/10W	R538 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W
R444 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W	R539 1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W
R445 1-216-119-00 s METAL, CHIP 820k 5% 1/10W	R540 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R446 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W	R541 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W
R447 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W 1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W	R542 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R543 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R544 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R545 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R546 1-216-113-00 s METAL, CHIP 470k 5% 1/10W
R452 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W R453 1-216-689-11 s METAL, CHIP 39k 0.5% 1/10W R454 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R455 1-216-685-11 s METAL, CHIP 27k 0.5% 1/10W R456 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R547 1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W R548 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R549 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R550 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R551 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R457 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R552 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R458 1-216-041-00 s METAL, CHIP 470 5% 1/10W	R553 1-216-041-00 s METAL, CHIP 470 5% 1/10W
R459 1-216-638-11 s METAL, CHIP 300 0.5% 1/10W	R554 1-216-041-00 s METAL, CHIP 470 5% 1/10W
R460 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R555 1-216-073-00 s METAL, CHIP 10k 5% 1/10W

Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R556 R557 R558 R559 R560	1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-041-00 s METAL, CHIP 470 5% 1/10W 1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R645 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R646 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R647 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R648 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R649 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R561 R562 R563 R564 R565	1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-017-00 s METAL, CHIP 47 5% 1/10W 1-216-017-00 s METAL, CHIP 47 5% 1/10W 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W	R650 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R651 1-216-025-00 s METAL, CHIP 100 5% 1/10W R652 1-216-657-11 s METAL, CHIP 1.8k 0.5% 1/10W R653 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R654 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
R566 R567 R568-572 R573 R574	1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W 1-216-624-11 s METAL, CHIP 75 0.5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R655 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R656 1-216-047-00 s METAL, CHIP 820 5% 1/10W R657 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R658 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R659 1-216-041-00 s METAL, CHIP 470 5% 1/10W
R575 R576 R600 R601 R602	1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-249-429-11 s CARBON 10k 5% 1/4W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R660 1-216-041-00 s METAL, CHIP 470 5% 1/10W R661 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R662 1-216-037-00 s METAL, CHIP 330 5% 1/10W R663 1-216-077-00 s METAL, CHIP 15k 5% 1/10W R664 1-216-079-00 s METAL, CHIP 18k 5% 1/10W
R603 R604 R605 R606 R607	1-216-089-91 s METAL, CHIP 47k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R665 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R666 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R667 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R668 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R669 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R608 R609 R610 R611 R612	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-668-11 s METAL, CHIP 5.1k 0.5% 1/10W	R670 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W R671 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R672 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R673 1-216-637-11 s METAL, CHIP 270 0.5% 1/10W R674 1-216-669-11 s METAL, CHIP 5.6k 0.5% 1/10W
R613 R614 R615 R616 R617	1-216-045-00 s METAL, CHIP 680 5% 1/10W 1-216-045-00 s METAL, CHIP 680 5% 1/10W 1-216-077-00 s METAL, CHIP 15k 5% 1/10W 1-216-077-00 s METAL, CHIP 15k 5% 1/10W 1-216-017-00 s METAL, CHIP 47 5% 1/10W	R675 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R676 1-216-037-00 s METAL, CHIP 330 5% 1/10W R677 1-216-037-00 s METAL, CHIP 330 5% 1/10W R678-682 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R683 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R618 R619 R620 R621 R622	1-216-017-00 s METAL, CHIP 47 5% 1/10W 1-216-027-00 s METAL, CHIP 120 5% 1/10W 1-216-027-00 s METAL, CHIP 120 5% 1/10W 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R684 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W R686 1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W R687 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R688 1-216-045-00 s METAL, CHIP 680 5% 1/10W R689 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W
R623 R626 R627 R628 R629	1-216-049-00 s METAL. CHIP 1k 5% 1/10W 1-216-049-00 s METAL. CHIP 1k 5% 1/10W 1-216-049-00 s METAL. CHIP 1k 5% 1/10W 1-216-057-00 s METAL. CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL. CHIP 2.2k 5% 1/10W	R690 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R691 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R692 1-216-025-00 s METAL, CHIP 100 5% 1/10W R693 1-216-025-00 s METAL, CHIP 100 5% 1/10W R694 1-216-624-11 s METAL, CHIP 75 0.5% 1/10W
R630 R631 R632 R633 R634	1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-295-91 s RES, CHIP 0 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R695 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R696 1-216-095-00 s METAL, CHIP 82k 5% 1/10W R697 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R698 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R699 1-249-429-11 s CARBON 10k 5% 1/4W
R635 R636 R637 R638 R639	1-216-049-00 S METAL, CHIP 1k 5% 1/10W 1-216-081-00 S METAL, CHIP 22k 5% 1/10W 1-216-121-00 S METAL, CHIP 1M 5% 1/10W 1-216-121-00 S METAL, CHIP 1M 5% 1/10W 1-216-081-00 S METAL, CHIP 22k 5% 1/10W	R701 1-216-025-00 s METAL, CHIP 100 5% 1/10W R702 1-216-025-00 s METAL, CHIP 100 5% 1/10W R703 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R704 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R705 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R640 R641 R642 R643 R644	1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R706 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R707 1-216-655-11 s METAL, CHIP 1.5k 0.5% 1/10W R708 1-216-655-11 s METAL, CHIP 1.5k 0.5% 1/10W R709 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W

```
Ref. No.
or Q'ty Part No.
                                        SP Description
                 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
                 1-216-025-00 s METAL, CHIP 100 5% 1/10W

1-216-025-00 s METAL, CHIP 100 5% 1/10W

1-216-049-00 s METAL, CHIP 100 5% 1/10W

1-216-049-00 s METAL, CHIP 1k 5% 1/10W

1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R711
R712
R713
R714
                 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R715
R716
                 1-216-049-00 S METAL, CHIP 14.7k 5% 1/10W

1-216-065-00 S METAL, CHIP 4.7k 5% 1/10W

1-216-639-11 S METAL, CHIP 330 0.5% 1/10W
R717
R718
R719
                 R720
R721
R722
R723
                  1-216-041-00 s METAL, CHIP 470 5% 1/10W
R724
                 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-041-00 s METAL, CHIP 470 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-624 11 s METAL, CHIP 75 0.5% 1/10W
R725
R726
R727
R728
                  1-216-624-11 s METAL, CHIP 75 0.5% 1/10W
R729
R730 1-216-624-11 s METAL, CHIP 75 0.5% 1/10W R731 1-216-624-11 s METAL, CHIP 75 0.5% 1/10W R732 1-216-624-11 s METAL, CHIP 75 0.5% 1/10W R733-737 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R738 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
                  1-216-049-00 s METAL, CHIP 1k 5% 1/10W
1-216-049-00 s METAL, CHIP 1k 5% 1/10W
1-216-073-00 s METAL, CHIP 10k 5% 1/10W
1-216-049-00 s METAL, CHIP 1k 5% 1/10W
1-216-049-00 s METAL, CHIP 1k 5% 1/10W
 R739
 R740
 R741
 R742
 R743
                  1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-113-00 s METAL, CHIP 470k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 100k 5% 1/10W
 R744
 R745
 R746
 R747
                  1-216-097-00 s METAL, CHIP 100k 5% 1/10W
 R748
                  1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
 R749
 R750
 R751
                   1-241-785-11 s RES, ADJ METAL 10k
 RV101
                  1-241-785-11 s RES, ADJ METAL 10k
1-241-761-11 s RES, ADJ METAL 1k
 RV102
 RV103
                   1-241-763-11 5 RES. ADJ METAL 4.7k
 RV201
 RV301
                   1-241-785-11 s RES, ADJ METAL 10k
                  1-241-785-11 s RES, ADJ METAL 10k
1-241-761-11 s RES, ADJ METAL 1k
 RV302
 RV303
                  1-241-764-11 s RES, ADJ METAL 10k
1-241-761-11 s RES, ADJ METAL 1k
1-241-761-11 s RES, ADJ METAL 1k
 RV401
 RV501
 RV502
                   1-241-761-11 s RES, ADJ METAL 1k
1-241-761-11 s RES, ADJ METAL 1k
 RV503
 RV504
                  1-241-761-11 s RES, ADJ METAL 1k
1-241-758-21 s RES, ADJ METAL 100
 RV505
 RV506
                    1-241-123-11 s RES. ADJ CARBON 47k
 RV601
                   1-241-123-11 s RES, ADJ CARBON 47k
 RV602
                  1-241-783-11 s RES. ADJ METAL 2.2k
 RV603
                   1-241-784-11 s RES, ADJ METAL 4.7k
 RV604
                   1-241-784-11 s RES, ADJ METAL 4.7k
1-241-779-21 s RES, ADJ METAL 100
 RV605
 RV606
```

Ref. No. or Q'ty		Description
RV701 RV702 RV703 RV704	1-241-783-11 s (RES, ADJ METAL 2.2k RES, ADJ METAL 2.2k RES, ADJ METAL 1k RES, ADJ METAL 1k
TH201 TH401		THERMISTOR SV-1715 1.25k THERMISTOR SV-1715 1.25k

```
(VP-43A BOARD(UVW-1600))
VP-43A BOARD(UVW-1600)
 _____
                                                                                                                                                     Ref. No.
Ref. No.
or Q'ty Part No. SP Description
                                                                                                                                                    or Q'ty Part No. SP Description
                                                                                                                                                                         1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
VP-43A board is used for UVW-1600.
                                                                                                                                                                         1-103-033-00 S CERAMIC, CHIP 0.0224F 50V

1-107-552-21 S MICA, CHIP 150pF 1% 50V

1-126-933-11 S ELECT 100uF 20% 16V

1-163-033-00 S CERAMIC, CHIP 0.022uF 50V

1-126-963-11 S ELECT 4.7uF 20% 50V
                                                                                                                                                     C234
                                                                                                                                                     C235
                    A-8275-277-A o MOUNTED CIRCUIT BOARD, VP-43A
                    3-182-386-01 o PLATE, SHIELD (L), CARD
7-621-759-45 s SCREW, +PSW2.6x6
3-179-084-01 s LEVER (R), PC BOARD
3-179-085-01 s LEVER (L), PC BOARD
                                                                                                                                                     C236
1pc
                                                                                                                                                     C237
1pc
1pc
                                                                                                                                                                         1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V 1-163-114-00 s CERAMIC, CHIP 75pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C238
                                                                                                                                                     C239
                    1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C240
                                                                                                                                                     C241
C102
                                                                                                                                                    C242
C103
C104
                                                                                                                                                                         1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-925-11 s ELECT 470uF 20% 10V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                    C243
C105
                                                                                                                                                     C244
                                                                                                                                                     C245
                    1-126-933-11 s ELECT 100uF 20% 16V
C106
                    1-120-933-11 $ ELECT 100HF 20% 15W
1-163-033-00 $ CERAMIC, CHIP 0.022UF 50V
1-163-033-00 $ CERAMIC, CHIP 0.022UF 50V
1-163-108-00 $ CERAMIC, CHIP 43pF 5% 50V
1-163-115-00 $ CERAMIC, CHIP 82pF 5% 50V
                                                                                                                                                     C246
C107
                                                                                                                                                                          1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                    C247
C108
C109
                                                                                                                                                                         1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C248
C110
                                                                                                                                                                         1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
1-126-964-11 s ELECT 10uF 20% 50V
                                                                                                                                                     C249
                    1-163-108-00 s CERAMIC, CHIP 43pF 5% 50V

1-124-903-11 s ELECT 1uF 20% 50V

1-124-903-11 s ELECT 1uF 20% 50V

1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V

1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C250
C111
                                                                                                                                                     C251
C112
                                                                                                                                                                          1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C301
C113
C114
                                                                                                                                                                         1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                     C302
                                                                                                                                                     C303
C116 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C117 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C118 1-163-245-11 s CERAMIC 56pF 5% 50V C120-127 1-163-033-00 s CERAMIC, CHIP 22pF 5% 50V C120-127 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C304
                                                                                                                                                     C305
                                                                                                                                                                          1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C306
                                                                                                                                                                         1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-110-00 s CERAMIC, CHIP 51pF 5% 50V
1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
1-163-110-00 s CERAMIC, CHIP 51pF 5% 50V
                                                                                                                                                     C307
                                                                                                                                                     C308
                     1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C309
C128
                                                                                                                                                     C310
C129
                                                                                                                                                     C311
C130
                     1-126-933-11 s ELECT 100uF 20% 16V
 C131
                                                                                                                                                                          1-124-903-11 s ELECT 1uF 20% 50V
1-124-903-11 s ELECT 1uF 20% 50V
                                                                                                                                                     C312
C132
                     1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                    C313
C133 1-163-113-00 s CERAMIC, CHIP 68pF 5% 50V
C134 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C135-142 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C143 1-126-933-11 s ELECT 100uF 20% 16V
C144 1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                                         1-124-903-11 S CERAMIC, CHIP 0.001uF 5% 50V
1-163-135-00 S CERAMIC, CHIP 560pF 5% 50V
1-163-257-11 S CERAMIC, CHIP 180pF 5% 50V
                                                                                                                                                     C314
                                                                                                                                                     C315
                                                                                                                                                     C316
                                                                                                                                                                         1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C317
                                                                                                                                                     C318
                    1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                                     C319
                                                                                                                                                     C320
C146
                     1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V
1-163-241-11 s CERAMIC, CHIP 39pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C321
C147
C148
                                                                                                                                                                         1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C149
                                                                                                                                                     C323
                                                                                                                                                     C324
C325
                     1-126-933-11 s ELECT 100uF 20% 16V
 C150
C151 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V C201-212 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C213 1-163-222-11 s CERAMIC, CHIP 5pF 50V C214 1-163-222-11 s CERAMIC, CHIP 5pF 50V
                                                                                                                                                     C326
                                                                                                                                                                          1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C327
                                                                                                                                                     C328
                                                                                                                                                     C329.
                     1-126-925-11 s ELECT 470uF 20% 10V
 C215
                     1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C330
 C216
                     1-163-033-00 $ CERAMIC, CHIP 0.022uF 50V
1-163-033-00 $ CERAMIC, CHIP 0.022uF 50V
1-163-227-11 $ CERAMIC, CHIP 10pF 5% 50V
                                                                                                                                                     C331
 C217
 C218
                                                                                                                                                     C332 1-126-933-11 s ELECT 100uF 20% 16V
C333 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C334 1-163-253-11 s CERAMIC, CHIP 120pF 5% 50V
C335-339 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                     1-164-161-11 s CERAMIC, CHIP 0.0022uF 10% 100V
1-163-091-00 s CERAMIC, CHIP 8pF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
 C220
 C221
                                                                                                                                                                          1-126-933-11 s ELECT 100uF 20% 16V
 C222
 C223
                                                                                                                                                                         1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
                      1-126-925-11 s ELECT 470uF 20% 10V
                                                                                                                                                     C341
 C224
                                                                                                                                                     C342
                                                                                                                                                     C343
                     1-126-925-11 s ELECT 470uF 20% 10V
 C226-230 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                                          1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                                                     C344
```

1-126-925-11 s ELECT 470uF 20% 10V

C231

Ref. No. or Q'ty	Part No. SP	Description		Part No.	SP Desci	ription	
C635-645 C646	1-163-033-00 s 1-126-933-11 s	CERAMIC, CHIP 0.022uF 50V ELECT 100uF 20% 16V	FL401 FL601	1-239-772-11 1-239-771-21	s FILT	ER, LOW-PASS ER, LOW-PASS	3MHz 6MHz
C647 C648 C649	1-163-033-00 s 1-126-933-11 s 1-126-933-11 s	ELECT 100uf 20% 16V CERAMIC, CHIP 0.022uf 50V ELECT 100uf 20% 16V ELECT 100uf 20% 16V CERAMIC, CHIP 0.022uf 50V CERAMIC, CHIP 0.022uf 50V CERAMIC, CHIP 0.022uf 50V CERAMIC, CHIP 0.022uf 50V CERAMIC, CHIP 47pf 5% 50V CERAMIC, CHIP 27pf 5% 50V	IC101 IC102 IC103	8-752-052-75 8-759-300-75 8-759-908-95	L s IC HE 2 s IC TI	D14053BFP L084CNS	
C650 C651 C652	1-163-033-00 s 1-163-033-00 s 1-163-033-00 s	CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V	IC104 IC201	8-759-702-00 8-759-908-1	7 s IC TI	L082CPS	
C653 C654	1-163-243-11 s 1-163-237-11 s	CERAMIC, CHIP 47pF 5% 50V CERAMIC, CHIP 27pF 5% 50V	IC202 IC203 IC204	8-752-052-46 8-759-700-65 1-810-333-13	s IC N.	JM79L05A	
,C655 C656 C657	1-163-237-11 s 1-163-227-11 s 1-163-033-00 s	CERAMIC, CHIP 27pF 5% 50V CERAMIC, CHIP 10pF 5% 50V CERAMIC, CHIP 0.022uF 50V	IC205 IC301	8-759-189-43 8-752-052-75			
C658 C659	1-163-245-11 s 1-163-245-11 s	CERAMIC 56pF 5% 50V CERAMIC 56pF 5% 50V	IC302 IC303 IC401	8-759-300-73 8-759-908-92 8-752-052-41	2 s IC TI	LO84CNS	
C660 C661 C662	1-163-237-11 s 1-163-237-11 s 1-163-033-00 s	CERAMIC, CHIP 27pF 5% 50V CERAMIC, CHIP 27pF 5% 50V CERAMIC, CHIP 10pF 5% 50V CERAMIC, CHIP 0.022uF 50V CERAMIC 56pF 5% 50V CERAMIC 56pF 5% 50V CERAMIC, CHIP 27pF 5% 50V CERAMIC, CHIP 27pF 5% 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 7pF 50V	IC402 IC403	8-759-700-6 1-810-333-1			
C663 C664	1-163-033-00 s 1-163-033-00 s	CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V	IC404 IC501 IC502	8-759-189-4: 8-759-927-4: 8-759-908-9:	6 s IC S	N74HCOONS	
C665 C667 C668	1-163-224-11 s 1-163-033-00 s 1-163-033-00 s	CERAMIC, CHIP 7pF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V	IC503 IC504	8-759-300-7 8-759-168-2			
C669 C670	1-163-033-00 s 1-163-033-00 s	CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V	IC505 IC506 IC507	8-759-700-69 8-759-908-99 8-752-052-79	2 s IC T	L084CNS	
C671 C701 C702	1-126-933-11 s 1-126-933-11 s 1-126-933-11 s	CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 7pF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V ELECT 100uF 20% 16V ELECT 100uF 20% 16V ELECT 100uF 20% 16V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 15pF 5% 50V CERAMIC, CHIP 15pF 5% 50V	IC508 IC509	8-752-052-73 8-752-052-73	3 s IC C	XA1451M	
C703 C704	1-163-033-00 s 1-163-033-00 s	CERAMIC, CHIP 0.022uF 50V CERAMIC, CHIP 0.022uF 50V	IC510 IC511 IC512	8-752-052-73 8-759-182-8 8-759-822-9	4 s IC PO	Q05SZ5U 79M05T-FA	
C705 C706 C707	1-163-097-00 s 1-163-097-00 s 1-163-243-11 s	CERAMIC, CHIP 15pF 5% 50V CERAMIC, CHIP 15pF 5% 50V CERAMIC, CHIP 47pF 5% 50V CERAMIC, CHIP 47pF 5% 50V CERAMIC, CHIP 10pF 5% 50V	1C601 1C602	8-759-907-8 8-759-927-4	6 s IC S	N74HCOONS	
C708 C709	1-163-243-11 s 1-163-227-11 s	CERAMIC, CHIP 4/pr 5% 50V CERAMIC, CHIP 10pr 5% 50V	IC603 IC604 IC605	8-759-908-93 8-759-300-73 8-759-908-93 8-752-068-23	1 s IC H	D14053BFP L084CNS	
C710 C711 C712	1-163-227-11 5 1-163-097-00 s 1-163-097-00 s	CERAMIC, CHIP 10pf 5% 50V CERAMIC, CHIP 15pf 5% 50V CERAMIC, CHIP 15pf 5% 50V ELECT 100uf 20% 16V CERAMIC, CHIP 0.022uf 50V	IC606 IC607 IC608	8-752-068-2 8-759-168-2	0 s IC C	XA1521M-TH	
C714-719	1-126-933-11 s 1-163-033-00 s	CERAMIC, CHIP 0.022uF 50V	1C609 1C610 1C611	8-759-906-5	9 s IC C	X22017 JM79L05A	
C725 C726	1-131-365-00 s	TANTALUM 10uF 10% 20V CERAMIC, CHIP 0.022uF 50V	IC612 IC701	8-759-057-4 8-752-052-7	3 s IC M	C14576BF	
CN103 CN104 CN105	1-573-782-21	CONNECTOR, PHEC 60P, MALE CONNECTOR, PHEC 60P, MALE CONNECTOR 12P, MALE	IC702 IC703 IC704 IC705	8-752-052-7 8-759-927-4 8-759-925-7 8-759-925-8	3 s IC C 6 s IC S 4 s IC T	XA1451M N74HCOONS C74HCO4NS	
D201 D401 D501	8-719-123-82 s	S DIODE 1SS303-T1 S DIODE 1SS303-T1 S DIODE 1SS303-T1	L101 L102	1-410-482-3 1-408-406-0			
D502 D503	8-719-941-04 s	DIODE SB007-03CP	L103 L104 L105	1-408-406-0 1-410-466-4 1-410-482-3	0 s INDU	CTOR 5.6uH CTOR 4.7uH	
D504 D601 D602		: DIODE 1SS303-T1 : DIODE SB007-03CP : DIODE 1SS304	L106 L107 L108	1-410-462-1 1-410-482-3 1-410-482-3	1 s INDU	CTOR 100uH	
DL101 DL301		DELAY LINE 35nS DELAY LINE 50nS	L108 L109 L110	1-410-482-3 1-408-427-0 1-410-482-3	O s INDU	CTOR 330uH	
FL201	1-239-770-11 5	FILTER, LOW-PASS 4MHz	L111 L201	1-408-406-0 1-410-471-1			

R228 R229

1-216-691-11 s METAL, CHIP 47k 0.5% 1/10W 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W

R136

R614 R615

R676

```
VRA-5 BOARD(UVW-1800)
(VP-43A BOARD(UVW-1600))
                                                                                                                             Ref. No.
Ref. No.
or Q'ty Part No.
                                                                                                                             or Q'ty Part No. SP Description
                                       SP Description
                                                                                                                             VRA-5 board is used for UVW-1800.
                 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
                 1-216-049-00 S METAL, CHIP IN 5% 1/10W

1-216-097-00 S METAL, CHIP 100k 5% 1/10W

1-216-049-00 S METAL, CHIP 100k 5% 1/10W

1-216-097-00 S METAL, CHIP 100k 5% 1/10W
R747
                                                                                                                                              A-8275-280-A o MOUNTED CIRCUIT BOARD, VRA-5
3-182-386-01 o PLATE, SHIELD (L), CARD
7-621-759-45 s SCREW, +PSW2.6x6
8-752-036-77 s IC CXA1179N
R748
                                                                                                                             1pc
R749
                                                                                                                             lpc
                                                                                                                             1pc
R750
                                                                                                                             1pc
                                                                                                                                              3-179-084-01 s LEVER (R), PC BOARD
R751
                 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
                                                                                                                             1pc
                 1-241-785-11 s RES, ADJ METAL 10k
1-241-785-11 s RES, ADJ METAL 10k
1-241-761-11 s RES, ADJ METAL 1k
1-241-763-11 s RES, ADJ METAL 4.7k
1-241-785-11 s RES, ADJ METAL 10k
                                                                                                                                              3-179-085-01 s LEVER (L), PC BOARD
RV101
                                                                                                                             1pc
RV102
                                                                                                                                              1-126-933-11 s ELECT 100uF 20% 16V
1-126-933-11 s ELECT 100uF 20% 16V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                                                                                                                             C101
RV103
RV201
                                                                                                                             C102
                                                                                                                             C103
RV301
                                                                                                                             C104
RV302
                                                                                                                             C105
                 1-241-785-11 s RES, ADJ METAL 10k
                 1-241-761-11 s RES, ADJ METAL 1k
1-241-764-11 s RES, ADJ METAL 10k
RV303
                                                                                                                                              1-126-925-11 s ELECT 470uF 20% 10V
1-126-925-11 s ELECT 470uF 20% 10V
                                                                                                                             C106
RV401
                 1-241-761-11 s RES, ADJ METAL 1k
1-241-761-11 s RES, ADJ METAL 1k
                                                                                                                             C107
RV501
                                                                                                                                              1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-925-11 s ELECT 470uF 20% 10V
RV502
                                                                                                                             C108
                                                                                                                             C109
                 1-241-761-11 s RES, ADJ METAL 1k
1-241-761-11 s RES, ADJ METAL 1k
                                                                                                                                               1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
RV503
                                                                                                                             C110
RV504
                 1-241-761-11 s RES, ADJ METAL 1k
1-241-758-21 s RES, ADJ METAL 100
                                                                                                                                              1-131-347-00 s TANTALUM 1uF 10% 35V
RV505
                                                                                                                             C111
                                                                                                                                              1-131-347-00 S TARTALOM TUP 104 35V
1-163-033-00 S CERAMIC, CHIP 0.022uF 50V
1-163-033-00 S CERAMIC, CHIP 0.022uF 50V
1-163-033-00 S CERAMIC, CHIP 0.022uF 50V
                                                                                                                             C112
RV506
                                                                                                                             C113
RV601
                 1-241-123-11 s RES, ADJ CARBON 47k
                                                                                                                             C114
                1-241-123-11 s RES, ADJ CARBON 47k
1-241-783-11 s RES, ADJ METAL 2.2k
1-241-784-11 s RES, ADJ METAL 4.7k
1-241-784-11 s RES, ADJ METAL 4.7k
                                                                                                                                               1-126-933-11 s ELECT 100uF 20% 16V
RV602
                                                                                                                             C115
RV603
RV604
                                                                                                                                              1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                                              1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-126-933-11 s ELECT 100uF 20% 16V
1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V
RV605
                                                                                                                             C117
                                                                                                                             C118
RV606
                 1-241-779-21 s RES, ADJ METAL 100
                                                                                                                             C119
RV701
                 1-241-783-11 s RES, ADJ METAL 2.2k
                                                                                                                             C121
                 1-241-783-11 s RES, ADJ METAL 2.2k
1-241-761-11 s RES, ADJ METAL 1k
1-241-761-11 s RES, ADJ METAL 1k
RV702
                                                                                                                                              1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V 1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
RV703
                                                                                                                             C122
                                                                                                                             C123
RV704
                                                                                                                             C124
                 1-807-972-11 s THERMISTOR SV-1715 1.25k
1-807-972-11 s THERMISTOR SV-1715 1.25k
                                                                                                                             C125
TH201
                                                                                                                             C126
TH401
                                                                                                                                              1-126-933-11 s ELECT 100uF 20% 16V
1-131-381-00 s TANTALUM 47uF 10% 10V
1-131-381-00 s TANTALUM 47uF 10% 10V
1-131-365-00 s TANTALUM 10uF 10% 20V
                                                                                                                             C127
                                                                                                                             C128
                                                                                                                             C129
                                                                                                                             C130
                                                                                                                                               1-131-381-00 s TANTALUM 47uF 10% 10V
                                                                                                                             C131
VR-155 BOARD(UVW-1800/1600)
                                                                                                                                               1-131-381-00 s TANTALUM 47uF 10% 10V
                                                                                                                                              1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-131-365-00 s TANTALUM 10uF 10% 20V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                             C133
Ref. No.
                                                                                                                             C134
or Q'ty Part No. SP Description
                                                                                                                             C135
1pc
                 1-648-916-11 o PRINTED CIRCUIT BOARD, VR-155
                                                                                                                             C136
                                                                                                                                              1-126-933-11 s ELECT 100uF 20% 16V
                                                                                                                             C137
CN402
                 1-564-005-11 p CONNECTOR 6P, MALE
                                                                                                                                              1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V
1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V
1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                             C138
                 1-237-790-21 s RES, VAR CARBON 10k
1-237-790-21 s RES, VAR CARBON 10k
RV1
                                                                                                                             C140
                                                                                                                             C141
RV2
                                                                                                                             C142
                                                                                                                                              1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
                                                                                                                             C143
                                                                                                                             C144
                                                                                                                                              1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V
1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V
                                                                                                                             C145
                                                                                                                             C200
                                                                                                                             C201
                                                                                                                                              1-163-113-00 s CERAMIC, CHIP 68pF 5% 50V
1-163-113-00 s CERAMIC, CHIP 68pF 5% 50V
1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V
1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V
1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V
                                                                                                                             C202
                                                                                                                             C203
                                                                                                                             C204
                                                                                                                             C205
                                                                                                                             C206
```

(VRA-5 BOARD(UVW-1800))

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
C207 1-126-933-11 s ELECT 100uF 20% 16V C208 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C209 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C210 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C211 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V	C329 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C330 1-126-933-11 s ELECT 100uF 20% 16V C331 1-163-017-00 s CERAMIC, CHIP 0.0047uF 5% 50V C332 1-163-017-00 s CERAMIC, CHIP 0.0047uF 5% 50V C333 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C217 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C218 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V C219 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C220 1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V C221 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C334 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C335 1-126-933-11 s ELECT 100uF 20% 16V C336 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C337 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C338 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
C222 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C223 1-126-925-11 s ELECT 470uF 20% 10V C224 1-126-925-11 s ELECT 470uF 20% 10V C225-234 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C238 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C339 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C340 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C341 1-126-933-11 s ELECT 100uF 20% 16V C342 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C343 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C239 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C240 1-126-933-11 s ELECT 100uF 20% 16V C241-251 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C252 1-126-933-11 s ELECT 100uF 20% 16V C253-258 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C344 1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V C345 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C346 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C347 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C348 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V
C259 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C260 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C261 1-126-933-11 s ELECT 100uF 20% 16V C262 1-126-933-11 s ELECT 100uF 20% 16V C263 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C349 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V C350 1-126-933-11 s ELECT 100uF 20% 16V C351 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C352 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V C353 1-126-933-11 s ELECT 100uF 20% 16V
C264 1-163-033-00 s CERANIC, CHIP 0.022uF 50V C265 1-163-251-11 s CERANIC, CHIP 100pF 5% 50V C267 1-163-139-00 s CERANIC, CHIP 820pF 5% 50V C268 1-163-139-00 s CERANIC, CHIP 820pF 5% 50V C269 1-163-251-11 s CERANIC, CHIP 100pF 5% 50V	C354 1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V C355 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C356 1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V C357 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C358 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
C270 1-164-161-11 s CERAMIC, CHIP 0.0022uF 10% 100V C271 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C301 1-126-933-11 s ELECT 100uF 20% 16V C302 1-126-933-11 s ELECT 100uF 20% 16V C303 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C359 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C360 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C361 1-163-241-11 s CERAMIC, CHIP 39pF 5% 50V C362 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C363 1-163-097-00 s CERAMIC, CHIP 15pF 5% 50V
C304 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C305 1-126-933-11 s ELECT 100uF 20% 16V C306 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C307 1-163-115-00 s CERAMIC, CHIP 82pF 5% 50V C308 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C366 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V C367 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C309 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C310 1-163-235-11 s CERAMIC, CHIP 22pF 5% 50V C311 1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V C312 1-126-964-11 s ELECT 10uF 20% 50V C313 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	C369 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C370 1-163-017-00 s CERAMIC, CHIP 0.0047uF 5% 50V C371 1-126-933-11 s ELECT 100uF 20% 16V C372 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C373 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C314 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C316 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V C317 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C318 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C319 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C374 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C375 1-163-220-11 s CERAMIC, CHIP 3pF 50V C376 1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V C377 1-126-933-11 s ELECT 100uF 20% 16V C378 1-126-933-11 s ELECT 100uF 20% 16V
C320 1-126-933-11 s ELECT 100uF 20% 16V C321 1-126-933-11 s ELECT 100uF 20% 16V C322 1-126-933-11 s ELECT 100uF 20% 16V C323 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V C324 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V	C379 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V C380 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C381 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C382 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V C383 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
C325 1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V C326 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C327 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V C328 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C384 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C385 1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V C386 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V C387 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V

(VRA-5 BOARD(UVW-1800))

Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description
C388	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V		1-131-365-00 s TANTALUM 10uF 10% 20V
C389	1-126-933-11 s ELECT 100uF 20% 16V		1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V
C390	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V		1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V
C391	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V		1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C392	1-163-089-00 s CERAMIC, CHIP 6pF 50V		1-126-933-11 s ELECT 100uF 20% 16V
C393	1-163-102-00 s CERAMIC, CHIP 24pF 5% 50V		1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C394	1-163-113-00 s CERAMIC, CHIP 68pF 5% 50V		1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C395	1-126-933-11 s ELECT 100uF 20% 16V		1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
'C396	1-163-104-00 s CERAMIC, CHIP 30pF 5% 50V		1-126-933-11 s ELECT 100uF 20% 16V
C397	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V		1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C398	1-164-232-11 s CERAMIC 0.01uF 10% 100V	C801	1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
C399	1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V	C802	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
C501	1-126-933-11 s ELECT 100uF 20% 16V	C803	1-126-933-11 s ELECT 100uF 20% 16V
C502	1-126-933-11 s ELECT 100uF 20% 16V	C804	1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
C503	1-126-933-11 s ELECT 100uF 20% 16V	C805	1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V
C504	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C806	1-131-347-00 s TANTALUM 1uF 10% 35V
C505	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C807	1-131-347-00 s TANTALUM 1uF 10% 35V
C506	1-163-102-00 s CERAMIC, CHIP 24pF 5% 50V	C808	1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V
C507	1-163-257-11 s CERAMIC, CHIP 180pF 5% 50V	C809	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C508	1-126-933-11 s ELECT 100uF 20% 16V	C810	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V
C509	1-126-933-11 s ELECT 100uF 20% 16V	C811	1-131-347-00 s TANTALUM 1uF 10% 35V
C510	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C812	1-131-365-00 s TANTALUM 10uF 10% 20V
C511	1-104-923-21 s MICA, CHIP 180pF 0.25% 50V	C813	1-126-933-11 s ELECT 100uF 20% 16V
C513	1-163-091-00 s CERAMIC, CHIP 8pF 50V	C814	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C514	1-163-243-11 s CERAMIC, CHIP 47pF 5% 50V	C815	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C515	1-163-091-00 s CERAMIC, CHIP 8pF 50V	C816	1-126-160-11 s ELECT 1uF 20% 50V
C516	1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V	C901	1-126-933-11 s ELECT 100uF 20% 16V
C517	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C902	1-126-933-11 s ELECT 100uF 20% 16V
C518	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C903	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C519	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C904	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C520	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C909	1-126-933-11 s ELECT 100uF 20% 16V
C521	1-131-365-00 s TANTALUM 10uF 10% 20V		1-126-933-11 s ELECT 100uF 20% 16V
,C522	1-163-102-00 s CERAMIC, CHIP 24pF 5% 50V		1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C523	1-126-933-11 s ELECT 100uF 20% 16V		1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C524	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V		1-126-933-11 s ELECT 100uF 20% 16V
C525	1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	C910	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C526	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C911	1-126-933-11 s ELECT 100uF 20% 16V
C527	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C912	1-126-933-11 s ELECT 100uF 20% 16V
C528	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C913	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C529	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C914	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C530 C531 C603 C604 C605	1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-164-161-11 s CERAMIC, CHIP 0.0022uF 10% 100V 1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	C915 C916 C917 C918	1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V
C606 C607	1-163-099-00 s CERAMIC, CHIP 18pf 5% 50V 1-163-125-00 s CERAMIC, CHIP 220pf 5% 50V	CN101 CN102 CV301	1-573-782-21 b CONNECTOR, PHEC 60P, MALE 1-573-782-21 c CONNECTOR, PHEC 60P, MALE 1-141-304-21 s CAP, TRIMMER 10pF
C608 C609 C610	1-126-933-11 s ELECT 100uF 20% 16V 1-126-933-11 s ELECT 100uF 20% 16V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	D101	8-719-941-23 s DIODE DA204U
C611	1-104-923-21 s MICA, CHIP 180pF 0.25% 50V	D102	8-719-941-23 s DIODE DAZO4U
C613	1-163-091-00 s CERAMIC, CHIP 8pF 50V	D109	8-719-123-82 s DIODE 1SS303-T1
C614	1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V	D202	8-719-123-82 s DIODE 1SS303-T1
C615	1-163-091-00 s CERAMIC, CHIP 8pF 50V	D301	8-719-041-39 s DIODE KV1470
C616	1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V	D303 D305	8-719-821-39 s DIODE 1SV160 8-713-300-88 s DIODE 1T33C-01 8-719-911-19 s DIODE 1SS119
C617 C618 C619	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V 1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	D306 D801	8-719-941-23 s DIODE DA204U
C620	1-163-033-00 s CERAMIC, CHIP 0.022uF 50V	FB201	1-543-309-21 s BEAD, FERRITE

IC315

IC316

IC317

IC501

IC502

IC601

10602

IC801 IC802

IC901

IC902

IC903

IC904

L107

L201

L202

1-810-334-11 s HIC BP-023

8-759-908-15 s IC TL431CLP

1-810-334-11 s HIC BP-023

8-759-908-15 s IC TL431CLP 8-752-064-20 s IC CXA1727Q 8-752-356-06 s IC CXD2122AQ

8-759-182-84 s IC PQ05SZ5U

8-759-822-95 s IC L79M05T-FA 8-759-182-84 s IC PQ05SZ5U

8-759-172-41 s IC L78M09T-TL

1-410-482-31 s INDUCTOR 100uH 1-408-413-00 s INDUCTOR 22uH

1-410-476-11 s INDUCTOR 33uH

L101-105 1-410-482-31 s INDUCTOR 100uH

8-729-117-32 s TRANSISTOR 2SC4177 8-729-117-32 s TRANSISTOR 2SC4177 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 8-729-904-41 s TRANSISTOR FMY3 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 8-729-117-32 s TRANSISTOR 2SC4177 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q112 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 8-729-117-32 s TRANSISTOR 2SC4177 Q113 0114 8-729-117-32 s TRANSISTOR 2SC4177 0115 Q116 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q117-122 8-729-117-32 s TRANSISTOR 2SC4177 8-729-118-56 s TRANSISTOR 2SK852-X2 Q123 8-729-118-56 s TRANSISTOR 2SK852-X2 0124 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 0125 0126 8-729-117-32 s TRANSISTOR 2SC4177 8-729-117-32 s TRANSISTOR 2SC4177 8-729-117-32 s TRANSISTOR 2SC4177 8-729-117-32 s TRANSISTOR 2SC4177 0127 Q128 Q129 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 0130 Q131 8-729-117-32 s TRANSISTOR 2SC4177 8-729-117-32 s TRANSISTOR 2SC4177 0132 8-729-117-32 E TRANSISTOR 2SC4177 0133 8-729-117-32 s TRANSISTOR 2SC4177 0201

(VRA-5 BOARD(UVW-1800))

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
Q202 8-729-905-12 S TRANSISTOR DTA144EU Q203 8-729-905-18 S TRANSISTOR DTC144EU Q204 8-729-140-63 S TRANSISTOR 2SA1611-M5M6 Q207 8-729-117-32 S TRANSISTOR 2SC4177 Q209 8-729-140-63 S TRANSISTOR 2SA1611-M5M6	R110 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R111 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R112 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R113 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R114 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W
0210 8-729-117-32 s TRANSISTOR 2SC4177 0211 8-729-117-32 s TRANSISTOR 2SC4177 0212 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 0213 8-729-117-32 s TRANSISTOR 2SC4177	R115 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R116 1-216-041-00 s METAL, CHIP 470 5% 1/10W R117 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W R118 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W
Q301 8-729-117-32 s TRANSISTOR 2SC4177 Q303 8-729-117-32 s TRANSISTOR 2SC4177 Q305 8-729-117-32 s TRANSISTOR 2SC4177 Q306 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q307 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q308 8-729-905-18 s TRANSISTOR DTC144EU	R120 1-216-641-11 s METAL, CHIP 390 0.5% 1/10W R121 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R122 1-216-037-00 s METAL, CHIP 330 5% 1/10W R123 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R124 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
Q309 8-729-905-18 s TRANSISTOR DTC144EU Q310 8-729-117-32 s TRANSISTOR 2SC4177 Q311 8-729-117-32 s TRANSISTOR 2SC4177 Q312 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q313 8-729-140-63 s TRANSISTOR 2SA1611-M5M6	R125 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R126 1-216-041-00 s METAL, CHIP 470 5% 1/10W R127 1-216-025-00 s METAL, CHIP 100 5% 1/10W R128 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R129 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
Q314 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q315 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q316 8-729-905-18 s TRANSISTOR DTC144EU Q317 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q318 8-729-117-32 s TRANSISTOR 2SC4177	R130 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R131 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R132 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R133 1-216-037-00 s METAL, CHIP 330 5% 1/10W R134 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
Q319 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q320 8-729-140-63 s TRANSISTOR 2SA1611-M5M6 Q321 8-729-117-32 s TRANSISTOR 2SC4177 Q322 8-729-143-07 s TRANSISTOR 2SA1610-YY33 Q323 8-729-143-07 s TRANSISTOR 2SA1610-YY33	R135 1-216-657-11 % METAL, CHIP 1.8k 0.5% 1/10W R136 1-216-025-00 \$ METAL, CHIP 100 5% 1/10W R137 1-216-057-00 \$ METAL, CHIP 2.2k 5% 1/10W R138 1-216-651-11 \$ METAL, CHIP 1k 0.5% 1/10W R139 1-216-683-11 \$ METAL, CHIP 22k 0.5% 1/10W
Q324 8-729-201-27 s TRANSISTOR 2SC2715-Y Q325 8-729-140-47 s TRANSISTOR 2SC3735-B34 Q508-512 8-729-117-32 s TRANSISTOR 2SC4177 Q513 8-729-117-72 s TRANSISTOR 2SC4178 Q514 8-729-117-72 s TRANSISTOR 2SC4178	R140 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R141 1-216-037-00 s METAL, CHIP 330 5% 1/10W R142 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R143 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R144 1-216-037-00 s METAL, CHIP 330 5% 1/10W
Q515 8-729-117-32 s TRANSISTOR 2SC4177 Q516 8-729-117-72 s TRANSISTOR 2SC4178 Q517 8-729-117-72 s TRANSISTOR 2SC4178 Q518 8-729-140-63 s TRANSISTOR 2SC4178 Q519 8-729-117-72 s TRANSISTOR 2SC4178	R145 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R146 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R147 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R148 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R149 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
Q520 8-729-117-72 s TRANSISTOR 2SC4178 Q601 8-729-117-32 s TRANSISTOR 2SC4177 Q602 8-729-117-32 s TRANSISTOR 2SC4177 Q603 8-729-117-32 s TRANSISTOR 2SC4177 Q604-610 8-729-117-72 s TRANSISTOR 2SC4178	R150 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R151 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R152 1-216-121-00 s METAL, CHIP 1M 5% 1/10W R153 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R154 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
Q801 8-729-117-32 s TRANSISTOR 2SC4177 Q802 8-729-117-32 s TRANSISTOR 2SC4177 Q803 8-729-117-32 s TRANSISTOR 2SC4177 Q804 8-729-140-63 s TRANSISTOR 2SA1611-M5M6	R155 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R156 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R157. 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R158 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R159 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R100 1-249-441-11 s CARBON 100K 5% 1/4W R101 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R102 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R103 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R104 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W	R160 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R161 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R162 1-216-037-00 s METAL, CHIP 330 5% 1/10W R163 1-216-025-00 s METAL, CHIP 100 5% 1/10W R164 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R105 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R106 1-216-013-00 s METAL, CHIP 33 5% 1/10W R107 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R108 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R109 1-216-025-00 s METAL, CHIP 100 5% 1/10W	R165 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R166 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R167 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R168 1-216-037-00 s METAL, CHIP 330 5% 1/10W

Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No.	
R339 R340 R341 R342 R343	1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-218-760-11 s METAL 220k 0.5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R403 1-216-037-00 s METAL, CHIP 330 5% 1/10W 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W 1-216-686-11 s METAL, CHIP 30k 0.5% 1/10W 1-216-041-00 s METAL, CHIP 470 5% 1/10W 1-216-133-00 s METAL, CHIP 3.3M 5% 1/10W	R404 1-216-671-1 R405 1-216-686-1 R406 1-216-041-0	
R344 R345 R346 R347 R348	1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W	R501 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R502 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R503 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R504 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W R505 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W	R502 1-216-073-0 R503 1-216-667-1 R504 1-216-663-1	
R349 R350 R351 R352 R353	1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-670-11 s METAL, CHIP 6.2k 0.5% 1/10W 1-216-634-11 s METAL, CHIP 200 0.5% 1/10W	R506 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R507 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R508 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R509 1-216-641-11 s METAL, CHIP 390 0.5% 1/10W R510 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W	R507 1-216-651- R508 1-216-065- R509 1-216-641-	
R354 R355 R356 R357 R358	1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-121-00 s METAL, CHIP 1M 5% 1/10W 1-216-117-00 s METAL, CHIP 680k 5% 1/10W	R511 1-216-615-11 s METAL, CHIP 33 0.5% 1/10W R512 1-218-184-11 s METAL, CHIP 997 0.1% 1/16W R514 1-216-635-11 s METAL, CHIP 220 0.5% 1/10W R515 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W R516 1-218-922-11 s METAL, CHIP 3.26k 0.10% 1/10	R512 1-218-184- R514 1-216-635- R515 1-216-699-	W
R359 R360 R361 R362 R363	1-216-635-11 s METAL, CHIP 220 0.5% 1/10W 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W	R517 1-216-604-11 s METAL, CHIP 11 0.5% 1/10W R518 1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W R519 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R520 1-216-025-00 s METAL, CHIP 100 5% 1/10W R521 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W	R518 1-216-661- R519 1-216-057- R520 1-216-025- R521 1-216-667-	
R364 R365 R367 R368 R369	1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W	R522 1-216-655-11 s METAL, CHIP 1.5k 0.5% 1/10W R523 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W R524 1-216-295-91 s RES, CHIP 0 R525 1-216-657-11 s METAL, CHIP 1.8k 0.5% 1/10W R526 1-216-682-11 s METAL, CHIP 20k 0.5% 1/10W	R523 1-216-687- R524 1-216-295- R525 1-216-657- R526 1-216-682-	
R370 R371 R372 R375 R376	1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-635-11 s METAL, CHIP 220 0.5% 1/10W 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W 1-216-681-11 s METAL, CHIP 18k 0.5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R530 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W R531 1-216-643-11 s METAL, CHIP 470 0.5% 1/10W	R528 1-216-295- R529 1-216-295- R530 1-216-687- R531 1-216-643-	
R377 R378 R379 R380 R381	1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R536 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R536 1-216-057-	
R382 R383 R384 R385 R386	1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W 1-216-673-11 s METAL, CHIP 8.2k 0.5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W	R537 1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W R538 1-216-657-11 s METAL, CHIP 1.8k 0.5% 1/10W R539 1-216-025-00 s METAL, CHIP 100 5% 1/10W R540 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W R541 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W	R538 1-216-657- R539 1-216-025- R540 1-216-663-	
R387 R388 R389 R390 R391	1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W 1-216-653-11 s METAL, CHIP 1.2k 0.5% 1/10W	R542 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R543 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R544 1-216-025-00 s METAL, CHIP 100 5% 1/10W R545 1-216-037-00 s METAL, CHIP 330 5% 1/10W R546 1-216-037-00 s METAL, CHIP 330 5% 1/10W	R543 1-216-073- R544 1-216-025- R545 1-216-037-	
R392 R393 R394 R395 R397	1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-295-91 s RES, CHIP 0	R547 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R548 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R549 1-216-295-91 s RES, CHIP 0 R550 1-216-013-00 s METAL, CHIP 33 5% 1/10W R551 1-216-013-00 s METAL, CHIP 33 5% 1/10W	R548 1-216-675- R549 1-216-295- R550 1-216-013- R551 1-216-013-	
R399 R400 R401 R402	1-216-651-11 5 METAL, CHIP 1k 0.5% 1/10W 1-216-658-11 5 METAL, CHIP 2k 0.5% 1/10W 1-216-653-11 5 METAL, CHIP 1.2k 0.5% 1/10W 1-216-648-11 5 METAL, CHIP 750 0.5% 1/10W	R552 I-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R553 I-216-655-11 s METAL, CHIP 1.5k 0.5% 1/10W R554 I-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R555 I-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W	R553 1-216-655- R554 1-216-683-	

(VRA-5 BOARD(UVW-1800))

Ref. No.	Ref. No.
or Q'ty Part No. SP Description	or Q'ty Part No. SP Description
R556 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R557 1-216-677-11 s METAL, CHIP 12k 0.5% 1/10W R558 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R559 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R560 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R651 1-216-037-00 s METAL, CHIP 330 5% 1/10W R652 1-216-013-00 s METAL, CHIP 33 5% 1/10W R653 1-216-013-00 s METAL, CHIP 33 5% 1/10W R654 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R655 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W
R561 1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W R562 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R563 1-216-025-00 s METAL, CHIP 100 5% 1/10W R564 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R565 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W	R656 1-216-025-00 s METAL, CHIP 100 5% 1/10W R657 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R658 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R801 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R802 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R601 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R602 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R603 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R604 1-216-051-00 s METAL, CHIP 1.2k 5% 1/10W R605 1-216-663-11 s METAL, CHIP 3.3k 0.5% 1/10W	R803 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-639-11 s METAL, CHIP 330 0.5% 1/10W 1-216-643-11 s METAL, CHIP 470 0.5% 1/10W
R606 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R607 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R608 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R609 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R610 1-216-627-11 s METAL, CHIP 100 0.5% 1/10W	R808 1-216-025-00 s METAL, CHIP 100 5% 1/10W R809 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R810 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R811 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R812 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W
R611 1-216-659-11 s METAL, CHIP 2.2k 0.5% 1/10W R612 1-216-611-11 s METAL, CHIP 22 0.5% 1/10W R613 1-218-184-11 s METAL, CHIP 997 0.1% 1/16W R614 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W R615 1-216-635-11 s METAL, CHIP 220 0.5% 1/10W	R813 1-216-025-00 s METAL, CHIP 100 5% 1/10W R814 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R815 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R816 1-216-089-91 s METAL, CHIP 47k 5% 1/10W R817 1-249-429-11 s CARBON 10k 5% 1/4W
R617 1-218-922-11 s METAL, CHIP 3.26k 0.10% 1/16W R618 1-216-603-11 s METAL, CHIP 10 0.5% 1/10W R620 1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W R621 1-216-025-00 s METAL, CHIP 100 5% 1/10W R621 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R818 1-249-429-11 s CARBON 10k 5% 1/4W RV101 1-241-760-21 s RES, ADJ METAL 470 RV102 1-241-760-21 s RES, ADJ METAL 470 RV103 1-241-762-11 s RES, ADJ METAL 2.2k RV104 1-241-760-21 s RES, ADJ METAL 470
R622 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R623 1-216-655-11 s METAL, CHIP 1.5k 0.5% 1/10W R624 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W R625 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W R626 1-216-295-91 s RES, CHIP 0	RV105 1-241-759-21 s RES, ADJ METAL 220 RV201 1-241-784-11 s RES, ADJ METAL 4.7k RV202 1-241-785-11 s RES, ADJ METAL 10k RV203 1-241-785-11 s RES, ADJ METAL 10k RV301 1-241-762-11 s RES, ADJ METAL 2.2k
R627 1-216-682-11 s METAL, CHIP 20k 0.5% 1/10W R628 1-216-679-11 s METAL, CHIP 15k 0.5% 1/10W R629 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R630 1-216-295-91 s RES, CHIP 0 R631 1-216-687-11 s METAL, CHIP 33k 0.5% 1/10W	RV302 1-241-785-11 s RES, ADJ METAL 10k RV303 1-241-784-11 s RES, ADJ METAL 4.7k RV304 1-241-784-11 s RES, ADJ METAL 4.7k RV305 1-241-784-11 s RES, ADJ METAL 4.7k RV306 1-241-762-11 s RES, ADJ METAL 2.2k
R632 1-216-648-11 s METAL, CHIP 750 0.5% 1/10W R633 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W R634 1-216-041-00 s METAL, CHIP 470 5% 1/10W R635 1-216-025-00 s METAL, CHIP 100 5% 1/10W R636 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	RV501 1-241-761-11 s RES, ADJ METAL 1k RV502 1-241-762-11 s RES, ADJ METAL 2.2k RV503 1-241-762-11 s RES, ADJ METAL 2.2k RV602 1-241-763-11 s RES, ADJ METAL 4.7k RV603 1-241-763-11 s RES, ADJ METAL 4.7k
R637 1-216-025-00 s METAL, CHIP 100 5% 1/10W R638 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R639 1-216-644-11 s METAL, CHIP 510 0.5% 1/10W	S201 1-571-275-31 s SWITCH, SLIDE
R640 1-216-646-11 s METAL, CHIP 620 0.5% 1/10W R641 1-216-644-11 s METAL, CHIP 510 0.5% 1/10W	TH201 1-807-972-11 s THERMISTOR SV-1715 1.25k X301 1-527-722-00 s CRYSTAL 14.31818MHz
R642 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W R643 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W R644 1-216-041-00 s METAL, CHIP 470 5% 1/10W R645 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R646 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	X301 1-527-722-00 5 CRYSTAL 14.31818MHZ X302 1-760-109-21 s CRYSTAL 10.738635MHz
R647 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R648 1-216-025-00 s METAL, CHIP 100 5% 1/10W R649 1-216-025-00 s METAL, CHIP 100 5% 1/10W R650 1-216-037-00 s METAL, CHIP 330 5% 1/10W	

AC BOARD/SOPS-1045(UVW-1800/1600)

Ref. No.

or Q'ty Part No. SP Description

1pc A1-413-889-11 s REGULATOR, SWITCHING (SOPS-1045)

All of component parts on the AC board are supplied together when you order switching regulator, SOPS-1045.

Therefore, all of components parts on the board should be critical to safe operation.

```
1-533-217-31 s HOLDER, FUSE
1 DC
               1-535-217-51 $ HOLDER, FOSE
1-580-375-11 $ INLET 3P
3-899-248-11 $ SCREW, +PSW M3x8
7-682-961-01 $ SCREW, +PSW4x8
1pc
3pcs
1pc
               1-161-740-00 s CERAMIC 470pF 10% 400V
1-161-740-00 s CERAMIC 470pF 10% 400V
1-161-740-00 s CERAMIC 470pF 10% 400V
1-161-740-00 s CERAMIC 470pF 10% 400V
C151
C152
C153
C154
                1-136-472-11 s FILM 0.1uF 20% 250V
C155
                1-136-212-12 s FILM 0.1uF 20% 250V
1-136-472-11 s FILM 0.1uF 20% 250V
1-136-212-12 s FILM 0.1uF 20% 250V
C155
C156
C156
                1-564-215-11 o PIN, CONNECTOR 4P
CN151
                1-532-746-11 s FUSE 4A 125V
F151
                1-424-353-11 s FILTER, LINE
1-424-255-11 s COIL, CHOKE 10UH
1-424-255-11 s COIL, CHOKE 10UH
L151
L152
L153
L203
                1-406-953-11 s COIL, CHOKE 30uH
                1-202-849-00 s COMP 820k 1/2W 10%
R155
                1-809-337-41 s VARISTOR ENC471D-07AW
V7151
```

```
M BOARD/SOPS-1045(UVW-1800/1600)
```

Ref. No.

or Q'ty Part No. SP Description

1pc <u>A</u>1-413-889-11 s REGULATOR, SWITCHING (SOPS-1045)

All of component parts on the M board are supplied together when you order switching regulator, SOPS-1045. Therefore, all of components parts on the board should be critical to safe operation.

```
1-543-060-00 s BEAD, FERRITE
1pc
              1-543-923-11 s BEADS, FERRITE
1pc
C106
              1-136-185-00 s FILM 0.22uF 20% 250V
              1-161-742-00 s CERAMIC 0.0022uF 20% 400V
1-161-742-00 s CERAMIC 0.0022uF 20% 400V
C107
C108
               1-125-715-11 s ELECT 820uF 20% 200V
C113
               1-136-206-11 s FILM 0.033uF 10% 630V
C114
               1-136-165-00 s FILM 0.1uF 5% 50V
C115
               1-124-478-11 s ELECT 100uF 20% 25V
C116
               1-124-477-11 s ELECT 47uF 20% 25V
1-130-487-00 s MYLAR 0.022uF 5% 50V
C117
C118
               1-136-153-00 s FILM 0.01uF 5% 50V
C119
               1-130-048-00 s FILM 220pF 5% 50V
1-136-165-00 s FILM 0.1uF 5% 50V
C120
C121
               1-124-927-11 S ELECT 4.7uF 20% 100V
1-161-742-00 S CERAMIC 0.0022uF 20% 400V
1-161-741-00 S CERAMIC 1000pF 20% AC400V
C122
C123
C124
              1-161-741-00 s CERAMIC 1000pF 20% AC400V
1-162-117-11 s CERAMIC 100pF 10% 500V
1-164-645-11 s CERAMIC 1000pF 10% 500V
1-164-645-11 s CERAMIC 1000pF 10% 500V
C125
C126
C201
C202
C203
               1-128-102-11 s ELECT 1200uF 20% 16V
C204
               1-128-585-11 s ELECT 270uF 20% 16V
               1-164-646-11 s CERAMIC 2200pF 10% 500V
1-164-646-11 s CERAMIC 2200pF 10% 500V
1-128-102-11 s ELECT 1200uF 20% 16V
1-126-987-11 s ELECT 220uF 20% 10V
C206
C207
C208
C209
               1-164-646-11 s CERAMIC 2200pF 10% 500V
1-164-646-11 s CERAMIC 2200pF 10% 500V
1-128-102-11 s ELECT 1200uF 20% 16V
1-126-987-11 s ELECT 220uF 20% 10V
C211
C212
C213
C214
               1-136-165-00 s FILM 0.1uF 5% 50V
C215
               1-164-646-11 s CERAMIC 2200pF 10% 500V
1-164-646-11 s CERAMIC 2200pF 10% 500V
C216
C217
               1-128-102-11 s ELECT 1200uF 20% 16V
1-126-987-11 s ELECT 220uF 20% 10V
C218
C219
C220
               1-136-165-00 s FILM 0.1uF 5% 50V
               1-164-645-11 s CERAMIC 1000pF 10% 500V
1-164-645-11 s CERAMIC 1000pF 10% 500V
C221
C222
               1-128-102-11 s ELECT 1200uF 20% 16V
1-128-584-11 s ELECT 120uF 20% 16V
1-128-585-11 s ELECT 270uF 20% 16V
C223
C225
C226
               1-128-585-11 s ELECT 270uF 20% 16V
1-130-489-00 s MYLAR 0.033uF 5% 50V
C228
C230
               1-136-169-00 s MYLAR 0.22uF 5% 50V
1-130-483-00 s MYLAR 0.01uF 5% 50V
C231
C232
               1-136-157-00 s FILM, CHIP 0.022uF 5% 50V
C233
               1-564-216-00 @ CONNECTOR, VH 5P, MALE
CN101
               1-564-215-11 o PIN, CONNECTOR 4P
1-564-321-00 o CONNECTOR, VH 2P, MALE
CN102
CN103
               1-564-932-11 o CONNECTOR, 9P
CN201
```

(M BOARD/SOPS-1045(UVW-1800/1600))

```
or O'ty Part No.
                       SP Description
D101
           8-719-510-71 s DIODE D10XB60
           8-719-313-16 s DIODE AU02A
0102
          8-719-911-19 s DIODE 1SS119
8-719-510-26 s DIODE D1NL20
D103
D104
D105
           8-719-510-26 s DIODE D1NL20
D106
           8-719-510-26 s DIODE D1NL20
          8-719-911-19 s DIODE ISS119
8-719-109-84 s DIODE RD5.1ES-B1
8-719-911-19 s DIODE ISS119
D107
D108
D109
           8-719-109-89 s DIODE RD5.6ES-B2
D110
           8-719-510-12 s DIODE D10SC4M
D201
D202
           8-719-510-39 5 DIODE D10LC20U
D203
           8-719-510-39 s DIODE D10LC20U
           8-719-988-31 s DIODE DIOSC6MR
D204
D205
           8-719-025-11 s DIODE D8LC20UR
           8-719-027-20 s DIODE D3S4M-F
8-719-911-19 s DIODE 1SS119
0206
D208
D209
           8-719-109-88 s DIODE RD5.6ES-B1
           8-719-911-19 s DIODE 1SS119
D210
           8-719-110-12 s DIODE RD9.1ES-B1
D211
D213
           8-719-110-42 s DIODE RD15ES-B3
           8-719-110-49 s DIODE RD18ES-B2
0214
           8-759-520-23 s IC FA5304P
IC101
           8-719-028-92 s PHOTO-COUPLER PS2652-P-V
IC102
IC103
           8-719-028-92 s PHOTO-COUPLER PS2652-P-V
           8-719-820-67 s PHOTO-COUPLER TLP634GB-LF2
8-759-604-69 s IC M50460-052P
IC103
IC201
           8-759-908-15 s IC TL431CLP
IC202
L101
           1-424-389-11 s FILTER, LINE
           1-424-309-11 S FILTER, LINE

1-412-552-11 S INDUCTOR 2.2mH

1-406-929-11 S COIL, CHOKE

1-424-254-31 S COIL, CHOKE 4.7UH

1-424-255-11 S COIL, CHOKE 10UH
L103
L201
L202
L204
L205
           1-424-254-31 s COIL, CHOKE 4.7UH
           1-424-255-11 s COIL, CHOKE 10UH
1-406-929-11 s COIL, CHOKE
L206
1207
           1-424-255-11 s COIL, CHOKE 10UH
L208
           8-729-321-75 s TRANSISTOR 2SK1400A
Q101
0201
           8-729-900-80 s TRANSISTOR DTC114ES
R102
           1-217-785-11 s WIREWOUND 15 5% 5W
R103
           1-260-129-91 s CARBON 330k 1/2W 5%
           1-215-902-11 s METAL 47k 5% 2W
1-215-902-11 s METAL 47k 5% 2W
R104
R105
R106
           1-215-902-11 s METAL 47k 5% 2W
R107
           1-249-404-00 s CARBON 82 5% 1/4W
           1-249-394-11 s CARBON 12 5% 1/4W
R108
           1-249-441-11 s CARBON 100k 5% 1/4W
1-249-395-11 s CARBON 15 5% 1/4W
1-249-397-11 s CARBON 22 5% 1/4W
R109
R110
'R111
           1-249-381-11 s CARBON 1 5% 1/4W
R112
           1-249-395-11 s CARBON 15 5% 1/4W
R113
            1-249-429-11 s CARBON 10k 5% 1/4W
R114
            1-249-421-11 s CARBON 2.2k 5% 1/4W
R115
           1-247-903-00 s CARBON 1M 5% 1/4W
R116
R117 1-215-902-11 s METAL 47k 5% 2W
R118 1-249-436-11 s CARBON 39k 5% 1/4W
R201-205 1-215-882-00 s METAL 22 5% 2W
```

(M BOARD/SOPS-1045(UVW-1800/1600))

Ref. No. or Q'ty	Part No. SP Description
R206 R209 R210 R212 R213	1-249-419-11 s CARBON 1.5k 5% 1/4W 1-215-429-00 s METAL 2.2k 1% 1/6W 1-215-433-00 s METAL 3.3k 1% 1/6W 1-249-413-11 s CARBON 470 5% 1/4W 1-249-405-11 s CARBON 100 5% 1/4W
R214	1-249-433-11 s CARBON 22k 5% 1/4W
RV201	1-237-500-21 s RES, ADJ METAL 1k
RY101	1-515-864-11 s RELAY
T101 T102	1-423-874-11 s TRANSFORMER, CONVERTER 1-424-573-11 s TRANSFORMER, CURRENT

```
FRAME, HARNESS, CONNECTOR & CONTACT LIST
FRAME LIST
                                                                             Ref. No.
Ref. No.
                                                                                                      SP Description
                                                                             or Q'ty Part No.
or Q'ty Part No.
                        SP Description
          A-8260-972-A s DRUM ASSY, DBH-39A-R (for UVW-1800)
                                                                            to ACE ASSY
1pc
                                                                             CN921F(for UVW-1800 only)
1-565-978-11 o HOUSING 6P
          A-8260-973-A s UPPER DRUM ASSY, DBR-39-R
1pc
                            (for UVW-1800)
                                                                                        1-565-977-11 s CONTACT, FEMALE AWG28-32
                                                                             6pcs
          A-8260-976-A s DRUM ASSY, DBH-41A-R (for UVW-1600)
1pc
                                                                                        1-568-819-11 o HOUSING 9P
                                                                             CN922F
                                                                                        1-565-977-11 s CONTACT, FEMALE AWG28-32
          A-8260-977-A s UPPER DRUM ASSY, DBR-41-R
                                                                             9pcs
1pc
                             (for UVW-1600)
                                                                            to AP-31/31A board
                                                                                        AP-31: UVW-1800
        A1-413-889-11 s REGULATOR, SWITCHING (SOPS-1045)
1pc
                                                                                        AP-31A: UVW-1600
          1-690-106-12 s WIRE, FLEXIBLE CARD 5P
1pc
                                                                                        1-569-196-41 o HOUSING 3P
                                                                             CN1F
                                                                                        1-569-191-11 o CONTACT, FEMALE AWG22-26
        1-810-374-11 s UNIT, FLD
                                                                              1pc
1pc
                                                                                        1-569-193-11 o CONTACT, FEMALE
                                                                              2pcs
          1-810-381-11 s SENSOR, CONDENSATION
1pc
                                                                                        1-569-196-31 o HOUSING 3P
1-569-191-11 o CONTACT, FEMALE AWG22-26
1-569-193-11 o CONTACT, FEMALE
                                                                              CN2F
          8-825-778-81 s HEAD, EPS244-2103H
8-825-554-83 s HEAD, CTL PS244-21B
                                                                              1nc
H1001
                                                                              2pcs
H1002
          8-825-770-72 s HEAD, FE EF291-21
H1003
                                                                                        1-569-196-11 o HOUSING 3P
1-569-191-11 o CONTACT, FEMALE AWG22-26
1-569-193-11 o CONTACT, FEMALE
                                                                              CN3F
          1-543-316-31 s HEAD, SENSING
"TAPE END SENSOR"
                                                                              1pc
L1001
                                                                              2pcs
           1-543-316-31 s HEAD, SENSING
"TAPE TOP SENSOR"
L1002
                                                                             to AR-14 board (for UVW-1800 only)
          1-698-152-11 s MOTOR, DC (SVD-1449) "THREADING"
1-698-152-11 s MOTOR, DC (SVD-1449) "CASSETTE"
1-698-231-11 s MOTOR, DC "S-REEL"
1-698-231-11 s MOTOR, DC "S-REEL"
1-698-179-11 s MOTOR, DC "CAPSTAN"
                                                                              CN1F
                                                                                         1-569-202-11 o HOUSING 9P
M1001
                                                                                         1-569-191-11 o CONTACT, FEMALE AWG22-26
M1002
                                                                              3pcs
                                                                                         1-569-193-11 o CONTACT, FEMALE
                                                                              6pcs
M1003
M1004
                                                                             to AUDIO LEVEL METER
M1005
                                                                                         1-559-586-11 o WIRE, FLEXIBLE CARD 20P
1-559-586-11 o WIRE, FLEXIBLE CARD 20P
           1-698-152-11 s MOTOR, DC (SVD-1449) "POSITION"
                                                                              CN1F
M1006
                                                                              CN2F
           1-454-338-00 s SOLENOID "PINCH"
PM1001
           1-454-417-41 s SOLENOID "S-BRAKE"
                                                                             to CAPSTAN MOTOR CONTROL BLOCK
PM1002
           1-454-417-41 s SOLENOID "T-BRAKE"
PM1003
                                                                                         1-562-153-11 o HOUSING 8P
                                                                              CN8F
                                                                                         1-564-026-00 o CONTACT, FEMALE AWG26-30
$1001 A 1-570-117-31 s SWITCH, ROCKER "AC POWER"
                                                                              8pcs
                                                                             to CASSETTE
                                                                                         1-562-157-11 o HOUSING 12P
                                                                              CN930F
                                                                                         1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                              12pcs
                                                                             to CP-225/225A board
                                                                                         CP-225: UVW-1800
                                                                                         CP-225A: UVW-1600
                                                                              CN651F
                                                                                         1-562-149-11 o HOUSING 4P
                                                                                         1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                              4pcs
                                                                                         1-562-152-11 o HOUSING 7P
                                                                              CN652F
                                                                                         1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                              7pcs
                                                                                         1-562-151-11 o HOUSING 6P
                                                                              CN653F
                                                                                         1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                              6pcs
                                                                                         1-562-157-11 o HOUSING 12P
                                                                              CN654F
                                                                                         1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                              12pcs
                                                                                         1-562-185-11 o HOUSING 14P
1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                              CN655F
                                                                              14pcs
                                                                              CN656F
                                                                                         1-562-147-11 o HOUSING 2P
                                                                                         1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                              2pcs
```

```
(FRAME, HARNESS, CONNECTOR & CONTACT LIST)
                                                                       (FRAME, HARNESS, CONNECTOR & CONTACT LIST)
                                                                       Ref. No.
                                                                       or Q'ty Part No.
                                                                                              SP Description
or O'ty Part No.
                       SP Description
to CP-226/226A board
                                                                      to MB-470/470A board
          CP-226: UVW-1800
                                                                                 MB-470: UVW-1800
                                                                                 MB-470A: UVW-1600
          CP-226A: UVW-1600
                                                                                 1-562-800-11 o HOUSING 9P
                                                                       CN200F
          1-562-152-11 o HOUSING 7P
 CN274F
                                                                                 1-562-210-11 o CONTACT, FEMALE AWG18-22
          1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                       9pcs
 7pcs
                                                                                 1-562-511-11 o HOUSING 9P
                                                                       CN201F
 CN275F
          1-562-151-11 o HOUSING 6P
                                                                                 1-562-490-11 o CONTACT, FEMALE AWG22-28
          1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                       9pcs
 6pcs
                                                                                 1-562-157-11 o HOUSING 12P
          1-562-147-11 o HOUSING 2P
                                                                       CN211F
 CN276F
                                                                                 1-564-026-00 o CONTACT, FEMALE AWG26-30
          1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                       12pcs
 2pcs
                                                                                 1-751-632-11 s WIRE, FLEXIBLE CARD 34P
1-575-733-11 s CABLE, FLA: 17P
                                                                       CN231F
to CP-237/237A board
          CP-237: UVW-1800
                                                                       CN232F
          CP-237A: UVW-1600
                                                                                 1-562-148-11 o HOUSING 3P
                                                                       CN235F
                                                                                 1-564-026-00 o CONTACT, FEMALE AWG26-30
          1-575-733-11 s CABLE, FLAT 17P
                                                                       3pcs
 CN532F
                                                                                 1-562-958-11 o HOUSING 15P
                                                                       CN262F
to DR-214 board
                                                                                 1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                       15pcs
          1-558-261-31 s WIRE, FLEXIBLE CARD 30P
 CN301F
                                                                                 1-562-149-11 o HOUSING 4P
1-564-026-00 o CONTACT, FEMALE AWG26-30
          1-558-261-31 s WIRE, FLEXIBLE CARD 30P
1-558-261-31 s WIRE, FLEXIBLE CARD 30P
                                                                       CN266F
 CN302F
                                                                       4pcs
 CN303F
                                                                       CN267F
                                                                                 1-562-152-11 o HOUSING 7P
to DRUM ASSY
                                                                                 1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                       7pcs
          1-580-938-11 o HOUSING 15P
 CN1 F
                                                                                 1-562-185-11 o HOUSING 14P
          1-565-740-11 o CONTACT, FEMALE AWG24-30
                                                                       CN268F
 15pcs
                                                                                 1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                       14pcs
CN901F(for UVW-1800 only)
1-565-978-11 o HOUSING 6P
                                                                                 1-562-151-11 o HOUSING 6P
                                                                       CN269F
                                                                                  1-564-026-00 o CONTACT, FEMALE AWG26-30
          1-565-977-11 s CONTACT, FEMALE AWG28-32
                                                                       6pcs
 6pcs
          1-569-199-11 o HOUSING CONNECTOR 6P
1-569-192-11 o CONTACT, FEMALE AWG22-26
                                                                                 1-562-157-11 o HOUSING 12P
                                                                       CN271F
CN911F
                                                                                 1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                       12pcs
 2pcs
          1-569-194-11 o CONTACT, FEMALE AWG24-30
                                                                      to MB-471/471A board
                                                                                 MB-471: UVW-1800
MB-471A: UVW-1600
          1-569-199-31 o HOUSING 6P
 CN912F
           1-569-192-11 o CONTACT, FEMALE AWG22-26
 2pcs
          1-569-194-11 o CONTACT, FEMALE AWG24-30
 4pcs
                                                                                 1-562-508-11 o HOUSING 6P
                                                                       CN251F
                                                                                  1-562-490-11 o CONTACT, FEMALE AWG22-28
                                                                        9pcs
to DUS-355 board
                                                                                  1-562-157-11 o HOUSING 12P
                                                                       CN261F
          1-569-195-11 s HOUSING 2P
 CN934F
                                                                                  1-564-026-00 o CONTACT, FEMALE AWG26-30
           1-569-193-11 o CONTACT, FEMALE
                                                                        12pcs
                                                                       CN264F(for UVW-1800 only)
to HP-61/61A board
                                                                                 1-569-200-31 o HOUSING 7P
1-569-191-11 o CONTACT, FEMALE AWG22-26
1-569-193-11 o CONTACT, FEMALE
           HP-61: UVW-1800
           HP-61A: UVW-1600
                                                                        2pcs
                                                                        4pcs
          1-562-155-11 o HOUSING 10P
 CN401F
           1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                       CN265F(for UVW-1800 only)
 10pcs
                                                                                  1-562-148-11 o HOUSING 3P
                                                                                 1-564-026-00 o CONTACT, FEMALE AWG26-30
           1-562-148-11 o HOUSING 3P
                                                                        3pcs
 CN403F
           1-564-026-00 o CONTACT, FEMALE AWG26-30
 3pcs
                                                                        CN274F
                                                                                 1-562-152-11 o HOUSING 7P
                                                                                 1-564-026-00 o CONTACT, FEMALE AWG26-30
to KY-249/249A board
           KY-249: UVW-1800
                                                                                  1-562-151-11 o HOUSING 6P
                                                                        CN275F
           KY-249A: UVW-1600
                                                                                  1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                        6pcs
           1-562-958-11 o HOUSING 15P
 CN590F
                                                                       CN276F(for UVW-1800 only)
1-562-151-11 o HOUSING 6P
           1-564-026-00 o CONTACT, FEMALE AWG26-30
 15pcs
                                                                                  1-564-026-00 o CONTACT, FEMALE AWG26-30
 CN591F
          1-559-586-11 o WIRE, FLEXIBLE CARD 20P
                                                                        6pcs
                                                                                  1-562-149-11 o HOUSING 4P
           1-562-149-11 o HOUSING 4P
                                                                        CN277F
 CN592F
                                                                                  1-564-026-00 o CONTACT, FEMALE AWG26-30
           1-564-026-00 o CONTACT, FEMALE AWG26-30
 4pcs
                                                                        4pcs
                                                                                 1-562-155-11 o HOUSING 10P
                                                                        CN278F
          1-559-586-11 o WIRE, FLEXIBLE CARD 20P
 CN593F
                                                                                  1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                        10pcs
                                                                        CN281F(for UVW-1800 only)
                                                                                  1-751-632-11 s WIRE, FLEXIBLE CARD 34P
```

18-101

UVW-1800/1600

```
(FRAME, HARNESS, CONNECTOR & CONTACT LIST)
 (FRAME, HARNESS, CONNECTOR & CONTACT LIST)
Ref. No.
                                                                              or O'ty Part No.
                                                                                                       SP Description
or O'ty Part No.
                         SP Description
to MS-39/39A board
MS-39: UVW-1800
                                                                             to RM-126 board
                                                                                         1-751-633-12 s WIRE, FLEXIBLE CARD 13P
           MS-39A: UVW-1600
                                                                              CN946F
          1-562-157-11 o HOUSING 12P
1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                              CN947F
                                                                                         1-569-197-11 o HOUSING 4P
 CN350F
                                                                               4pcs
                                                                                         1-569-193-11 o CONTACT, FEMALE
 12pcs
                                                                             to RM-127 board
           1-562-149-11 o HOUSING 4P
 CN351F
           1-564-026-00 o CONTACT, FEMALE AWG26-30
 4pcs
                                                                                         1-751-634-12 s WIRE, FLEXIBLE CARD 13P
                                                                               CN951F
 CN352F
           1-569-195-11 s HOUSING 2P
                                                                                         1-569-197-11 o HOUSING 4P
           1-569-193-11 o CONTACT, FEMALE
                                                                               CN952F
 2pcs
                                                                                         1-569-193-11 o CONTACT, FEMALE
                                                                               4pcs
           1-562-152-11 o HOUSING 7P
 CN353F
           1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                             to RP-70/70A board
 7pcs
                                                                                         RP-70: UVW-1800
           1-569-208-11 o HOUSING 15P
                                                                                         RP-70A: UVW-1600
 CN354F
           1-569-193-11 o CONTACT, FEMALE
 15pcs
                                                                                          1-569-196-11 o HOUSING 3P
                                                                               CN1F
                                                                                         1-569-192-11 o CONTACT, FEMALE AWG22-26
1-569-194-11 o CONTACT, FEMALE AWG24-30
           1-562-153-11 o HOUSING 8P
                                                                               1pc
 CNRSSE
           1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                               2pcs
 8pcs
                                                                                         1-569-196-31 o HOUSING 3P
1-569-192-11 o CONTACT, FEMALE AWG22-26
1-569-194-11 o CONTACT, FEMALE AWG24-30
           1-751-633-11 s WIRE, FLEXIBLE CARD 13P
1-751-634-11 s WIRE, FLEXIBLE CARD 13P
                                                                               CN101F
 CN356F
 CN357F
                                                                               1pc
                                                                               2pcs
           1-562-151-11 o HOUSING 6P
1-564-026-00 o CONTACT, FEMALE AWG26-30
 CN358F
                                                                                         1-569-196-41 o HOUSING 3P
1-569-192-11 o CONTACT, FEMALE AWG22-26
1-569-194-11 o CONTACT, FEMALE AWG24-30
                                                                               CN201F
 6pcs
                                                                               1pc
           1-562-149-11 o HOUSING 4P
1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                               2pcs
 CN359F
 4DCS
                                                                               CN301F
                                                                                         1-569-196-21 o HOUSING 3P
                                                                                         1-569-192-11 o CONTACT, FEMALE AWG22-26
1-569-194-11 o CONTACT, FEMALE AWG24-30
 CN360F
           1-569-197-11 o HOUSING 4P
                                                                               1pc
           1-569-193-11 o CONTACT, FEMALE
                                                                               2ncs
 4pcs
                                                                             to SF-207 board
 CN361F
           1-569-196-11 o HOUSING 3P
           1-569-191-11 o CONTACT, FEMALE AWG22-26
1-569-193-11 o CONTACT, FEMALE
 1pc
                                                                                         1-569-619-11 o HOUSING 4P
1-565-977-11 s CONTACT, FEMALE AWG28-32
                                                                               CN950F
 2pcs
                                                                               4pcs
           1-558-261-31 s WIRE, FLEXIBLE CARD 30P
1-558-261-31 s WIRE, FLEXIBLE CARD 30P
1-558-261-31 s WIRE, FLEXIBLE CARD 30P
 CN362F
                                                                              to SWITCHING REGULATOR
 CN363F
 CN364F
                                                                                       1-562-800-11 o HOUSING 9P
                                                                               CN1F
                                                                                       ▲1-562-210-11 o CONTACT, FEMALE AWG18-22
to PD-35 board
                                                                               9pcs
                                                                                         1-562-286-11 o HOUSING 5P
                                                                               CN101F
 CN851F
           1-562-147-11 o HOUSING 2P
                                                                                          1-562-210-11 o CONTACT, FEMALE AWG18-22
           1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                               2pcs
 2pcs
                                                                                         1-562-285-11 o HOUSING 4P
                                                                               CN151F
           1-562-151-11 o HOUSING 6P
 CN854F
                                                                                          1-562-210-11 o CONTACT, FEMALE AWG18-22
           1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                               2pcs
 6pcs
                                                                              to TAPE END SENSOR
to PTC-66 board
           1-562-149-11 o HOUSING 4P
1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                               CN938F
                                                                                          1-562-147-11 o HOUSING 2P
 CN944F
                                                                                          1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                               2pcs
 4pcs
                                                                              to TAPE TOP SENSOR
to PTC-67 board
                                                                               CN939F
                                                                                         1-562-147-11 o HOUSING 2P
 CN941F
           1-562-152-11 o HOUSING 7P
                                                                                          1-564-026-00 o CONTACT, FEMALE AWG26-30
           1-564-026-00 o CONTACT, FEMALE AWG26-30
                                                                               2pcs
 7pcs
                                                                              to TR-84 board
 CN942F
           1-569-195-21 o HOUSING 2P
           1-569-193-11 o CONTACT, FEMALE
 2pcs
                                                                                          1-569-619-11 o HOUSING 4P
                                                                               CN945F
                                                                                          1-565-977-11 s CONTACT, FEMALE AWG28-32
           1-562-147-11 o HOUSING 2P
 CN943F
                                                                               4pcs
           1-564-026-00 o CONTACT, FEMALE AWG26-30
 2pcs
                                                                              to VR-155 board (for UVW-1800 only)
to PTC-68 board
                                                                                          1-562-151-11 o HOUSING 6P
                                                                               CN402F
                                                                                          1-564-026-00 o CONTACT, FEMALE AWG26-30
 CN940F
           1-562-149-11 o HOUSING 4P
                                                                               6pcs
           1-564-026-00 o CONTACT, FEMALE AWG26-30
 4pcs
```

18-4. PACKING MATERIALS & ACCESSORIES

```
Ref. No.
or O'ty Part No.
                                                 SP Description
                ▲1-551-812-11 s CORD, POWER 3P (for UC)

▲1-557-161-11 s CORD, POWER 2P (for J)

1-751-019-81 o CABLE, D-SUB 9P(RCC5G) 5m

3-182-362-01 o SPACER
1 nc
1pc
1pc
1pc
                      3-182-442-01 o CUSHION (BOTTOM)
1pc
                     3-182-443-01 o CUSHION (TOP)
1pc
                     3-182-243-01 o CUSHION (10P)
3-182-233-01 o INDIVIDUAL CARTON(for UVW-1600)
3-182-444-01 o INDIVIDUAL CARTON(for UVW-1800)
3-701-648-00 s BAG, POLYETHYLENE
3-757-560-01 s MANUAL, INSTRUCTION(for UVW-1600(J))
1pc
1pc
1pc
1pc
                ↑3-757-560-21 s MANUAL, INSTRUCTION(for UVW-1600(UC))
3-757-561-01 s MANUAL, INSTRUCTION(for UVW-1800(J))
↑3-757-561-21 s MANUAL, INSTRUCTION(for UVW-1800(UC))
3-795-581-21 o SAFEGUARD (SONY), IMPORTANT(for UC)
1pc
1pc
1pc
```

18-5. OPTIONAL FIXTURES

```
SP Description
Part No.
J-6001-820-A O DRUM ECCENTRICITY GAUGE (3)
J-6001-840-A o DRUM ECCENTRICITY GAUGE (1)
J-6325-530-A o DRUM ECCENTRICITY GAUGE (6)
J-6031-820-A O MULTI CONNECTOR CABLE (DIBNC)
J-6031-830-A o MULTI CONNECTOR CABLE (DOBNC)
J-6080-029-A o ADJUSTMENT MIRROR
J-6087-000-A o DRUM ECCENTRICITY GAUGE (5)
J-6150-960-A O REEL MOTOR SHAFT SLANTNESS CHECK FIXTURE
J-6152-450-A o WIRE CLEARANCE GAUGE
J-6320-680-A o REEL TABLE HEIGHT GAUGE
J-6320-880-A o CASSETTE BASE PLATE (L)
J-6321-500-A o TAPE GUIDE ADJUSTMENT DRIVER
J-6332-780-A O EXTENSION BOARD, EX-278
J-6332-790-A O EXTENSION BOARD, EX-279
J-6381-380-A o S CONNECTOR CABLE, EW703
2-034-697-00 o CLEANING PIECE
3-703-360-09 o PARALLEL PIN (3x32)
7-661-018-18 o 0IL
7-662-010-04 o GREASE, SGL-505 (20 g)
7-700-736-01 o L-SHAPED HEXAGONAL WRENCH (d:1.27 mm)
7-700-736-05 o L-SHAPED HEXAGONAL WRENCH (d:1.5 mm) 7-700-736-06 o L-SHAPED HEXAGONAL WRENCH (d:0.89 mm)
8-960-096-01 o ALIGNMENT TAPE, CR2-1B
8-960-096-41 o ALIGNMENT TAPE, CR5-1B
8-960-097-45 o ALIGNMENT TAPE, CR8-1A
9-911-053-00 o THICKNESS GAUGE
9-919-573-01 o CLEANING FLUID
                 TENTEL METER (T2-H7-SLC)
STANDARD
  PRODUCTS
```